

Extending Description Logics with Generic Concepts – the Case of Terminologies

Joshua Hirschbrunn¹, Yevgeny Kazakov¹

¹University of Ulm, James-Franck-Ring, 89081 Ulm, Germany

Abstract

We propose an extension of Description Logics (DLs) with generic concepts and conditional axioms. Inspired by object-oriented languages, generic concepts allow a compact definition of concepts with similar structures. For example, one can define a generic concept $\text{Owner}[X]$ to describe objects that own another object from X , and later use a specific replacement of the parameter X , such as $\text{Owner}[\text{Pet}]$ representing pet owners. Conditional axioms can be used to set bounds on the values that replace the generic parameters. For example, we could restrict replacements of X in a concept $\text{Feeder}[X]$ to only subconcepts of Pet . As the set of possible parameter replacements can be infinite and even uncountable, the generic extensions are, in general, undecidable. To identify decidable generic DLs, we focus on the case of terminologies, requiring that variables are only used in definitions of generic concepts. We formulate syntactic restrictions that allow reducing generic to classical entailment and further conditions that ensure decidability.


Keywords


Generics, Conditional Axioms, Terminologies

1. Introduction

Many large Description Logics (DLs) ontologies exhibit regularities in their syntactic structure [1, 2], and there have been several proposals to model such regularities within the languages so that ontologies are easier to maintain [3, 4, 5, 6, 7, 8, 9, 10, 11]. One proposal is to apply the principles of generic programming for object-oriented languages [12] to ontologies. Generic DLs [13] extend classical DLs with two new features: concept variables and parametrized concepts. *Concept variables* are placeholders that can be replaced with (ordinary) concepts. For example, a *generic concept* $\exists \text{owns}.X$ uses a concept variable X , which could be replaced with (ordinary) concepts like Pet or Car resulting in (ordinary) concepts $\exists \text{owns}.\text{Pet}$ and $\exists \text{owns}.\text{Car}$. *Parameterized concepts* are a generalized form of atomic concepts, whose meaning may depend on other concepts. For example, a parameterized concept $\text{Owner}[X]$ can be used to describe owners of objects from X , and could be defined using a *generic axiom* $\text{Owner}[X] \equiv \exists \text{owns}.X$. Thus, $\text{Owner}[\text{Pet}]$ and $\text{Owner}[\text{Car}]$ describe two different kinds of owners.

Generic axioms can be interpreted in two ways: using the schema semantics and using the second-order semantics [13]. Under the *schema semantics*, the axiom $\text{Owner}[X] \equiv \exists \text{owns}.X$ is regarded *literally* as an abbreviation of (countably-many) axioms $\text{Owner}[C] \equiv \exists \text{owns}.C$ obtained by replacing the concept variable X with all possible concepts C from the language. Under the *second-order semantics*, concept variables can be replaced with arbitrary subsets of the interpretation domain. Second-order semantics is, generally, *stronger* than the schema semantics because not every subset of a domain is an interpretation of some concept of the language. However, entailment under the schema semantics can be computed using standard DL algorithms by treating instances of parametrized concepts such as $\text{Owner}[\text{Pet}]$ and $\text{Owner}[\text{Car}]$ as distinct atomic concepts. Schema entailment, however, may depend on the *language* in which the replacement concepts C are constructed: replacing with \mathcal{EL} concepts may result in fewer entailments than replacing with \mathcal{ALC} concepts (and fewer than for the second-order entailment). Therefore, a central question for generic DLs is, when both semantics result in the same entailments.

 DL 2025: 38th International Workshop on Description Logics, September 3–6, 2025, Opole, Poland

 joshua.hirschbrunn@uni-ulm.de (J. Hirschbrunn); yevgeny.kazakov@uni-ulm.de (Y. Kazakov)



© 2025 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

The previous work on generic DLs [13] shows that it is possible to ensure that second-order entailment coincides with the schema entailment by limiting the base language to DL \mathcal{EL} and applying further syntactic restrictions. In this paper, we use a different approach: Instead of restricting the type of *concept constructors* that can be used in ontologies, we restrict the *shape of axioms*. Specifically, we allow *definitions* of (generic) atomic concepts of form $A[X_1, \dots, X_n] \equiv C$ where the left-hand side is a parametrized concept and the right-hand side C is an arbitrary (\mathcal{SROIQ}) concept containing only the variables X_i ($1 \leq i \leq n$) present on the left. A *terminology* is a set of such concept definitions in which every concept is defined at most once. We can also allow *partial concept definitions* of the form $A[X_1, \dots, X_n] \sqsubseteq C$, also when the partially defined atomic concept may appear in several such partial definitions, because they can be rewritten to concept definitions using concept conjunction and fresh atomic concepts. We also allow the ontology to contain any number of *ground axioms*, i.e., axioms that do not contain concept variables.

Sometimes, it is useful to further restrict (partial) definitions by limiting the scope of parameters for which they can be used. For this purpose, we introduce a new type of axiom called *conditional axiom*. Similarly to bounds in generic programming [12], conditional axioms allow for restricting the concepts/domain-subsets that are considered for concept variables. A conditional axiom consists of a range of conditions and a target axiom: $\{\gamma_1, \dots, \gamma_n\} \Rightarrow \beta$, the conditions, as well as the target axiom, are classical axioms (potentially using generic concepts). For example, this allows us to specify different kinds of contents: $X \sqsubseteq \text{File} \Rightarrow \text{Contents}[X] \sqsubseteq \text{Data}$, $X \sqsubseteq \text{Food} \Rightarrow \text{Contents}[X] \sqsubseteq \text{Nutrients}$, $X \sqsubseteq \text{Law} \Rightarrow \text{Contents}[X] \sqsubseteq \text{Paragraphs}$. If a parameterized concept is applied to an argument that is not satisfied by the conditions, we consider it to be undefined, and it can be interpreted arbitrarily, which aligns with the idea of partial definitions. The terminological part of ontologies that we specify can also be cyclic. For example, our DL extension is able to capture recursive data definitions such as a node of a tree-structure: $\text{Node}[X] \equiv \forall \text{hasSuccessor}.\text{Node}[X] \sqcap \exists \text{hasValue}.X$

In this paper, we present the following results. First, we show that reasoning under classical ontologies extended with (only) conditional axioms can be reduced to reasoning with classical ontologies allowing for negated axioms (Section 4). Second, using the conditional axioms, we show that entailment for ground generic ontologies can be reduced to entailment for classical ontologies (with conditional axioms) (Section 5). Third, we show that we can reduce reasoning with a non-ground generic terminology to reasoning with a ground generic ontology using a fixpoint approach; this approach allows us to extend a model of the ground part of a generic terminology to a model of the whole ontology (Section 6). In Section 7, we explain how the semantic restrictions from Section 6 can be achieved syntactically in practice. We start out with a discussion of related work (Section 2), followed by the formal introduction of the generic extension using conditional axioms (Section 3), and conclude with a discussion of our results (Section 8).

Due to limited space, we provide most proofs and examples in the appendix.

2. Related Work

As mentioned in the introduction, our work is based on the existing generic extension of description logics [13]. We differ from that work in the way we restrict the usage of generic features to keep decidability. Instead of restricting the generic DL to a fragment of the extension of \mathcal{EL} , we work with the extension of DLs up to \mathcal{SROIQ} , but require that axioms with variables are part of a terminology where each parameterized concept is defined at most once (multiple partial definitions are also allowed). Additionally, we introduce a new feature of the generic extension in this paper, namely, conditional axioms that allow us to restrict the range of concept variables using classical axioms.

Apart from generic extensions, our approach is related to several other areas. Ontology parts of similar syntactic structure are primarily studied in the field of Ontology Design Patterns (ODPs) [3, 4, 5, 6, 7, 8, 9]. Similar to our reduction of second-order to classical reasoning, this method employs variables to create axiom templates for deriving standard axioms tailored to particular applications. The key distinction from our approach is that ODPs lack true generic concepts like $\text{Owner}[X]$ and do

not possess model-theoretic semantics. Rather, ODPs are generally a preliminary stage, substituting variables with concepts from predetermined sets of candidates to form a classical ontology that can subsequently be used in the standard way. There are also works in this area that are primarily concerned with finding repeating structures in ontologies (usually with the goal of testing and defining new ODPs) [1, 2, 14].

A related but different concept are the Generators introduced by Kindermann et al. [10]. Those are a kind of rule language on top of DLs, consisting of rules called generators that have axiom templates as conditions and targets. If a certain replacement of variables in the conditions results in an axiom that is entailed by the ontology, then the target is added as an axiom to the ontology for the same variable replacement. This is somewhat similar to our conditional axioms, with the most important difference being that usage of these generators requires the (manual) specification of a *language* of replacement concepts, while in our case, the second-order semantics considers arbitrary subsets of the domain as replacements of the concept variables.

Additionally, in the broader context of DL research, the idea of making axioms depend on other axioms in the DL itself, like we do with conditional axioms, is also not completely new. One example are so-called context description logics [15], which allow axioms to be dependent on a concrete context, which is itself also formulated as a DL axiom. They differ from conditional axioms in that contexts are defined outside the ontology in a special context ontology; there is no direct connection between elements of the context axiom and the classical axiom targeted, as we can establish by sharing variables; and finally, context DLs are a kind of multi-modal DL allowing to formulate a kind of possibility and necessity on contexts, which we do not support. We also differ from DL rules (e.g., [16]) because we do not leave the DL language to formulate rules in First-Order Logic (FOL), but formulate conditional axioms directly in the DL of the ontology itself and we quantify over *concept* variables, not variables for individuals.

3. Generic Extension

We start by formally defining the syntax of generic DLs with parameterized concepts, concept variables, and conditional axioms.

Definition 1 (Syntax, extended from [13]). *The syntax of generic DLs consists of disjoint and countably infinite sets N_C of concept names, each with an assigned arity $ar(A) \in \mathbb{N}$ ($A \in N_C$), N_R of role names, and N_X of concept variables. Given a base DL L that is a fragment of \mathcal{SROIQ} , we define by $L\mathcal{X}$ its corresponding generic extension, adding parameterized (atomic) concepts, concept variables, and conditional axioms. Specifically, the set of $L\mathcal{X}$ -concepts is the smallest set containing concept variables $X \in N_X$, concept terms $A[C_1, \dots, C_n]$, where $A \in N_C$, $n = ar(A)$ and C_i are $L\mathcal{X}$ -concepts ($1 \leq i \leq n$), and which is closed under the concept constructors of L . The set of $L\mathcal{X}$ -axioms is the smallest set containing all axioms built from $L\mathcal{X}$ -concepts using the axiom constructors of L , as well as axioms of the form $\Gamma \Rightarrow \beta$ (conditional axioms), where β is a non-conditional $L\mathcal{X}$ axiom and Γ is a set of such axioms. An $L\mathcal{X}$ -ontology is a (possibly infinite) set \mathcal{K} of $L\mathcal{X}$ -axioms.*

For a conditional axiom $\alpha = (\Gamma \Rightarrow \beta)$, we call all elements $\gamma \in \Gamma$ conditions of α and β the target of α . All axioms that are not conditional axioms, i.e., Γ is empty, we call *unit* axioms. Note that all conditions and the target can only be unit axioms; conditional axioms can not be nested.¹ We introduce a range of special notations to facilitate the discussion about $L\mathcal{X}$ concepts and axioms.

Definition 2 (Adapted from [13]). *Let the expression ex be either a $L\mathcal{X}$ -concept, a $L\mathcal{X}$ -axiom, or a $L\mathcal{X}$ -ontology. We denote by $sub(ex)$ (all) subconcepts of ex , i.e., substrings of the expression that are valid concepts. For $L\mathcal{X}$ -concepts and $L\mathcal{X}$ -axioms (that are not using \Rightarrow), we split $sub(ex)$ into $sub^+(ex)$ and $sub^-(ex)$ the set of concepts that occur positively, respectively negatively, in ex , $sub(ex) = sub^+(ex) \cup sub^-(ex)$. For simple DLs occurring positively (negatively) simply corresponds to occurring on the right*

¹If conditional axioms were allowed to be nested, we would be able to express all boolean combinations over axioms.

side of the axiom under an even (odd) number of nested negations or on the left side under an odd (even) number of nested negations, for more expressive DLs this can be more difficult, see e.g., [17] for *SR_OIQ*. We denote by $\text{vars}(ex) = \text{sub}(ex) \cap N_X$ the set of concept variables occurring in ex . We say that ex is ground if $\text{vars}(ex) = \emptyset$.

A (concept variable) substitution is a partial mapping $\theta = [X_1/C_1, \dots, X_n/C_n]$ that assigns concepts C_i to concept variables X_i ($1 \leq i \leq n$). We denote by $\theta(ex)$ the result of applying the substitution to ex , defined in the usual way.

In the remainder of the paper, we differentiate between different versions of a DL as follows: If concepts, axioms, and ontologies include concept terms, conditional axioms, and concept variables, we call them *generic*. If this is not the case, i.e., the DL is not extended by us, we call these *classical*.

As described in Section 1, we adapt the existing second-order semantics for generic extensions [13] for usage with conditional axioms:

Definition 3 (Second-Order Semantics, adapted from [13]). A (second-order) interpretation for a $L\mathcal{X}$ is a pair $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$, where $\Delta^{\mathcal{I}}$ is a nonempty set called the domain of \mathcal{I} and $\cdot^{\mathcal{I}}$ is an interpretation function, which assigns to every $A \in N_C$ with arity $n = \text{ar}(A)$ a function $A^{\mathcal{I}} : (2^{\Delta^{\mathcal{I}}})^n \rightarrow 2^{\Delta^{\mathcal{I}}}$ and to every $r \in N_R$ a relation $r^{\mathcal{I}} \subseteq \Delta^{\mathcal{I}} \times \Delta^{\mathcal{I}}$. A valuation for \mathcal{I} (also called a variable assignment) is a mapping η that assigns to every variable $X \in N_X$ a subset $\eta(X) \subseteq \Delta^{\mathcal{I}}$.

The interpretation of $L\mathcal{X}$ -concepts $C^{\mathcal{I},\eta} \subseteq \Delta^{\mathcal{I}}$ is recursively defined by $X^{\mathcal{I},\eta} = \eta(X)$ for $X \in N_X$, $A[C_1, \dots, C_n]^{\mathcal{I},\eta} = A^{\mathcal{I}}(C_1^{\mathcal{I},\eta}, \dots, C_n^{\mathcal{I},\eta})$, and is extended to other $L\mathcal{X}$ -concepts in the usual way. Satisfaction of unit axioms $\mathcal{I} \models_{\eta}^2 \beta$ under \mathcal{I} and η is determined from the interpretation of $L\mathcal{X}$ -concepts in β in the standard way. For example, $\mathcal{I} \models_{\eta}^2 C \sqsubseteq D$ iff $C^{\mathcal{I},\eta} \subseteq D^{\mathcal{I},\eta}$. The interpretation of conditional axioms follows naturally, i.e., $\mathcal{I} \models_{\eta}^2 \Gamma \Rightarrow \beta$, iff $\exists \gamma \in \Gamma : \mathcal{I} \not\models_{\eta}^2 \gamma$ or $\mathcal{I} \models_{\eta}^2 \beta$. We write $\mathcal{I} \models^2 \alpha$ if $\mathcal{I} \models_{\eta}^2 \alpha$ for every valuation η . Finally, for an ontology \mathcal{K} , we write $\mathcal{I} \models^2 \mathcal{K}$ if $\mathcal{I} \models^2 \alpha$ for every $\alpha \in \mathcal{K}$, and we write $\mathcal{K} \models^2 \alpha$ if $\mathcal{I} \models^2 \mathcal{K}$ implies $\mathcal{I} \models^2 \alpha$.

We add a few remarks about this definition: First, for a classical ontology every second-order model is a classical model and vice versa as the second-order interpretation only differs from a classical interpretation in its treatment of atomic concepts (which we call parameterized concepts in the generic DL) as functions, which is not relevant if we only have atomic/parameterized concepts with zero arity as in the case of classical ontologies. Second, notice that for our conditional axioms, the same η is considered for the conditions, as for the target, i.e., the $\forall\eta$ quantification is outside the implication. This is important as we want conditions to restrict the choice of subsets of the domain that are considered for the variables in the target axiom. For example, all usages of X in $\{X \sqsubseteq \text{Pet}\} \Rightarrow \text{Keeper}[X] \equiv \exists \text{owns}.X \sqcap \exists \text{feeds}.X$, must be the same, and describe some kind of pet. Finally, we can easily reduce the entailment of a ground axiom $\Gamma \Rightarrow \beta$, i.e., $\mathcal{K} \models \Gamma \Rightarrow \beta$, to the unsatisfiability of \mathcal{K} extended with Γ and the conditional axiom $\{\beta\} \Rightarrow \top \sqsubseteq \perp$: Clearly, $\mathcal{K} \models \Gamma \Rightarrow \beta$ iff $\mathcal{K} \cup \Gamma \models \beta$ and if $\mathcal{K} \cup \{\{\beta\} \Rightarrow \top \sqsubseteq \perp\}$ is unsatisfiable, then $\mathcal{I} \models \beta$ holds for every model \mathcal{I} of \mathcal{K} , therefore $\mathcal{K} \models \Gamma \Rightarrow \beta$ iff $\mathcal{K} \cup \Gamma \cup \{\{\beta\} \Rightarrow \top \sqsubseteq \perp\}$ is unsatisfiable.

4. Conditional Axioms

We start our analysis by considering the new feature introduced in this paper, i.e., conditional axioms, on their own. That is, we consider the extension of classical DLs (only) with conditional axioms (not yet concept terms or concept variables). For example, we allow axioms such as $\{A \sqsubseteq B, A \sqsubseteq C\} \Rightarrow \exists r.A \sqsubseteq \top$.

This extension can be nondeterministically reduced to reasoning with negated axioms by choosing for each conditional axiom either the target axiom or the negation of some condition axiom. Then the satisfiability of our ontology with conditions coincides with the satisfiability of (at least) one of these constructed ontologies.

Theorem 1. *There is a non-deterministic algorithm that reduces in polynomial time the second-order satisfiability of a classical ontology with conditional axioms to the classical satisfiability of an ontology potentially including negated axioms.*

The reduction described in Theorem 1 can be used for DLs, which can express negation of the axioms appearing as conditions. For example, negations of concept inclusion axioms $C \sqsubseteq D$ can be expressed as $\{C(a), (\neg D)(a)\}$ with a a fresh individual. Of course, for a less expressive DL like \mathcal{EL} , this raises the complexity of reasoning, as effectively we are using \mathcal{ALC} reasoning.

5. Ground Ontologies

The approach described in the previous section allows us to remove conditional axioms from ontologies to be able to use classical interpretations instead of second-order ones. With this result, only two features still make it difficult to consider a generic ontology under classical interpretations. The first are variables, the second are concept terms. We can leave variables aside for now by considering only ground generic ontologies. To deal with concept terms, a naive way to interpret them under classical interpretations is to simply consider them as new atomic concept names.² Unfortunately, this has the side effect that we do not account for equivalent axioms anymore, i.e., using classical interpretations in this way for an ontology such as $\{C \equiv D\}$ we do not get $A[C] \equiv A[D]$ as a consequence because $A[C]$ and $A[D]$ are two independent atomic concepts. On the other hand, clearly, for second-order semantics, we get $A[C] \equiv A[D]$ as the function $A^{\mathcal{I}}$ applied to the same set $M = C^{\mathcal{I}} = D^{\mathcal{I}}$ twice, gives the same result. To still be able to reduce second-order entailment to classical entailment using this approach, we transform the given ontology using a closure that moves this treatment of equal concepts from the semantics to explicit (conditional) axioms in the ontology:

Definition 4 (Congruence Closure). *A congruence axiom is a (conditional) axiom of the form: $\bigwedge_{i=1}^n C_i \equiv D_i \Rightarrow A[C_1, \dots, C_n] \equiv A[D_1, \dots, D_n]$ where $n = ar(A)$ and C_i, D_i , \mathcal{LX} -concepts ($1 \leq i \leq n$). The congruence closure of a ground ontology \mathcal{K} is the extension of \mathcal{K} with all congruence axioms for which $A[C_1, \dots, C_n] \in sub(\mathcal{K})$ and $A[D_1, \dots, D_n] \in sub(\mathcal{K})$.*

Clearly, all congruence axioms are tautologies under the second-order semantics:

Lemma 2. *Let α be a congruence axiom and \mathcal{I} a second-order interpretation. Then $\mathcal{I} \models^2 \alpha$.*

Lemma 3. *Let \mathcal{K} be a ground ontology and \mathcal{K}' the congruence closure of \mathcal{K} (see Definition 4). Then \mathcal{K} is satisfiable under second-order semantics iff \mathcal{K}' is (classically) satisfiable.*

Proof sketch. (\Rightarrow) We can easily construct a classical interpretation \mathcal{J} from a second-order model \mathcal{I} of \mathcal{K} by setting $A[C_1, \dots, C_n]^{\mathcal{J}} = A^{\mathcal{I}}(C_1^{\mathcal{I}}, \dots, C_n^{\mathcal{I}})$. But then this new classical interpretation is still a model of \mathcal{K} and by Lemma 2 also a model of \mathcal{K}' . (\Leftarrow) Likewise we can construct a second-order interpretation \mathcal{I} from a classical model \mathcal{J} of \mathcal{K}' by setting $A^{\mathcal{I}}(M_1, \dots, M_n) = A[C_1, \dots, C_n]^{\mathcal{J}}$ if there are such C s that $C_i^{\mathcal{J}} = M_i$. If this is not the case we set $A^{\mathcal{I}}(M_1, \dots, M_n) = \emptyset$ as the default. Using the presence of the equivalence axioms, we can show that the choice of C_1, \dots, C_n is unambiguous. But then this new interpretation is a model of \mathcal{K}' and therefore also a model of \mathcal{K} . \square

Note that \mathcal{K}' can be computed in polynomial time in the size of \mathcal{K} since the number of atoms $A[C_1, \dots, C_n] \in sub(\mathcal{K})$ is linear in \mathcal{K} . Therefore, we get the following result.

Theorem 4. *Second-order satisfiability of ground ontologies with conditional axioms can be reduced in polynomial time to satisfiability of ground ontologies with conditional axioms under classical semantics.*

²This was done in the existing work on generic extensions, leading to syntactic restrictions [13].

6. Terminologies

Following the results regarding ground ontologies, in this section, we extend our results to the non-ground case. The goal of this section is to reduce the (second-order) satisfiability of generic non-ground ontologies to the (second-order) satisfiability of generic ground ontologies. With the results from the previous sections, this gives us the ability to reduce reasoning with generic ontologies to classical reasoning (with negated axioms).

Our approach works under the assumption that a given generic ontology consists of two parts: a *ground part* containing arbitrary ground axioms and a *terminological part* consisting of generic concept definitions. Our main result shows that, under certain semantic conditions, an arbitrary model of the ground part can be extended to a model of the terminological part by using a fixpoint operator reminiscent of defining the least fixpoint semantics for (cyclic) \mathcal{EL} terminologies [18].

Definition 5 (Generic Terminology). *A (generic) complete concept definition is a conditional axiom α of the form $\Gamma \Rightarrow A[X_1, \dots, X_n] \equiv D$ where $n = ar(A) \geq 1$ and $vars(\Gamma) \cup vars(D) \subseteq \{X_1, \dots, X_n\}$. We call $A[X_1, \dots, X_n]$ the defined concept of α and D its complete description. A (generic) partial concept definition is a conditional axiom α of the form $\Gamma \Rightarrow A[X_1, \dots, X_n] \sqsubseteq D$ where $n = ar(A) \geq 1$. We call $A[X_1, \dots, X_n]$ the defined concept of α and D its partial description. A concept definition is either a partial or complete concept definition. A (generic) terminology is a set \mathcal{T} of concept definitions, such that no two different axioms define the same (generic) concept, i.e., $A[X_1, \dots, X_n]$ is either defined in one complete concept definition or in one or more partial concept definitions, but not both.*

For a given generic terminology, we call parameterized concepts that occur as the defined concept of a complete concept definition, *completely defined concepts*, denoted as N_{def} , and parameterized concepts that occur as the defined concept of a partial concept definition, *partially defined concepts*, denoted as N_{part} . All other parameterized concepts occurring in the terminology are called *primitive concepts*, denoted N_{prim} . It should be noted that we permit cyclic dependencies among the defined concepts. We do not consider an axiom as a proper complete concept definition if a variable occurs in the conditional axiom, but not as an argument of the defined concept. In this case, the definition would not be unambiguous, for example, $A[X] \equiv X \sqcap \exists r.Y$ does not clearly define how $A[C]$ should be interpreted. This problem does not occur for partially defined concepts, as in cases where a complete definition would be ambiguous, the option that interprets the parameterized concept as the smallest set can be chosen. See Example 1 for a number of examples of concept definitions.

As said above, we want to take a model of the ground part of an ontology and extend it to a model of the whole ontology (including the non-ground but terminological part). This means that given a model of the non-ground part \mathcal{I} , we can only change the interpretation of parameterized concepts for arguments that do not occur in the ground part, e.g., if $A[C]$ is a concept in the ground ontology, we may not change the interpretation of $A^{\mathcal{I}}(M)$ for the argument $M = C^{\mathcal{I}}$ in order to ensure that our resulting interpretation still is a model. What we can change is the interpretation for “unknown” M s. We formalize these allowed changes in the following definition.

Definition 6 (Terminological Expansions). *Let \mathcal{G} be a ground generic ontology, \mathcal{T} a generic terminology, and \mathcal{I} a model of \mathcal{G} , i.e., $\mathcal{I} \models \mathcal{G}$. We call a set $M \subseteq \Delta^{\mathcal{I}}$ known if there is a $C \in \text{sub}(\mathcal{G})$ such that $C^{\mathcal{I}} = M$, otherwise it is unknown. A subset of $\mathcal{P}(\Delta^{\mathcal{I}})$ is unknown if at least one member is unknown. Then a terminological expansion of \mathcal{I} is an interpretation $\mathcal{J} = (\Delta^{\mathcal{J}}, \cdot^{\mathcal{J}})$, such that $\Delta^{\mathcal{J}} = \Delta^{\mathcal{I}}, \forall r \in N_R : r^{\mathcal{J}} = r^{\mathcal{I}}, \forall C \in \text{sub}(\mathcal{G}) : C^{\mathcal{J}} = C^{\mathcal{I}}$, for $A \in N_{\text{part}}$ and $M_1, \dots, M_n \subseteq \Delta^{\mathcal{I}}$ unknown, $A(M_1, \dots, M_n)^{\mathcal{J}} = \emptyset$, and $\forall A \in N_{\text{prim}} : B^{\mathcal{J}} = B^{\mathcal{I}}$. By $\text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ we denote the set of all terminological expansions of \mathcal{I} . We omit \mathcal{G} and \mathcal{T} if they are irrelevant or clear from the context.*

We additionally define the following ordering on $\text{Tx}(\mathcal{I})$: If $\mathcal{J}_1, \mathcal{J}_2 \in \text{Tx}(\mathcal{I})$, then $\mathcal{J}_1 \preceq_{\mathcal{I}} \mathcal{J}_2$ iff $\forall A \in N_{\text{def}}, \forall M_1, \dots, M_n \subseteq \Delta^{\mathcal{I}} : A(M_1, \dots, M_n)^{\mathcal{J}_1} \subseteq A(M_1, \dots, M_n)^{\mathcal{J}_2}$.

Note that a $\mathcal{J} \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ differs from \mathcal{I} only in the interpretation of defined concepts when those are applied to unknown arguments, i.e., to subsets of the domain that are not “represented” by any concept that occurs in \mathcal{G} . This makes sure that for all concepts in \mathcal{G} , \mathcal{J} and \mathcal{I} coincide, i.e., $\mathcal{J} \models^2 \mathcal{G}$.

We choose to interpret partially defined concepts as the empty set in the expansions. The advantage of this is that for partially defined concepts and unknown arguments, we immediately know that their definition is entailed by every $\mathcal{J} \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$.

Definition 7. An $L\mathcal{X}$ -ontology \mathcal{K} is said to be admissible if $\mathcal{K} = \mathcal{G} \cup \mathcal{T}$, where:

1. \mathcal{G} is a ground ontology,
2. \mathcal{T} is a (generic) terminology,
3. If $A[X_1, \dots, X_n]$ is defined by some $\alpha \in \mathcal{T}$ then for every substitution θ such that $\theta(A[X_1, \dots, X_n]) \in \text{sub}(\mathcal{G})$ it holds that $\mathcal{G} \models^2 \theta(\alpha)$,
4. If D is the description of some completely defined concept in \mathcal{T} , \mathcal{I} a model of \mathcal{G} and $\mathcal{J}_1 \preceq_{\mathcal{I}} \mathcal{J}_2$, then $D^{\mathcal{J}_1, \eta} \subseteq D^{\mathcal{J}_2, \eta}$ for every valuation η .

The notion of an *admissible ontology* ensures that an extension of a model of the ground part to a model of the terminological part is always possible. Condition 3 prevents a clash of the knowledge of the ground and the terminological parts, e.g., having an axiom $\top \sqsubseteq A[B]$ in \mathcal{G} and an axiom $A[X] \equiv \perp$ in \mathcal{T} violates this condition. Furthermore, Condition 3 ensures that for known arguments, definitions in \mathcal{T} are entailed by every $\mathcal{J} \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$. This means we do only need to choose a $\mathcal{J} \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ that also entails complete definitions for unknown arguments to get a model of \mathcal{K} . To find this \mathcal{J} , we use an approach that (starting from \mathcal{I}) changes the interpretation of completely defined concepts step-by-step to get closer to their definition, until a fixpoint is reached.

For such a fixpoint to exist, we need to make sure that the interpretation only increases from step to step. Because we allow defined concepts in the descriptions in \mathcal{T} , this can only be ensured if descriptions are always upward monotone in all fully defined concept terms. For example, if we had $A[X] \equiv \neg B[X]$, this would not hold, as if we assume that $B[X]$ increases with every step of our expansion, then $A[X]$ would at the same time decrease. Indeed, if this monotonicity were not required, we would be able to express General Concept Inclusions (GCIs) in our terminology. The reason for this is similar to absorption [19]: We can express a GCI $C[X] \sqsubseteq D[X]$ as $\top \equiv \neg C[X] \sqcup D[X]$ and, because this is not allowed as a terminological axiom (as \top is not a parameterized concept), we use $A[X] \equiv \neg A[X] \sqcap \neg B[X]$ to be able to use $B[X] \equiv \neg C[X] \sqcup D[X]$ instead of \top . To prevent such cases, we use Condition 4 in Definition 7. See Example 2 for a number of examples of admissible or non-admissible ontologies.

Definition 8 (One Step Expansion). Let $\mathcal{K} = \mathcal{G} \cup \mathcal{T}$ be an admissible ontology according to Definition 7 and \mathcal{I} a model of \mathcal{G} . The one-step expansion is a function $1\text{Exp}_{\mathcal{K}, \mathcal{I}} : \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I}) \rightarrow \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ such that $1\text{Exp}_{\mathcal{K}, \mathcal{I}}(\mathcal{J})$ is the interpretation $\mathcal{J}' \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ defined by changing the interpretation of completely defined concepts in the following way: Let $A \in N_{\text{def}}$, $M_1, \dots, M_n \subseteq \Delta^{\mathcal{I}}$ unknown, if A is defined by $\Gamma \Rightarrow A[X_1, \dots, X_n] \equiv D \in \mathcal{T}$ then for $\eta = \{X_1/M_1, \dots, X_n/M_n\}$: $A^{\mathcal{J}'}(M_1, \dots, M_n) = D^{\mathcal{J}, \eta}$

Intuitively, the one-step expansion $1\text{Exp}(\mathcal{J})$ is the result of updating the interpretation of completely defined concepts (when applied to unknown arguments) by using their description. Note that the conditions of Definition 5 ensure that one-step expansion of \mathcal{J} is well-defined. In particular, the definition is unambiguous because every parameterized concept is completely defined in \mathcal{T} at most once, and all concept variables appearing in this definition must be parameters of this concept. In this procedure, we do not take the conditions Γ into consideration, because if we make sure that in the extended model the definition $A[X_1, \dots, X_n] \equiv D$ holds for every choice of X_i , then it also holds in the cases where Γ is also entailed. Disregarding Γ can also not lead to contradictions: A contradiction with another axiom in \mathcal{T} is not possible, because every parameterized concept is only completely defined once (regardless if conditions are present or not); And a contradiction with \mathcal{G} is not possible because of we only change the interpretation for unknown arguments.

We are now ready to show the final result of this section. We use here that the one-step expansion we defined is a monotone function on the set of terminological expansions, giving us the guaranteed existence of a fixpoint. This fixpoint is our new model of the whole ontology \mathcal{K} .

Theorem 5. *Let $\mathcal{K} = \mathcal{G} \cup \mathcal{T}$ be an admissible ontology and \mathcal{G} second-order satisfiable, then \mathcal{K} is second-order satisfiable.*

Proof sketch. Given a model $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ of \mathcal{G} , we show that the fixpoint of $1\text{Exp}_{\mathcal{K}, \mathcal{I}}$ exists and is a model of \mathcal{K} . To show this, we use our Requirement 4 of Definition 7, which gives us the monotonic behavior of descriptions. From this, the monotonic behavior of the one-step expansion follows naturally. Together with the observation that $\preceq_{\mathcal{I}}$ builds a lattice on $\text{Tx}(\mathcal{I})$, this gives us the existence of a fixpoint of the one-step expansion. This fixpoint is (still) a model of the ground part of the ontology, but also of the terminological part. This follows because, as it is a fixpoint, the one-step expansion does not change the interpretation of defined concepts anymore; therefore, those defined concepts already correspond to their description, and the definitions in \mathcal{T} are modeled. \square

7. Ensuring Admissibility

In the previous section, we have shown that the satisfiability of a generic ontology with an arbitrary ground part and a terminological non-ground part can be reduced to the satisfiability of the ground part only. The requirement for this result is, that the given ontology is *admissible*, i.e., fulfills certain restrictions: First, for a defined concept, the definition must already be entailed for known arguments by the ground part (Case 3 of Definition 7), second the descriptions of completely defined concepts need to be (upward) monotone in the contained completely defined concepts, i.e., increase if the interpretation of subterms increases (Case 4 of Definition 7). In this section, we discuss how these restrictions can be achieved in practice.

Definition 9 (Ground Expansion). *Given a generic ontology \mathcal{K} , consisting of a ground part \mathcal{G} and a generic terminology \mathcal{T} , i.e., $\mathcal{K} = \mathcal{G} \cup \mathcal{T}$, we define the ground expansion $\text{Exp}(\mathcal{G})$ as the set of axioms achieved in the following way: All axioms in \mathcal{G} are in $\text{Exp}(\mathcal{G})$. Then we repeatedly check if for $A[C_1, \dots, C_n] \in \text{sub}(\text{Exp}(\mathcal{G}))$ such that A is defined by α in \mathcal{T} , we have $\text{Exp}(\mathcal{G}) \models^2 \theta(\alpha)$ for $\theta = \{X_1/C_1, \dots, X_n/C_n\}$. If this is not the case, we add $\theta(\alpha)$ to $\text{Exp}(\mathcal{G})$. We repeat this until no new axioms are added to $\text{Exp}(\mathcal{G})$.*

This procedure does not terminate in every case. To achieve termination, it is important that there are no nested concept terms in \mathcal{T} . If this were the case, e.g., we would have $B_1[B_2[X]] \in \text{sub}(\mathcal{T})$, then any replacement of X with a concept C from $A[\dots, C, \dots] \in \text{sub}(\text{Exp}(\mathcal{G}))$ results in a new concept $B_1[B_2[C]] \in \text{sub}(\text{Exp}(\mathcal{G}))$, which again results in a new concept $B_1[B_2[B_2[C]]] \in \text{sub}(\text{Exp}(\mathcal{G}))$ and so on. This would result in an infinite $\text{Exp}(\mathcal{G})$. If we do not have such nested concept terms, calculating the expansion of \mathcal{G} takes at most exponential time. This is because, in the worst case, we have to ground every terminological axiom with every set of concepts occurring as arguments of concept terms in \mathcal{K} .

Clearly, if the original \mathcal{K} is satisfiable, then the resulting $\text{Exp}(\mathcal{G})$ is also satisfiable, as we only add instances of axioms in \mathcal{T} . Furthermore, it is easy to see that now $\mathcal{K}' = \text{Exp}(\mathcal{G}) \cup \mathcal{T}$ fulfills Case 3 of Definition 7, therefore (assuming that Case 4 of Definition 7 also holds) we can check the satisfiability of $\text{Exp}(\mathcal{G})$ to determine if \mathcal{K} is satisfiable by Theorem 5.

We now consider how to achieve the monotonicity of concept descriptions (i.e., Case 4 of Definition 7). A simple syntactic condition that is sufficient to achieve this monotonicity is to require that concept terms using a completely defined concept may only occur positively in a concept description. It is well known that positive polarity of subterms results in the concept being upward monotone in the subterm (see e.g., [20]). Using a suitable definition of positive polarity for \mathcal{SROIQ} (e.g., [17]) this can be shown in general using induction on the structure of the concept description. In our case, it is sufficient to require the positive polarity for concept terms using completely defined concepts, because the interpretation of other concepts is fixed in $\text{Tx}(\mathcal{I})$.

Taking these remarks together with our earlier results, we obtain the following reduction as a consequence of Theorems 1, 4, and 5:

Corollary 6. *Given a generic ontology \mathcal{K} satisfying the following conditions: (1) Axioms are either ground or concept definitions; (2) there are no nested concept terms in these definitions; and (3) non-ground concept*

terms using completely defined concepts only occur positively in descriptions. The satisfiability of \mathcal{K} under second-order semantics can be reduced in exponential time to the satisfiability of classical ontologies with negated axioms.

8. Discussion and Conclusion

Generic DLs were introduced to efficiently handle collections of similar axioms in ontologies, offering advantages akin to those of generic classes in programming: A parameterized concept's definition can be applied in various contexts, minimizing the necessity for duplicating and altering intricate concept structures. This method supports modular ontology construction and aids in preventing mistakes that may occur during axiom refactoring. Unfortunately, existing generic extensions [13] were limited to fragments of the extension of \mathcal{EL} .

In this paper, we lift this restriction, showing the decidability of generic extensions of expressive DLs up to \mathcal{SROIQ} . We achieve this by requiring that axioms with variables are only used to define parameterized concepts, while they can be used freely when ground. This is a reasonable restriction as this captures the initial idea of generic concepts, namely being a way to combine the definition of many similar concepts into one place. It also corresponds to the historic development of DLs, which also started with terminologies.

We also introduce a new feature of generic extensions, namely, conditional axioms. These allow us to formulate conditions under which an axiom should hold, while in interpretations where these conditions do not hold, the axiom can be ignored. Conditional axioms are a natural addition to generic DLs, akin to bounds in generic programming. They can be used as a check on variable replacements in concept terms, allowing to select one (or more) of potentially many partial definitions given for a parameterized concept in an ontology. Furthermore, conditional axioms are also an advantage for complete definitions, for example, we can formulate that the definition of $\text{Keeper}[X]$ “makes sense” only when X describes some set of pets, i.e., $\{X \sqsubseteq \text{Pet}\} \Rightarrow \text{Keeper}[X] \equiv \exists \text{owns}.X \sqcap \exists \text{feeds}.X$. This prevents modeling errors, where $\text{Keeper}[\cdot]$ is used with some wrong argument, such as $\text{Keeper}[\text{Car}]$.

Planned future work involves an implementation of the approach presented here, as well as studies to analyze the potential of existing ontologies to benefit from generic extensions, i.e., what reduction of inherent complexity is possible, as well as a tool for an automatic translation of existing ontologies to the generic extension.

In summary, the findings in this paper demonstrate that it is possible to get generic extensions of expressive description logics that are still decidable, provided certain reasonable restrictions are applied. Additionally, the introduction of conditional axioms allows to use generic concepts in a more targeted way, by restricting the replacement of parameters. This is a valuable addition to the area of generic description logics, as well as to the broader research area that deals with exploiting syntactic regularities in ontologies.

Declaration on Generative AI

During the preparation of this work, the authors used Writefull, Grammarly and GPT-4/5 in order to paraphrase content and do grammar and spelling checking. After using these tools, the authors reviewed and edited the content as needed and take full responsibility for the publication's content.

References

- [1] E. Mikroyannidi, L. Iannone, R. Stevens, A. Rector, Inspecting regularities in ontology design using clustering, in: L. Aroyo, C. Welty, H. Alani, J. Taylor, A. Bernstein, L. Kagal, N. Noy, E. Blomqvist (Eds.), *The Semantic Web – ISWC 2011*, volume 7031, Springer Berlin Heidelberg, 2011, pp. 438–453. URL: http://link.springer.com/10.1007/978-3-642-25073-6_28. doi:10.1007/978-3-642-25073-6_28, series Title: Lecture Notes in Computer Science.

- [2] E. Mikroyannidi, N. A. A. Manaf, L. Iannone, R. Stevens, Analysing syntactic regularities in ontologies, in: P. Klinov, M. Horridge (Eds.), *Proceedings of OWL: Experiences and Directions Workshop 2012*, Heraklion, Crete, Greece, May 27-28, 2012, volume 849 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2012. URL: https://ceur-ws.org/Vol-849/paper_11.pdf.
- [3] A. Gangemi, V. Presutti, Ontology design patterns, in: S. Staab, R. Studer (Eds.), *Handbook on Ontologies*, Springer Berlin Heidelberg, 2009, pp. 221–243. URL: http://link.springer.com/10.1007/978-3-540-92673-3_10. doi:10.1007/978-3-540-92673-3_10.
- [4] Y. He, J. Zheng, Y. Lin, Ontorat: Automatic generation and editing of ontology terms, in: F. M. Couto, J. Hastings (Eds.), *Proceedings of the International Conference on Biomedical Ontology, ICBO 2015*, Lisbon, Portugal, July 27-30, 2015, volume 1515 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2015. URL: <https://ceur-ws.org/Vol-1515/demo2.pdf>.
- [5] M. G. Skjæveland, D. P. Lupp, L. H. Karlsen, H. Forssell, Practical ontology pattern instantiation, discovery, and maintenance with reasonable ontology templates, in: D. Vrandečić, K. Bontcheva, M. C. Suárez-Figueroa, V. Presutti, I. Celino, M. Sabou, L. Kaffee, E. Simperl (Eds.), *The Semantic Web - ISWC 2018 - 17th International Semantic Web Conference*, Monterey, CA, USA, October 8-12, 2018, *Proceedings, Part I*, volume 11136 of *Lecture Notes in Computer Science*, Springer, 2018, pp. 477–494. URL: https://doi.org/10.1007/978-3-030-00671-6_28. doi:10.1007/978-3-030-00671-6_28.
- [6] B. Krieg-Brückner, T. Mossakowski, F. Neuhaus, Generic ontology design patterns at work, in: A. Barton, S. Seppälä, D. Porello (Eds.), *Proceedings of the Joint Ontology Workshops 2019 Episode V: The Styrian Autumn of Ontology*, Graz, Austria, September 23-25, 2019, volume 2518 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2019. URL: <https://ceur-ws.org/Vol-2518/paper-BOG2.pdf>.
- [7] M. G. Skjæveland, H. Forssell, J. W. Klüwer, D. P. Lupp, E. Thorstensen, A. Waaler, Reasonable ontology templates: APIs for OWL, in: N. Nikitina, D. Song, A. Fokoue, P. Haase (Eds.), *Proceedings of the ISWC 2017 Posters & Demonstrations and Industry Tracks co-located with 16th International Semantic Web Conference (ISWC 2017)*, Vienna, Austria, October 23rd - to - 25th, 2017, volume 1963 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2017. URL: <https://ceur-ws.org/Vol-1963/paper597.pdf>.
- [8] A. Borgida, J. Horkoff, J. Mylopoulos, R. Rosati, Experiences in mapping the business intelligence model to description logics, and the case for parametric concepts, in: Y. Kazakov, D. Lembo, F. Wolter (Eds.), *Proceedings of the 2012 International Workshop on Description Logics, DL-2012*, Rome, Italy, June 7-10, 2012, volume 846 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2012. URL: https://ceur-ws.org/Vol-846/paper_48.pdf.
- [9] C. Kindermann, B. Parsia, U. Sattler, Comparing approaches for capturing repetitive structures in ontology design patterns, in: K. Janowicz, A. A. Krisnadhi, M. Poveda-Villalón, K. Hammar, C. Shimizu (Eds.), *Proceedings of the 10th Workshop on Ontology Design and Patterns (WOP 2019) co-located with 18th International Semantic Web Conference (ISWC 2019)*, Auckland, New Zealand, October 27, 2019, volume 2459 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2019, pp. 17–31. URL: <https://ceur-ws.org/Vol-2459/paper2.pdf>.
- [10] C. Kindermann, D. P. Lupp, U. Sattler, E. Thorstensen, Generating ontologies from templates: A rule-based approach for capturing regularity, in: M. Ortiz, T. Schneider (Eds.), *Proceedings of the 31st International Workshop on Description Logics co-located with 16th International Conference on Principles of Knowledge Representation and Reasoning (KR 2018)*, Tempe, Arizona, US, October 27th - to - 29th, 2018, volume 2211 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2018. URL: <https://ceur-ws.org/Vol-2211/paper-22.pdf>.
- [11] C. Kindermann, A.-M. George, B. Parsia, U. Sattler, Minimal macro-based rewritings of formal languages: Theory and applications in ontology engineering (and beyond), in: *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 38, 2024, pp. 10581–10588. URL: <https://ojs.aaai.org/index.php/AAAI/article/view/28928>, issue: 9.
- [12] R. Garcia, J. Jarvi, A. Lumsdaine, J. G. Siek, J. Willcock, A comparative study of language support for generic programming, in: *Proceedings of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications*, 2003, pp. 115–134.
- [13] J. Hirschbrunn, Y. Kazakov, Extending description logics with generic concepts – the tale of two

- semantics, in: P. Marquis, M. Ortiz, M. Pagnucco (Eds.), Proceedings of the 21st International Conference on Principles of Knowledge Representation and Reasoning, KR 2024, Hanoi, Vietnam. November 2-8, 2024, 2024. URL: <https://doi.org/10.24963/kr.2024/43>. doi:10.24963/KR.2024/43.
- [14] A. Lawrynowicz, J. Potoniec, M. Robaczyk, T. Tudorache, Discovery of emerging design patterns in ontologies using tree mining, *Semantic Web* 9 (2018) 517–544. URL: <https://doi.org/10.3233/SW-170280>. doi:10.3233/SW-170280.
- [15] S. Klarman, V. Gutiérrez-Basulto, ALC_{alc} : A context description logic, in: T. Janhunen, I. Niemelä (Eds.), Logics in Artificial Intelligence - 12th European Conference, JELIA 2010, Helsinki, Finland, September 13-15, 2010. Proceedings, volume 6341 of *Lecture Notes in Computer Science*, Springer, 2010, pp. 208–220. URL: https://doi.org/10.1007/978-3-642-15675-5_19. doi:10.1007/978-3-642-15675-5_19.
- [16] M. Krötzsch, S. Rudolph, P. Hitzler, Description logic rules, in: M. Ghallab, C. D. Spyropoulos, N. Fakotakis, N. M. Avouris (Eds.), ECAI 2008 - 18th European Conference on Artificial Intelligence, Patras, Greece, July 21-25, 2008, Proceedings, volume 178 of *Frontiers in Artificial Intelligence and Applications*, IOS Press, 2008, pp. 80–84. URL: <https://doi.org/10.3233/978-1-58603-891-5-80>. doi:10.3233/978-1-58603-891-5-80.
- [17] F. Simancik, Elimination of complex rias without automata, in: Y. Kazakov, D. Lembo, F. Wolter (Eds.), Proceedings of the 2012 International Workshop on Description Logics, DL-2012, Rome, Italy, June 7-10, 2012, volume 846 of *CEUR Workshop Proceedings*, CEUR-WS.org, 2012. URL: https://ceur-ws.org/Vol-846/paper_21.pdf.
- [18] F. Baader, Terminological cycles in a description logic with existential restrictions, in: IJCAI, volume 3, 2003, pp. 325–330. URL: <https://lat.inf.tu-dresden.de/research/papers/2003/BaaderIJCAI03a.pdf>.
- [19] I. Horrocks, S. Tobies, Reasoning with axioms: Theory and practice, CoRR cs.LO/0005012 (2000). URL: <https://arxiv.org/abs/cs/0005012>.
- [20] P. Blackburn, M. de Rijke, Y. Venema, Modal Logic, volume 53 of *Cambridge Tracts in Theoretical Computer Science*, Cambridge University Press, 2001. URL: <https://doi.org/10.1017/CBO9781107050884>. doi:10.1017/CBO9781107050884.
- [21] J. W. Lloyd, Foundations of logic programming, Berlin ; New York : Springer-Verlag, 1987.

Acronyms

DL Description Logic

FOL First-Order Logic

ODP Ontology Design Pattern

GCI General Concept Inclusion

A. Additional Material for Section 4: Conditional Axioms

Theorem 1. *There is a non-deterministic algorithm that reduces in polynomial time the second-order satisfiability of a classical ontology with conditional axioms to the classical satisfiability of an ontology potentially including negated axioms.*

Proof. Let \mathcal{K} be a classical ontology with conditional axioms. Let \mathcal{K}' be obtained from \mathcal{K} by adding (1) all unit axioms to \mathcal{K}' and (2) for each (conditional) axiom $\{\gamma_1, \dots, \gamma_n\} \Rightarrow \beta \in \mathcal{K}$, \mathcal{K}' adding non-deterministically either β or one of $\neg\gamma_i$ for some $1 \leq i \leq n$. If \mathcal{K} is satisfiable, then for some of these choices \mathcal{K}' is satisfiable:

Given $\mathcal{I} \models^2 \mathcal{K}$, we can construct one such \mathcal{K}' as follows: For each $\alpha \in \mathcal{K}$, we do the following: If α is a unit axiom, then $\alpha \in \mathcal{K}'$ otherwise $\alpha = \{\gamma_1, \dots, \gamma_n\} \Rightarrow \beta$, and as $\mathcal{I} \models^2 \alpha$ either $\exists j (1 \leq j \leq n) : \mathcal{I} \not\models \gamma_j$ and we add $\neg\gamma_j$ to \mathcal{K}' or $\mathcal{I} \models \beta$, and we add β to \mathcal{K}' . Then $\mathcal{I} \models \mathcal{K}'$ and because \mathcal{K}' contains the non-conditional axioms of \mathcal{K} and for each conditional axiom, either one of the negated conditions or the target is in \mathcal{K}' , \mathcal{K}' fulfills the construction described above.

Conversely, if \mathcal{K}' is satisfiable then \mathcal{K} is satisfiable in the same interpretation: Take \mathcal{I} such that $\mathcal{I} \models \mathcal{K}'$, we show that $\mathcal{I} \models^2 \mathcal{K}$: Take $\alpha \in \mathcal{K}$ either α is non-conditional and $\alpha \in \mathcal{K}'$ or $\alpha = \{\gamma_1, \dots, \gamma_n\} \Rightarrow \beta$ and either $\exists \gamma_j : \mathcal{I} \models \neg\gamma_j$ then $\mathcal{I} \models^2 \alpha$ or $\mathcal{I} \models \beta$ and $\mathcal{I} \models^2 \alpha$.

This gives us a non-deterministic polynomial time reduction. \square

B. Additional Material for Section 5: Ground Ontologies

Lemma 2. *Let α be a congruence axiom and \mathcal{I} a second-order interpretation. Then $\mathcal{I} \models^2 \alpha$.*

Proof. Let α be a congruence axiom (Definition 4), \mathcal{I} a second-order interpretation, and η a variable assignment. If $C_i^{\mathcal{I}, \eta} \neq D_i^{\mathcal{I}, \eta}$ for some i ($1 \leq i \leq n$), then, trivially, $\mathcal{I} \models_\eta^2 \alpha$. Otherwise $(A[C_1, \dots, C_n])^{\mathcal{I}, \eta} = A^{\mathcal{I}}(C_1^{\mathcal{I}, \eta}, \dots, C_n^{\mathcal{I}, \eta}) = A^{\mathcal{I}}(D_1^{\mathcal{I}, \eta}, \dots, D_n^{\mathcal{I}, \eta}) = A[D_1, \dots, D_n]^{\mathcal{I}, \eta}$, which, likewise, implies $\mathcal{I} \models_\eta^2 \alpha$. Since η was arbitrary, we proved $\mathcal{I} \models^2 \alpha$. \square

Lemma 3. *Let \mathcal{K} be a ground ontology and \mathcal{K}' the congruence closure of \mathcal{K} (see Definition 4). Then \mathcal{K} is satisfiable under second-order semantics iff \mathcal{K}' is (classically) satisfiable.*

Proof. (\Rightarrow) Let $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ be a second-order interpretation such that $\mathcal{I} \models^2 \mathcal{K}$. Define the classical interpretation $\mathcal{J} = (\Delta^{\mathcal{J}}, \cdot^{\mathcal{J}})$ with $\Delta^{\mathcal{J}} = \Delta^{\mathcal{I}}$ and $A[C_1, \dots, C_n]^{\mathcal{J}} = A^{\mathcal{I}}(C_1^{\mathcal{I}}, \dots, C_n^{\mathcal{I}})$ for every $A \in N_C$, $n = \text{ar}(A)$ and C_i ground LX -concepts ($1 \leq i \leq n$), and $r^{\mathcal{J}} = r^{\mathcal{I}}$ for every $r \in N_R$. Note that this definition implies that $D^{\mathcal{J}} = D^{\mathcal{I}}$ for every ground LX -concept since the extension of interpretation under concept constructors is defined in \mathcal{I} and \mathcal{J} in the same way. Likewise, $\mathcal{I} \models^2 \alpha$ iff $\mathcal{J} \models \alpha$ for every ground LX -axiom α . Hence, from $\mathcal{I} \models^2 \mathcal{K}$, we obtain $\mathcal{J} \models \mathcal{K}$. Further, by Lemma 2, $\mathcal{I} \models^2 \alpha$ for every congruence axiom $\alpha \in \mathcal{K}'$. Hence $\mathcal{J} \models \mathcal{K}'$.

(\Leftarrow) Let \mathcal{J} be a classical interpretation such that $\mathcal{J} \models \mathcal{K}'$. Define the second-order interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ with $\Delta^{\mathcal{I}} = \Delta^{\mathcal{J}}$, $A^{\mathcal{I}}(M_1, \dots, M_n) = A[C_1, \dots, C_n]^{\mathcal{J}}$ if $A[C_1, \dots, C_n] \in \text{sub}(\mathcal{K})$ and $M_i = C_i^{\mathcal{J}}$ ($1 \leq i \leq n$), and $A^{\mathcal{I}}(M_1, \dots, M_n) = \emptyset$ in the remaining cases, and $r^{\mathcal{I}} = r^{\mathcal{J}}$ for every $r \in N_R$. Notice that the interpretation of $A^{\mathcal{J}}(M_1, \dots, M_n)$ is well-defined, i.e., it does not depend on the choice of the atom $A[C_1, \dots, C_n] \in \text{sub}(\mathcal{K})$ such that $C_i^{\mathcal{I}} = M_i$ ($1 \leq i \leq n$). Indeed, for every other choice $A[D_1, \dots, D_n] \in \text{sub}(\mathcal{K})$ such that $D_i^{\mathcal{J}} = M_i$ ($1 \leq i \leq n$), by Definition 4, the congruence axiom belongs to \mathcal{K}' , and since $\mathcal{J} \models \mathcal{K}'$ and $C_i^{\mathcal{J}} = D_i^{\mathcal{J}}$ ($1 \leq i \leq n$), we obtain $A[C_1, \dots, C_n]^{\mathcal{J}} = A[D_1, \dots, D_n]^{\mathcal{J}}$. Since $A[C_1, \dots, C_n]^{\mathcal{J}} = A^{\mathcal{I}}(C_1^{\mathcal{I}}, \dots, C_n^{\mathcal{I}})$ for every $A[C_1, \dots, C_n] \in \text{sub}(\mathcal{K})$, similarly like in the case (\Rightarrow), it follows that $\mathcal{I} \models^2 \alpha$ iff $\mathcal{J} \models \alpha$ for every $\alpha \in \mathcal{K}$. Since $\mathcal{J} \models \mathcal{K}'$ and $\mathcal{K} \subseteq \mathcal{K}'$, it follows that $\mathcal{I} \models^2 \mathcal{K}$. \square

Theorem 4. *Second-order satisfiability of ground ontologies with conditional axioms can be reduced in polynomial time to satisfiability of ground ontologies with conditional axioms under classical semantics.*

Proof. Let \mathcal{K} be a ground ontology with conditional axioms, and \mathcal{K}' its congruence closure according to Definition 4. Note that \mathcal{K}' can be computed in polynomial time in the size of \mathcal{K} since the number of atoms $A[C_1, \dots, C_n] \in \text{sub}(\mathcal{K})$ is linear in \mathcal{K} . The statement of the theorem now follows directly from Lemma 3. \square

C. Additional Material for Section 6: Terminologies

Example 1. The following axioms are concept definitions:

- $\alpha_1 = \{X \sqsubseteq \exists r.X\} \Rightarrow A[X] \equiv \exists r.(X \sqcap A[X])$
- $\alpha_2 = B[X] \equiv \neg A[X \sqcap C]$
- $\alpha_3 = B[X] \equiv E[A[X \sqcap C]]$
- $\alpha_4 = E[X] \equiv \neg X$
- $\alpha_5 = \{X \sqsubseteq \exists r.Y\} \Rightarrow A[X] \sqsubseteq B[X, Y] \sqcap \exists s.Y$
- $\alpha_6 = \{X \sqsubseteq A[Y], Z \sqsubseteq B[Y]\} \Rightarrow A[X] \sqsubseteq A[B[Z]]$

The following axioms are not:

- $\beta_1 = A[C] \equiv \exists r.C$
- $\beta_2 = \{X \sqsubseteq \exists r.Y\} \Rightarrow A[X] \equiv B[X]$
- $\beta_3 = B[X] \equiv X \sqcap \exists r.Y$
- $\beta_4 = A[C] \sqsubseteq \perp$

The sets $\mathcal{T}_1 = \{\alpha_1, \alpha_2\}$ and $\mathcal{T}_2 = \{\alpha_5, \alpha_6\}$ are terminologies, but the set $\mathcal{T}_3 = \{\alpha_2, \alpha_3\}$ is not.

Example 2. (Example 1 continued) Take $\mathcal{K}_1 = \{A[\perp] \equiv \perp\} \cup \{\alpha_1\}$ this is admissible. Indeed, Conditions 1 and 2 of Definition 7 clearly hold. Condition 3 holds because $A[\perp]$ is the only instance of a defined concept appearing in the ground part \mathcal{G}_1 , and for $\theta = \{X \mapsto \perp\}$, we have $\mathcal{G}_1 \models \theta(\alpha_1) = \{\perp \sqsubseteq \exists r.\perp\} \Rightarrow A[\perp] \equiv \exists r(\perp \sqcap A[\perp])$. Condition 4 holds because for $D = \exists r.(X \sqcap A[X])$ and any $\mathcal{I} \subseteq \mathcal{J}$, we have $A[X]^{\mathcal{I}, \eta} \subseteq A[X]^{\mathcal{J}, \eta}$ for every valuation η . Hence $D^{\mathcal{I}, \eta} \subseteq D^{\mathcal{J}, \eta}$.

Ontology $\mathcal{K}_2 = \{\alpha_2\}$ is admissible. We only need to check condition 4. But as A is not a defined concept, \mathcal{J}_1 and \mathcal{J}_2 interpret A exactly the same.

Similarly $\mathcal{K}_3 = \{\alpha_4\}$ is admissible, as for the same valuation, the interpretation of the description of E is always the same.

Ontology $\mathcal{K}_4 = \{\alpha_1, \alpha_2\}$ is not admissible. Again, we only need to check condition 4, but in this case, we have that A is indeed a defined concept. So we would need to have that $(\neg A[X \sqcap C])^{\mathcal{J}_1} \subseteq (\neg A[X \sqcap C])^{\mathcal{J}_2}$. The interpretation of X and C is not changed between \mathcal{J}_1 and \mathcal{J}_2 , but we know that we can have $A^{\mathcal{J}_1}(M) \subset A^{\mathcal{J}_2}(M)$ so in fact we can have $(\neg A[X \sqcap C])^{\mathcal{J}_1} \supseteq (\neg A[X \sqcap C])^{\mathcal{J}_2}$ and the condition does not hold.

Similarly, ontology $\mathcal{K}_5 = \{\alpha_1, \alpha_3\}$ is not admissible. This is because, again, we do not have monotonicity of the description of B . Realize that $E^{\mathcal{J}_1}(A^{\mathcal{J}_1}(M)) \subseteq E^{\mathcal{J}_2}(A^{\mathcal{J}_2}(M))$ does not necessarily hold, because we only know that $E^{\mathcal{J}_1}(M) \subseteq E^{\mathcal{J}_2}(M)$ holds for the same M not for different ones. In fact, if we add the axiom α_4 (which is admissible on its own) to \mathcal{K}_5 , we get $\mathcal{K}_5 \models_2 \mathcal{K}_4$.

Theorem 5. Let $\mathcal{K} = \mathcal{G} \cup \mathcal{T}$ be an admissible ontology and \mathcal{G} second-order satisfiable, then \mathcal{K} is second-order satisfiable.

Proof. Given a model $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ of \mathcal{G} , we show that the fixpoint of $1\text{Exp}_{\mathcal{K}, \mathcal{I}}$ exists and is a model of \mathcal{K} .

We start by showing the monotonicity of the one-step expansion, i.e., $\mathcal{J}_1 \preceq_{\mathcal{I}} \mathcal{J}_2$ implies $1\text{Exp}(\mathcal{J}_1) \preceq_{\mathcal{I}} 1\text{Exp}(\mathcal{J}_2)$. By Definition 8, we need to show $A^{1\text{Exp}(\mathcal{J}_1)}(M_1, \dots, M_n) \subseteq A^{1\text{Exp}(\mathcal{J}_2)}(M_1, \dots, M_n)$ for all unknown $M_1, \dots, M_n \subseteq \Delta^{\mathcal{I}}$. Let $\eta = \{X_i \rightarrow M_i\}$ then by Definition 7 Case 4, $D^{\mathcal{J}_1, \eta} \subseteq D^{\mathcal{J}_2, \eta}$ and $A(M_1, \dots, M_n)^{1\text{Exp}(\mathcal{J}_1)} = D^{\mathcal{J}_1, \eta} \subseteq D^{\mathcal{J}_2, \eta} = A^{1\text{Exp}(\mathcal{J}_2)}(M_1, \dots, M_n)$.

As one can easily see that $\preceq_{\mathcal{I}}$ is a complete lattice on $\text{Tx}(\mathcal{I})$. Then by Tarski's Fixpoint Theorem [21], $1\text{Exp}_{\mathcal{K}, \mathcal{I}}$ has a fixpoint, let \mathcal{J} denote this fixpoint. As $\mathcal{J} \in \text{Tx}_{\mathcal{G}, \mathcal{T}}(\mathcal{I})$ we know $\mathcal{J} \models^2 \mathcal{G}$.

We now show that $\mathcal{J} \models^2 \mathcal{T}$. Take $\Gamma \Rightarrow \beta \in \mathcal{T}$ and some η , we show that $\mathcal{J} \models_{\eta}^2 \Gamma \Rightarrow \beta$. If $\mathcal{J} \not\models_{\eta}^2 \Gamma$, we are finished. Otherwise, we show that $\mathcal{J} \models_{\eta}^2 \beta$. Assume that β (partially) defines $A[X_1, \dots, X_n]$. If we have $A[C_1, \dots, C_n] \in \text{sub}(\mathcal{G})$ and $\eta(X_i) = C_i^{\mathcal{J}} (1 \leq i \leq n)$, then by Definition 7 Case 3, $\mathcal{G} \models^2 [X_1/C_1, \dots, X_n/C_n](\beta)$ and as $\mathcal{J} \models^2 \mathcal{G}$, $\mathcal{J} \models_{\eta}^2 \beta$. Otherwise, if $\beta = A[X_1, \dots, X_n] \sqsubseteq D$, then by Definition 6, $A[X_1, \dots, X_n]^{\mathcal{J}, \eta} = \emptyset$ and therefore $\mathcal{J} \models^2 \beta$. Finally, if $\beta = A[X_1, \dots, X_n] \equiv D$, because \mathcal{J} is a fixpoint of the one-step expansion, we know that applying the one-step expansion to \mathcal{J} does not change the interpretation of β . Then we know that for the interpretation of $A[X_1, \dots, X_n]$ this means that $A[X_1, \dots, X_n]^{\mathcal{J}, \eta} = D^{\mathcal{J}, \eta}$ and $\mathcal{J} \models_{\eta}^2 \beta$.

Therefore, we have shown that there is a model \mathcal{J} such that $\mathcal{J} \models \mathcal{K}$. □