

Alternating Runtime and Size Complexity Analysis of Integer Programs

Marc Brockschmidt, Fabian Emmes, Stephan Falke, Carsten Fuhs, Jürgen Giesl

The publications of the Department of Computer Science of *RWTH Aachen University* are in general accessible through the World Wide Web.

<http://aib.informatik.rwth-aachen.de/>

Alternating Runtime and Size Complexity Analysis of Integer Programs[★]

M. Brockschmidt¹, F. Emmes², S. Falke³, C. Fuhs⁴, and J. Giesl²

¹ Microsoft Research, Cambridge

² RWTH Aachen University

³ Karlsruhe Institute of Technology

⁴ University College London

Abstract. We present a modular approach to automatic complexity analysis. Based on a novel alternation between finding symbolic time bounds for program parts and using these to infer size bounds on program variables, we can restrict each analysis step to a small part of the program while maintaining a high level of precision. Extensive experiments with the implementation of our method demonstrate its performance and power in comparison with other tools.

1 Introduction

There exist numerous methods to prove termination of imperative programs, e.g., [2,6,8,9,12–16,18,24,32–34]. In many cases, however, termination is not sufficient, but the program should terminate in reasonable (e.g., (pseudo-)polynomial) time. To prove this, it is often crucial to derive (possibly non-linear) bounds on the values of variables that are modified repeatedly in loops.

We build upon the well-known observation that rank functions for termination proofs also provide a runtime complexity bound [3,4,6,7,31]. However, this only holds for proofs using a *single* rank function. Larger programs are usually handled by a disjunctive [15,27,34] or lexicographic [6,12,13,16,18,20,22,24] combination of rank functions. Here, deriving a complexity bound is much harder.

To illustrate this, consider the program on the right and a variant where the instruction “ $x = x + i$ ” is removed. For both variants, the lexicographic rank function $\langle f_1, f_2 \rangle$ proves termination, where f_1 measures states by the value of i and f_2 is just the value of x . However, the program without the instruction “ $x = x + i$ ” has linear runtime, while the program on the right has quadratic runtime. The crucial difference between the two programs is in the *size* of x after the first loop.

```
while i > 0 do
  i = i - 1
  x = x + i
done
while x > 0 do
  x = x - 1
done
```

To handle such effects, we introduce a novel modular approach which *alternates* between finding *runtime bounds* and finding *size bounds*. In contrast to standard invariants, our size bounds express a relation to the size of the variables at the program start, where we measure the *size* of integers by their absolute values. Our method derives runtime bounds for isolated parts of the program

[★] Supported by DFG grant GI 274/6-1. Extended version of a paper in *Proc. TACAS '14*.

and uses these to deduce (often non-linear) size bounds for program variables at certain locations. Further runtime bounds can then be inferred using size bounds for variables that were modified in preceding parts of the program. By splitting the analysis in this way, we only need to consider small program parts in each step, and the process continues until all loops and variables have been handled.

For the example, our method proves that the first loop is executed linearly often using the rank function i . Then, it deduces that i is bounded by the size of its initial value $|i_0|$ in all loop iterations. Combining these bounds, it infers that x is incremented by a value bounded by $|i_0|$ at most $|i_0|$ times, i.e., x is bounded by the sum of its initial size $|x_0|$ and $|i_0|^2$. Finally, our method detects that the second loop is executed x times, and combines this with our bound $|x_0| + |i_0|^2$ on x 's value when entering the second loop. In this way, we can conclude⁵ that the program's runtime is bounded by $|i_0| + |i_0|^2 + |x_0|$. This novel combination of runtime and size bounds allows us to handle loops whose runtime depends on variables like x that were modified in earlier loops. Thus, our approach succeeds on many programs that are beyond the reach of previous techniques.

Sect. 2 introduces the basic notions for our approach. Then Sect. 3 and Sect. 4 present our techniques to compute runtime and size bounds, respectively. Sect. 5 discusses related work and provides an extensive experimental evaluation. All proofs and several extensions of our approach can be found in the appendix.

2 Preliminaries

Consider the program on the right. For an input list x , the loop at location ℓ_1 creates a list y by reversing the elements of x . The loop at location ℓ_2 iterates over the list y and increases each element by the sum of its successors. So if y was $[5, 1, 3]$, it will be $[5 + 1 + 3, 1 + 3, 3]$ after the second loop. This example is a representative for methods using several algorithms in sequence.

We regard sequential imperative integer programs with (potentially non-linear) arithmetic and unbounded non-determinism. Our approach is compatible with methods that abstract features like heap usage to integers [2, 4, 14, 18, 28, 33]. So the above program could be abstracted automatically to the integer program below. Here, list variables are replaced by integer variables that correspond to the lengths of the lists.

We fix a (finite) set of program variables $\mathcal{V} = \{v_1, \dots, v_n\}$ and represent integer programs as directed graphs. Nodes are program *locations* \mathcal{L} and edges are program *transitions* \mathcal{T} . The set \mathcal{L} contains a *canonical start location* ℓ_0 . W.l.o.g., we assume that no transition leads back to ℓ_0 and that all transitions \mathcal{T} are reachable from ℓ_0 . All transitions originating in ℓ_0 are called *initial transitions*. The


```

Input: List x
ℓ₀: List y = null
ℓ₁: while x ≠ null do
    y = new List(x.val, y)
    x = x.next
done
List z = y
ℓ₂: while z ≠ null do
    List u = z.next
ℓ₃: while u ≠ null do
    z.val += u.val
    u = u.next
done
z = z.next
done

```

⁵ Since each step of our method over-approximates the runtime or size of a variable, we actually obtain the bound $2 + |i_0| + \max\{|i_0|, |x_0|\} + |i_0|^2$, cf. Sect. 4.2.

transitions are labeled by formulas over the variables \mathcal{V} and primed post-variables $\mathcal{V}' = \{v'_1, \dots, v'_n\}$ which represent the values of the variables after the transition. In the following graph, we represented these formulas by imperative commands. For instance, t_3 is labeled by the formula $z > 0 \wedge u' = z - 1 \wedge x' = x \wedge y' = y \wedge z' = z$. We used standard invariant-generation techniques (based on the Octagon domain [29]) to propagate simple integer invariants, adding the condition $z > 0$ to the transitions t_4 and t_5 .



Definition 1 (Programs). A transition is a tuple (ℓ, τ, ℓ') where $\ell, \ell' \in \mathcal{L}$ are locations and τ is a formula relating the (pre-)variables \mathcal{V} and the post-variables \mathcal{V}' . A program is a set of transitions \mathcal{T} . A configuration (ℓ, \mathbf{v}) consists of a location $\ell \in \mathcal{L}$ and a valuation $\mathbf{v} : \mathcal{V} \rightarrow \mathbb{Z}$. We write $(\ell, \mathbf{v}) \rightarrow_t (\ell', \mathbf{v}')$ for an evaluation

step with a transition $t = (\ell, \tau, \ell')$ iff the valuations \mathbf{v}, \mathbf{v}' satisfy the formula τ of t . We drop the index t if we do not care about the used transition and write $(\ell, \mathbf{v}) \rightarrow^k (\ell', \mathbf{v}')$ if k evaluation steps lead from configuration (ℓ, \mathbf{v}) to (ℓ', \mathbf{v}') .

So for the program above, we have $(\ell_1, \mathbf{v}_1) \rightarrow_{t_2} (\ell_2, \mathbf{v}_2)$ for any valuations where $\mathbf{v}_1(x) = \mathbf{v}_2(x) \leq 0$, $\mathbf{v}_1(y) = \mathbf{v}_2(y) = \mathbf{v}_2(z)$, and $\mathbf{v}_1(u) = \mathbf{v}_2(u)$.

Let \mathcal{T} always denote the analyzed program. Our goal is to find bounds on the runtime and the sizes of program variables, where these bounds are expressed as functions in the sizes of the input variables v_1, \dots, v_n . For our example, our method will detect that its runtime is bounded by $3 + 4 \cdot |x| + |x|^2$ (i.e., it is quadratic in $|x|$). We measure the *size* of variable values $\mathbf{v}(v_i)$ by their absolute values $|\mathbf{v}(v_i)|$. For a valuation \mathbf{v} and a vector $\mathbf{m} = (m_1, \dots, m_n) \in \mathbb{N}^n$, let $\mathbf{v} \leq \mathbf{m}$ abbreviate $|\mathbf{v}(v_1)| \leq m_1 \wedge \dots \wedge |\mathbf{v}(v_n)| \leq m_n$. We define *runtime complexity* by a function rc that maps the sizes \mathbf{m} of the program variables to the maximal number of evaluation steps that are possible from a start configuration (ℓ_0, \mathbf{v}) with $\mathbf{v} \leq \mathbf{m}$. To analyze complexity in a modular way, we construct a *runtime approximation* \mathcal{R} such that for any $t \in \mathcal{T}$, $\mathcal{R}(t)$ over-approximates the number of times that t can be used in an evaluation. In Def. 2, $\rightarrow^* \circ \rightarrow_t$ is the relation that allows to perform arbitrary many evaluation steps followed by a step with transition t .

As we generate new bounds by composing previously found bounds, we only use weakly monotonic functions $\mathcal{R}(t)$ (i.e., $m_i \geq m'_i$ implies $(\mathcal{R}(t))(m_1, \dots, m_i, \dots, m_n) \geq (\mathcal{R}(t))(m_1, \dots, m'_i, \dots, m_n)$). We define the set of *upper bounds* \mathcal{C} as the weakly monotonic functions from $\mathbb{N}^n \rightarrow \mathbb{N}$ and $?$, where $?(m) = \omega$ for all $m \in \mathbb{N}^n$. We have $\omega > n$ for all $n \in \mathbb{N}$. In our implementation, we restrict $\mathcal{R}(t)$ to functions constructed from \max , \min , $?$, and polynomials from $\mathbb{N}[v_1, \dots, v_n]$.

Definition 2 (Runtime Complexity and Approximation). The runtime complexity $\text{rc} : \mathbb{N}^n \rightarrow \mathbb{N} \cup \{\omega\}$ is defined as⁶ $\text{rc}(\mathbf{m}) = \sup\{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq$

⁶ Here, $\text{rc}(\mathbf{m}) = \omega$ means non-termination or arbitrarily long runtime. Such programs result from non-determinism, e.g., `while i > 0 do i = i - 1 done`.

$\mathbf{m} \wedge (\ell_0, \mathbf{v}_0) \rightarrow^k (\ell, \mathbf{v})\}$. A function $\mathcal{R} : \mathcal{T} \rightarrow \mathfrak{C}$ is a runtime approximation iff $(\mathcal{R}(t))(\mathbf{m}) \geq \sup\{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) \rightarrow^* \circ \rightarrow_t^k (\ell, \mathbf{v})\}$ holds for all transitions $t \in \mathcal{T}$ and all $\mathbf{m} \in \mathbb{N}^n$. The initial runtime approximation \mathcal{R}_0 is defined as⁷ $\mathcal{R}_0(t) = 1$ for all initial transitions t and $\mathcal{R}_0(t) = ?$ otherwise.

For *size complexity*, we analyze how large the value of a program variable can become. Analogous to \mathcal{R} , we use a *size approximation* \mathcal{S} , where $\mathcal{S}(t, v')$ is a bound on the size of the variable v after a certain transition t was used in an evaluation. For any transition $t \in \mathcal{T}$ and $v \in \mathcal{V}$, we call $|t, v'|$ a *result variable*.

Definition 3 (Result Variables and Size Approximation). Let $\text{RV} = \{|t, v'| \mid t \in \mathcal{T}, v \in \mathcal{V}\}$ be the set of result variables. A function $\mathcal{S} : \text{RV} \rightarrow \mathfrak{C}$ is a size approximation iff $(\mathcal{S}(t, v'))(\mathbf{m}) \geq \sup\{|\mathbf{v}(v)| \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) \rightarrow^* \circ \rightarrow_t (\ell, \mathbf{v})\}$ holds for all $|t, v'| \in \text{RV}$ and all $\mathbf{m} \in \mathbb{N}^n$. The initial size approximation \mathcal{S}_0 is defined as $\mathcal{S}_0(t, v') = ?$ for all $|t, v'| \in \text{RV}$. A pair $(\mathcal{R}, \mathcal{S})$ is a complexity approximation if \mathcal{R} is a runtime and \mathcal{S} is a size approximation.

Our approach starts with the initial approximation $(\mathcal{R}_0, \mathcal{S}_0)$ and improves it by iterative refinement. An approximation for the runtime complexity rc of the whole program \mathcal{T} can be obtained by adding the runtime bounds $\mathcal{R}(t)$ for its transitions, i.e., $(\sum_{t \in \mathcal{T}} \mathcal{R}(t)) \geq \text{rc}$. The overall bound $\sum_{t \in \mathcal{T}} \mathcal{R}(t) = 3+4 \cdot |\mathbf{x}| + |\mathbf{x}|^2$ for our example was obtained in this way. Here for $f, g \in \mathfrak{C}$, the comparison, addition, multiplication, maximum, and the minimum are defined point-wise. So $f \geq g$ holds iff $f(\mathbf{m}) \geq g(\mathbf{m})$ for all $\mathbf{m} \in \mathbb{N}^n$ and $f + g$ is the function with $(f + g)(\mathbf{m}) = f(\mathbf{m}) + g(\mathbf{m})$, where $\omega + n = \omega$ for all $n \in \mathbb{N} \cup \{\omega\}$.

3 Computing Runtime Bounds

To find runtime bounds automatically, we use (lexicographic combinations of) *polynomial rank functions* (PRFs). Such rank functions are widely used in termination analysis and many techniques are available to generate PRFs automatically [6, 8, 9, 12, 18–20, 32]. In Sect. 3.1 we recapitulate the basic approach to use PRFs for the generation of time bounds. In Sect. 3.2, we improve it to a novel modular approach which infers time bounds by combining PRFs with information about variable sizes and runtime bounds found earlier.

3.1 Runtime Bounds from Polynomial Rank Functions

A PRF $\text{Pol} : \mathcal{L} \rightarrow \mathbb{Z}[v_1, \dots, v_n]$ assigns an integer polynomial $\text{Pol}(\ell)$ over the program variables to each location ℓ . Then configurations (ℓ, \mathbf{v}) are measured as the value of the polynomial $\text{Pol}(\ell)$ for the numbers $\mathbf{v}(v_1), \dots, \mathbf{v}(v_n)$. To obtain time bounds, we search for PRFs where no transition increases the measure of configurations, and at least one transition decreases it. To rule out that this decrease continues forever, we also require that the measure has a lower bound.

Definition 4 (PRF). We call $\text{Pol} : \mathcal{L} \rightarrow \mathbb{Z}[v_1, \dots, v_n]$ a polynomial rank function (PRF) for \mathcal{T} iff there is a non-empty $\mathcal{T}_< \subseteq \mathcal{T}$ such that the following holds:

⁷ Here, “1” denotes the constant function which maps all arguments $\mathbf{m} \in \mathbb{N}^n$ to 1.

- for all $(\ell, \tau, \ell') \in \mathcal{T}$, we have $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq (\mathcal{P}ol(\ell'))(v'_1, \dots, v'_n)$
- for all $(\ell, \tau, \ell') \in \mathcal{T}_>$, we have $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) > (\mathcal{P}ol(\ell'))(v'_1, \dots, v'_n)$
and $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq 1$

The constraints on a PRF $\mathcal{P}ol$ are the same constraints needed for termination proofs, allowing to re-use existing PRF synthesis techniques and tools. They imply that the transitions in $\mathcal{T}_>$ can only be used a limited number of times, as each application of a transition from $\mathcal{T}_>$ decreases the measure, and no transition increases it. Hence, if the program is called with input m_1, \dots, m_n , no transition $t \in \mathcal{T}_>$ can be used more often than $(\mathcal{P}ol(\ell_0))(m_1, \dots, m_n)$ times. Consequently, $\mathcal{P}ol(\ell_0)$ is a runtime bound for the transitions in $\mathcal{T}_>$. Note that no such bound is obtained for the remaining transitions in \mathcal{T} .

In the program from Sect. 2, we could use $\mathcal{P}ol_1$ with $\mathcal{P}ol_1(\ell) = \mathbf{x}$ for all $\ell \in \mathcal{L}$, i.e., we measure configurations by the value of \mathbf{x} . No transition increases this measure and t_1 decreases it. The condition $\mathbf{x} > 0$ ensures that the measure is positive whenever t_1 is used, i.e., $\mathcal{T}_> = \{t_1\}$. Hence $\mathcal{P}ol_1(\ell_0)$ (i.e., the value \mathbf{x} at the beginning of the program) is a bound on the number of times t_1 can be used.

Such PRFs lead to a basic technique for inferring time bounds. As mentioned in Sect. 2, to obtain a modular approach afterwards, we only allow weakly monotonic functions as complexity bounds. For any polynomial $p \in \mathbb{Z}[v_1, \dots, v_n]$, let $[p]$ result from p by replacing all coefficients and variables with their absolute value (e.g., for $\mathcal{P}ol_1(\ell_0) = \mathbf{x}$ we have $[\mathcal{P}ol_1(\ell_0)] = |\mathbf{x}|$ and if $p = 2 \cdot v_1 - 3 \cdot v_2$ then $[p] = 2 \cdot |v_1| + 3 \cdot |v_2|$). As $[p](m_1, \dots, m_n) \geq p(m_1, \dots, m_n)$ holds for all $m_1, \dots, m_n \in \mathbb{Z}$, this is a sound approximation, and $[p]$ is weakly monotonic. In our example, the initial runtime approximation \mathcal{R}_0 can now be refined to \mathcal{R}_1 , with $\mathcal{R}_1(t_1) = [\mathcal{P}ol_1(\ell_0)] = |\mathbf{x}|$ and $\mathcal{R}_1(t) = \mathcal{R}_0(t)$ for all other transitions t .

Theorem 5 (Complexities from PRFs). *Let \mathcal{R} be a runtime approximation and $\mathcal{P}ol$ be a PRF for \mathcal{T} . Let⁸ $\mathcal{R}'(t) = [\mathcal{P}ol(\ell_0)]$ for all $t \in \mathcal{T}_>$ and $\mathcal{R}'(t) = \mathcal{R}(t)$ for all other $t \in \mathcal{T}$. Then, \mathcal{R}' is also a runtime approximation.*

3.2 Modular Runtime Bounds from PRFs and Size Bounds

The basic method from Thm. 5 only succeeds in finding complexity bounds for simple examples. In particular, it often fails for programs with non-linear runtime. Although corresponding SAT- and SMT-encodings exist [19], generating a suitable PRF $\mathcal{P}ol$ of a non-linear degree is a complex synthesis problem (and undecidable in general). This is aggravated by the need to consider all of \mathcal{T} at once, which is required to check that no transition of \mathcal{T} increases $\mathcal{P}ol$'s measure.

Therefore, we now present a new *modular* technique that only considers isolated program parts $\mathcal{T}' \subseteq \mathcal{T}$ in each PRF synthesis step. The bounds obtained from these “local” PRFs are then lifted to a bound expressed in the input values. To this end, we combine them with bounds on the size of the variables when entering the program part \mathcal{T}' and with a bound on the number of times that

⁸ To ensure that $\mathcal{R}'(t)$ is at most as large as the previous bound $\mathcal{R}(t)$, one could also define $\mathcal{R}'(t) = \min\{[\mathcal{P}ol(\ell_0)], \mathcal{R}(t)\}$. A similar improvement is possible for all other techniques in the paper that refine the approximations \mathcal{R} or \mathcal{S} .

\mathcal{T}' can be reached in evaluations of the full program \mathcal{T} . This allows us to use existing efficient procedures for the automated generation of (often linear) PRFs for the analysis of programs with (possibly non-linear) runtime.

For instance, consider the *subset* $\mathcal{T}'_1 = \{t_1, \dots, t_5\}$ of the transitions in our program. Using the constant PRF $\mathcal{P}ol_2$ with $\mathcal{P}ol_2(\ell_1) = 1$ and $\mathcal{P}ol_2(\ell_2) = \mathcal{P}ol_2(\ell_3) = 0$, we see that t_1, t_3, t_4, t_5 do not increase the measure of configurations and that t_2 decreases it. Hence, in executions that are *restricted to* \mathcal{T}'_1 and that start in ℓ_1 , t_2 is used at most $\lceil \mathcal{P}ol_2(\ell_1) \rceil = 1$ times. To obtain a global result, we consider how often \mathcal{T}'_1 is reached in a full program run. As \mathcal{T}'_1 can only be reached by the transition t_0 , we *multiply* its runtime approximation $\mathcal{R}_1(t_0) = 1$ with the local bound $\lceil \mathcal{P}ol_2(\ell_1) \rceil = 1$ obtained for the sub-program \mathcal{T}'_1 . Thus, we can refine the runtime approximation \mathcal{R}_1 to $\mathcal{R}_2(t_2) = \mathcal{R}_1(t_0) \cdot \lceil \mathcal{P}ol_2(\ell_1) \rceil = 1 \cdot 1 = 1$ and we set $\mathcal{R}_2(t) = \mathcal{R}_1(t)$ for all other t .

In general, to estimate how often a sub-program \mathcal{T}' is reached in an evaluation, we consider the transitions $\tilde{t} \in \mathcal{T}$ that lead to an “entry location” ℓ in \mathcal{T}' . We *multiply* the runtime bound of such transitions \tilde{t} with the bound $\lceil \mathcal{P}ol(\ell) \rceil$ for runs starting in ℓ . In our example, t_0 is the only transition leading to $\mathcal{T}'_1 = \{t_1, \dots, t_5\}$ and thus, the runtime bound $\mathcal{R}_1(t_0) = 1$ is multiplied with $\lceil \mathcal{P}ol_2(\ell_1) \rceil$.

Next, we consider the remaining transitions $\mathcal{T}'_2 = \{t_3, t_4, t_5\}$ for which we have no bound yet. We use $\mathcal{P}ol_3(\ell_2) = \mathcal{P}ol_3(\ell_3) = \mathbf{z}$ where $(\mathcal{T}'_2)_> = \{t_5\}$. So *restricted to the sub-program* \mathcal{T}'_2 , t_5 is used at most $\lceil \mathcal{P}ol_3(\ell_2) \rceil = |\mathbf{z}|$ times. Here, \mathbf{z} refers to the value when entering \mathcal{T}'_2 (i.e., after transition t_2). To translate this bound into an expression in the input values, we substitute the variable \mathbf{z} by its maximal size after using the transition t_2 , i.e., by the *size bound* $\mathcal{S}(t_2, \mathbf{z}')$. As the runtime of the loop at ℓ_2 depends on the size of \mathbf{z} , our approach *alternates* between computing runtime and size bounds. Our method to compute size bounds will determine that the size of \mathbf{z} after the transition t_2 is at most $|\mathbf{x}|$, cf. Sect. 4. Hence, we replace the variable \mathbf{z} in $\lceil \mathcal{P}ol_3(\ell_2) \rceil = |\mathbf{z}|$ by $\mathcal{S}(t_2, \mathbf{z}') = |\mathbf{x}|$.

So in general, the polynomials $\lceil \mathcal{P}ol(\ell) \rceil$ for the entry locations ℓ of \mathcal{T}' only provide a bound in terms of the variable values at location ℓ . To find bounds expressed in the variable values at the start location ℓ_0 , we use our *size approximation* \mathcal{S} and replace all variables in $\lceil \mathcal{P}ol(\ell) \rceil$ by our approximation for their sizes at location ℓ . For this, we define the *application* of polynomials to functions. Let $p \in \mathbb{N}[v_1, \dots, v_n]$ and $f_1, \dots, f_n \in \mathfrak{C}$. Then $p(f_1, \dots, f_n)$ is the function with $(p(f_1, \dots, f_n))(\mathbf{m}) = p(f_1(\mathbf{m}), \dots, f_n(\mathbf{m}))$ for all $\mathbf{m} \in \mathbb{N}^n$. Weak monotonicity of p, f_1, \dots, f_n also implies weak monotonicity of $p(f_1, \dots, f_n)$, i.e., $p(f_1, \dots, f_n) \in \mathfrak{C}$.

For example, when analyzing how often t_5 is used in the sub-program $\mathcal{T}'_2 = \{t_3, t_4, t_5\}$ above, we applied the polynomial $\lceil \mathcal{P}ol_3(\ell_2) \rceil$ for the start location ℓ_2 of \mathcal{T}'_2 to the size bounds $\mathcal{S}(t_2, v')$ for the variables $\mathbf{x}, \mathbf{y}, \mathbf{z}, \mathbf{u}$ (i.e., to their sizes before entering \mathcal{T}'_2). As $\lceil \mathcal{P}ol_3(\ell_2) \rceil = |\mathbf{z}|$ and $\mathcal{S}(t_2, \mathbf{z}') = |\mathbf{x}|$, we obtained $\lceil \mathcal{P}ol_3(\ell_2) \rceil(\mathcal{S}(t_2, \mathbf{x}'), \mathcal{S}(t_2, \mathbf{y}'), \mathcal{S}(t_2, \mathbf{z}'), \mathcal{S}(t_2, \mathbf{u}')) = |\mathbf{x}|$.

To compute a global bound, we also have to examine how often \mathcal{T}'_2 can be executed in a full program run. As \mathcal{T}'_2 is only reached by t_2 , we obtain $\mathcal{R}_3(t_5) = \mathcal{R}_2(t_2) \cdot |\mathbf{x}| = 1 \cdot |\mathbf{x}| = |\mathbf{x}|$. For all other transitions t , we again have $\mathcal{R}_3(t) = \mathcal{R}_2(t)$.

In Thm. 6, our technique is represented by the procedure TimeBounds. It

takes the current complexity approximation $(\mathcal{R}, \mathcal{S})$ and a sub-program \mathcal{T}' , and computes a PRF for \mathcal{T}' . Based on this, \mathcal{R} is refined to the approximation \mathcal{R}' .

Theorem 6 (TimeBounds). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation and $\mathcal{T}' \subseteq \mathcal{T}$ such that \mathcal{T}' contains no initial transitions. Let $\mathcal{L}' = \{\ell \mid (\ell, \tau, \ell') \in \mathcal{T}'\}$ contain all entry locations of \mathcal{T}' and let $\mathcal{P}ol$ be a PRF for \mathcal{T}' . For any $\ell \in \mathcal{L}'$, let \mathcal{T}_ℓ contain all transitions $(\tilde{\ell}, \tilde{\tau}, \ell) \in \mathcal{T} \setminus \mathcal{T}'$ leading to ℓ . Let $\mathcal{R}'(t) = \sum_{\ell \in \mathcal{L}': \tilde{\ell} \in \mathcal{T}_\ell} \mathcal{R}(\tilde{\ell}) \cdot [\mathcal{P}ol(\ell)](\mathcal{S}(\tilde{\ell}, v'_1), \dots, \mathcal{S}(\tilde{\ell}, v'_n))$ for $t \in \mathcal{T}'_\prec$ and $\mathcal{R}'(t) = \mathcal{R}(t)$ for all $t \in \mathcal{T} \setminus \mathcal{T}'_\prec$. Then, $\text{TimeBounds}(\mathcal{R}, \mathcal{S}, \mathcal{T}') = \mathcal{R}'$ is also a runtime approximation.*

Here one can see why we require complexity bounds to be weakly monotonic. The reason is that $\mathcal{S}(\tilde{\ell}, v')$ over-approximates the size of v at some location ℓ . Hence, to ensure that $[\mathcal{P}ol(\ell)](\mathcal{S}(\tilde{\ell}, v'_1), \dots, \mathcal{S}(\tilde{\ell}, v'_n))$ correctly over-approximates how often transitions of \mathcal{T}'_\prec can be applied in parts of evaluations that only use transitions from \mathcal{T}' , $[\mathcal{P}ol(\ell)]$ must be weakly monotonic.

By Thm. 6, we now obtain bounds for the remaining transitions in our example. For $\mathcal{T}'_3 = \{t_3, t_4\}$, we use $\mathcal{P}ol_4(\ell_2) = 1$, $\mathcal{P}ol_4(\ell_3) = 0$, and hence $(\mathcal{T}'_3)_> = \{t_3\}$. The transitions t_2 and t_5 lead to \mathcal{T}'_3 , and thus, we obtain $\mathcal{R}_4(t_3) = \mathcal{R}_3(t_2) \cdot 1 + \mathcal{R}_3(t_5) \cdot 1 = 1 + |\mathbf{x}|$ and $\mathcal{R}_4(t) = \mathcal{R}_3(t)$ for all other transitions t .

For $\mathcal{T}'_4 = \{t_4\}$, we use $\mathcal{P}ol_5(\ell_3) = \mathbf{u}$ with $(\mathcal{T}'_4)_> = \mathcal{T}'_4$. The part \mathcal{T}'_4 is only entered by the transition t_3 . So to get a global bound, we substitute \mathbf{u} in $[\mathcal{P}ol_5(\ell_3)] = |\mathbf{u}|$ by $\mathcal{S}(t_3, \mathbf{u}')$ (in Sect. 4, we will determine $\mathcal{S}(t_3, \mathbf{u}') = |\mathbf{x}|$). Thus, $\mathcal{R}_5(t_4) = \mathcal{R}_4(t_3) \cdot \mathcal{S}(t_3, \mathbf{u}') = (1 + |\mathbf{x}|) \cdot |\mathbf{x}| = |\mathbf{x}| + |\mathbf{x}|^2$ and $\mathcal{R}_5(t) = \mathcal{R}_4(t)$ for all other $t \in \mathcal{T}$. So while the runtime of \mathcal{T}'_4 on its own is linear, the loop at location ℓ_3 is reached a linear number of times, i.e., its transition t_4 is used *quadratically* often. Thus, the overall program runtime is bounded by $\sum_{t \in \mathcal{T}} \mathcal{R}_5(t) = 3 + 4 \cdot |\mathbf{x}| + |\mathbf{x}|^2$.

4 Computing Size Bounds

The procedure `TimeBounds` improves the runtime approximation \mathcal{R} , but up to now the size approximation \mathcal{S} was only used as an input. To infer bounds on the sizes of variables, we proceed in three steps. First, we find *local size bounds* that approximate the effect of a single transition on the sizes of variables. Then, we construct a *result variable graph* that makes the flow of data between variables explicit. Finally, we analyze each strongly connected component (SCC) of this graph independently. Here, we combine the local size bounds with our runtime approximation \mathcal{R} to estimate how often transitions modify a variable value.

By a series of SMT queries, we find local size bounds $\mathcal{S}_l(t, v')$ that describe how the size of the post-variable v' is related to the pre-variables of a transition t . So while $\mathcal{S}(t, v')$ is a bound on the size of v after using t in a full program run, $\mathcal{S}_l(t, v')$ is a bound on v after a single use of t .

Definition 7 (Local Size Approximation). *We call $\mathcal{S}_l : \text{RV} \rightarrow \mathfrak{C}$ a local size approximation iff $(\mathcal{S}_l(t, v'))(\mathbf{m}) \geq \sup\{|\mathbf{v}'(v)| \mid \exists \ell, \mathbf{v}, \ell', \mathbf{v}' . \mathbf{v} \leq \mathbf{m} \wedge (\ell, \mathbf{v}) \rightarrow_t (\ell', \mathbf{v}')\}$ for all $|t, v'| \in \text{RV}$ and all $\mathbf{m} \in \mathbb{N}^n$.*

In our example, we obtain $\mathcal{S}_l(t_1, \mathbf{y}') = |\mathbf{y}| + 1$, as t_1 increases \mathbf{y} by 1. Similarly, $|t_1, \mathbf{x}'|$ is bounded by $|\mathbf{x}|$. As t_1 is only executed if \mathbf{x} is positive, decreasing \mathbf{x} by


1 does not increase its *absolute* value. The bound $\max\{0, |x| - 1\}$ would also be allowed, but our approach does not compute better global size bounds from it.

To track how variables influence each other, we construct a result variable graph (RVG) whose nodes are the result variables. An RVG for our example is shown below. Here, we display local size bounds in the RVG to the left of the result variables, separated by “ \geq ” (e.g., “ $|x| \geq |t_1, x'|\text{”}$ means $\mathcal{S}_l(t_1, x') = |x|$).

The RVG has an edge from a result variable $|\tilde{t}, \tilde{v}'|$ to $|t, v'|$ if the transition \tilde{t} can be used directly before t and if \tilde{v} occurs in the local size bound $\mathcal{S}_l(t, v')$. Such an edge means that the size of \tilde{v}' in the post-location of the transition \tilde{t} may influence the size of v' in t 's post-location.

To state which variables may influence a function $f \in \mathfrak{C}$,

we define its *active variables* as $\text{actV}(f) = \{v_i \in \mathcal{V} \mid \exists m_1, \dots, m_n, m'_i \in \mathbb{N}. f(m_1, \dots, m_i, \dots, m_n) \neq f(m_1, \dots, m'_i, \dots, m_n)\}$. Let $\text{pre}(t)$ denote the transitions that may precede t in evaluations, i.e., $\text{pre}(t) = \{\tilde{t} \in \mathcal{T} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. (\ell_0, \mathbf{v}_0) \rightarrow^* \circ \rightarrow_{\tilde{t}} \circ \rightarrow_t (\ell, \mathbf{v})\}$. While $\text{pre}(t)$ is undecidable in general, there exist several techniques to compute over-approximations of $\text{pre}(t)$, cf. [18, 20]. For example, one can disregard the formulas of the transitions and approximate $\text{pre}(t)$ by all transitions that end in t 's source location.



Definition 8 (RVG). Let \mathcal{S}_l be a local size approximation. An RVG has \mathcal{T} 's result variables as nodes and the edges $\{(|\tilde{t}, \tilde{v}'|, |t, v'|) \mid \tilde{t} \in \text{pre}(t), \tilde{v} \in \text{actV}(\mathcal{S}_l(t, v'))\}$.

For the transition t_2 which sets $z = y$, we obtain $\mathcal{S}_l(t_2, z') = |y|$. Hence, we have $\text{actV}(\mathcal{S}_l(t_2, z')) = y$. The program graph implies $\text{pre}(t_2) = \{t_0, t_1\}$, and thus, our RVG contains edges from $|t_0, y'|$ to $|t_2, z'|$ and from $|t_1, y'|$ to $|t_2, z'|$.

Each SCC of the RVG represents a set of result variables that may influence each other. To lift the local approximation \mathcal{S}_l to a global one, we consider each SCC on its own. We treat the SCCs in topological order, reflecting the data flow. As usual, an SCC is a maximal subgraph with a path from each node to every other node. An SCC is *trivial* if it consists of a single node without an edge to itself. In Sect. 4.1, we show how to deduce global bounds for trivial SCCs and in Sect. 4.2, we handle non-trivial SCCs where transitions are applied repeatedly.

4.1 Size Bounds for Trivial SCCs of the RVG

$\mathcal{S}_l(t, v')$ approximates the size of v' after the transition t w.r.t. t 's pre-variables. But our goal is to obtain a *global* bound $\mathcal{S}(t, v')$ that approximates v' w.r.t. the *initial values* of the variables at the program start. For trivial SCCs that consist of a result variable $\alpha = |t, v'|$ with an initial transition t , the local bound $\mathcal{S}_l(\alpha)$ is also the global bound $\mathcal{S}(\alpha)$, as the start location ℓ_0 has no incoming

transitions. For example, regard the trivial SCC with the result variable $|t_0, y'|$. As $0 \geq |t_0, y'|$ holds, its global size bound is also 0, and we set $\mathcal{S}(t_0, y') = 0$.

Next, we consider trivial SCCs $\alpha = |t, v'|$ with incoming edges from other SCCs. Now $\mathcal{S}_l(\alpha)(\mathbf{m})$ is an upper bound on the size of v' after using the transition t in a configuration where the sizes of the variables are at most \mathbf{m} . To obtain a global bound, we replace \mathbf{m} by upper bounds on t 's input variables. The edges leading to α come from result variables $|\tilde{t}, v'_i|$ where $\tilde{t} \in \text{pre}(t)$ and $v_i \in \text{actV}(\mathcal{S}_l(\alpha))$. Thus, a bound for the result variable $\alpha = |t, v'|$ is obtained by applying $\mathcal{S}_l(\alpha)$ to $\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n)$, for all $\tilde{t} \in \text{pre}(t)$.

As an example consider the result variable $|t_2, z'|$. Its local size bound is $\mathcal{S}_l(t_2, z') = |y|$. To express this bound in terms of the input variables, we consider the predecessors $|t_0, y'|$ and $|t_1, y'|$ of $|t_2, z'|$ in the RVG. So $\mathcal{S}_l(t_2, z')$ must be applied to $\mathcal{S}(t_0, y')$ and $\mathcal{S}(t_1, y')$. If SCCs are handled in topological order, one already knows that $\mathcal{S}(t_0, y') = 0$ and $\mathcal{S}(t_1, y') = |x|$. Thus, $\mathcal{S}(t_2, z') = \max\{0, |x|\} = |x|$.

Thm. 9 presents the resulting procedure **SizeBounds**. Based on the current approximation $(\mathcal{R}, \mathcal{S})$, it improves the global size bound for the result variable in a non-trivial SCC of the RVG. Non-trivial SCCs will be handled in Thm. 10.

Theorem 9 (SizeBounds for Trivial SCCs). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation, let \mathcal{S}_l be a local size approximation, and let $\{\alpha\} \subseteq \text{RV}$ be a trivial SCC of the RVG. We define $\mathcal{S}'(\alpha') = \mathcal{S}(\alpha')$ for $\alpha' \neq \alpha$ and*

- $\mathcal{S}'(\alpha) = \mathcal{S}_l(\alpha)$, if $\alpha = |t, v'|$ for some initial transition t
- $\mathcal{S}'(\alpha) = \max\{\mathcal{S}_l(\alpha)(\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n)) \mid \tilde{t} \in \text{pre}(t)\}$, otherwise

Then $\text{SizeBounds}(\mathcal{R}, \mathcal{S}, \{\alpha\}) = \mathcal{S}'$ is also a size approximation.

4.2 Size Bounds for Non-Trivial SCCs of the RVG

Finally, we show how to improve the size bounds for result variables in non-trivial SCCs of the RVG. Such an SCC corresponds to a loop and hence, each of its *local* changes can be applied several times. By combining the time bounds $\mathcal{R}(t)$ for its transitions t with the local size bounds $\mathcal{S}_l(t, v')$, we approximate the overall effect of these repeated changes. To simplify this approximation, we use the following classification of result variables α depending on their local size bound $\mathcal{S}_l(\alpha)$:

- $\alpha \in \doteq$ (α is an “equality”) if the result variable is not larger than its pre-variables or a constant, i.e., iff there is a number $e_\alpha \in \mathbb{N}$ with $\max\{e_\alpha, m_1, \dots, m_n\} \geq (\mathcal{S}_l(\alpha))(m_1, \dots, m_n)$ for all $m_1, \dots, m_n \in \mathbb{N}$.
- $\alpha \in \dagger$ (α “adds a constant”) if the result variable only increases over the pre-variables by a constant, i.e., iff there is a number $e_\alpha \in \mathbb{N}$ with $e_\alpha + \max\{m_1, \dots, m_n\} \geq (\mathcal{S}_l(\alpha))(m_1, \dots, m_n)$ for all $m_1, \dots, m_n \in \mathbb{N}$.
- $\alpha \in \dot{\Sigma}$ (α “adds variables”) if the result variable is not larger than the sum of the pre-variables and a constant, i.e., iff there is a number $e_\alpha \in \mathbb{N}$ with $e_\alpha + \sum_{i \in \{1, \dots, n\}} m_i \geq (\mathcal{S}_l(\alpha))(m_1, \dots, m_n)$ for all $m_1, \dots, m_n \in \mathbb{N}$.

So for our example, we get $\{|t_3, z'|, |t_4, z'|, |t_5, z'|\} \subseteq \doteq$ since $\mathcal{S}_l(t_3, z') = \mathcal{S}_l(t_4, z') = \mathcal{S}_l(t_5, z') = |z|$. Similarly, we have $|t_1, y'| \in \dagger$ as $\mathcal{S}_l(t_1, y') = |y| + 1$.

In the following, local size bounds like $2 \cdot |x|$ are not handled because we

are currently interested only in bounds that can be expressed by *polynomials* (and max and min). If a change bounded by $2 \cdot |x|$ is applied $|y|$ times, the resulting value is bounded only by the exponential function $2^{|y|} \cdot |x|$. Of course, our approach could be extended to infer such exponential size bounds as well. In Sect. 5, we discuss the limitations and possible extensions of our approach.


Similar to $\text{pre}(t)$ for transitions t , let $\text{pre}(\alpha)$ for a result variable α be those $\tilde{\alpha} \in \text{RV}$ with an edge from $\tilde{\alpha}$ to α in the RVG. To deduce a bound on the size of the result variables α in an SCC C , we first consider the size of values *entering* the SCC C . Hence, we require that the resulting size bound $\mathcal{S}(\alpha)$ for $\alpha \in C$ should be at least as large as the sizes $\mathcal{S}(\tilde{\alpha})$ of the *inputs* $\tilde{\alpha}$, i.e., of those result variables $\tilde{\alpha}$ outside the SCC C that have an edge to some $\alpha \in C$. Moreover, if the SCC C contains result variables $\alpha = |t, v'| \in \dot{=}$, then the transition t either does not increase the size at all, or increases it to the constant e_α . Hence, the bound $\mathcal{S}(\alpha)$ for the result variables α in C should also be at least $\max\{e_\alpha \mid \alpha \in \dot{=}\}$.⁹

For example, when computing the global size bounds for the result variables in the SCC $C = \{|t_3, z'|, |t_4, z'|, |t_5, z'|\}$ in our example, the only predecessor of this SCC is $|t_2, z'|$ with $\mathcal{S}(t_2, z') = |x|$. For each $\alpha \in C$, the corresponding constant e_α is 0. Thus, for all $\alpha \in C$ we obtain $\mathcal{S}(\alpha) = \max\{|x|, 0\} = |x|$.

To handle result variables $\alpha \in \dot{+} \setminus \dot{=}$ that add a constant e_α , we consider how often this addition is performed. Thus, while TimeBounds from Thm. 6 uses the size approximation \mathcal{S} to improve the runtime approximation \mathcal{R} , SizeBounds uses \mathcal{R} to improve \mathcal{S} . We define $\mathcal{R}(|t, v'|) = \mathcal{R}(t)$ for all result variables $|t, v'|$. Then, since $\mathcal{R}(\alpha)$ is a bound on the number of times that e_α is added, the repeated traversal of α 's transition increases the overall size by at most $\mathcal{R}(\alpha) \cdot e_\alpha$.

For instance, consider the result variable $\alpha = |t_1, y'|$ in our example. Its local size bound is $\mathcal{S}_l(t_1, y') = |y| + 1$, i.e., each traversal of t_1 increases y by $e_\alpha = 1$. As before, we use the size bounds on the predecessors of the SCC $\{\alpha\}$ as a basis. So the input value when entering the SCC is $\mathcal{S}(t_0, y') = 0$. Since t_1 is executed at most $\mathcal{R}(\alpha) = \mathcal{R}(t_1) = |x|$ times, we obtain the global bound $\mathcal{S}(\alpha) = \mathcal{S}(t_0, y') + \mathcal{R}(\alpha) \cdot e_\alpha = 0 + |x| \cdot 1 = |x|$.


Finally, we discuss how to handle result variables $\alpha \in \dot{\Sigma} \setminus \dot{+}$. To this end, consider the program from Sect. 1 again. Its program graph is depicted on the right. Our method detects the runtime bounds $\mathcal{R}(t_0) = 1$, $\mathcal{R}(t_1) = |i|$, and $\mathcal{R}(t_2) = 1$. To obtain size bounds, we first generate the RVG (see the next page). Now we can infer the global size bounds $\mathcal{S}(t, i') = |i|$ for all $t \in \mathcal{T}$ and $\mathcal{S}(t_0, x') = |x|$. Next we regard the result variable $\alpha = |t_1, x'|$ with the local bound $\mathcal{S}_l(\alpha) = |x| + |i|$. Thus, we have $\alpha \in \dot{\Sigma} \setminus \dot{+}$.



For result variables α that sum up several program variables, we require that only *one* comes from α 's own SCC in the RVG. Otherwise, we would also consider loops like **while** $z > 0$ **do** $x = x + y$; $y = x$; $z = z - 1$; **done** that increase the size of x exponentially. To express our requirement formally, let $\mathcal{V}_\alpha = \{v \mid |t, v'| \in \text{pre}(\alpha) \cap C\}$ be those variables whose result variables in C have an edge to

⁹ Again, “ e_α ” denotes the constant function mapping all values from \mathbb{N}^n to e_α .

α . We require $|\mathcal{V}_\alpha| = 1$, i.e., no two result variables $|t, v'|, |\tilde{t}, \tilde{v}'|$ in α 's SCC C with $v \neq \tilde{v}$ may have edges to α . But we allow incoming edges from arbitrary result variables *outside* the SCC. The requirement is satisfied in our RVG, as $\alpha = |t_1, \mathbf{x}'|$ is a predecessor of itself and its SCC contains no other result variables. Thus, $\mathcal{V}_\alpha = \{\mathbf{x}\}$. Of course, α also has predecessors of the form $|t, \mathbf{i}'|$ outside the SCC.



For each variable v , let f_v^α be an upper bound on the size of those result variables $|t, v'| \notin C$ that have edges to α , i.e., $f_v^\alpha = \max\{\mathcal{S}(t, v') \mid |t, v'| \in \text{pre}(\alpha) \setminus C\}$. The execution of α 's transition then means that the value of the variable in \mathcal{V}_α can be increased by adding f_v^α (for all $v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \mathcal{V}_\alpha$) plus the constant e_α . Again, this can be repeated at most $\mathcal{R}(\alpha)$ times. So the overall size is bounded by adding $\mathcal{R}(\alpha) \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \mathcal{V}_\alpha} f_v^\alpha)$.

In our example with $\alpha = |t_1, \mathbf{x}'|$, we have $\mathcal{V}_\alpha = \{\mathbf{x}\}$, $\text{actV}(\mathcal{S}_l(\alpha)) = \text{actV}(|\mathbf{x}| + |\mathbf{i}|) = \{\mathbf{i}, \mathbf{x}\}$, and $f_{\mathbf{i}}^\alpha = \max\{\mathcal{S}(t_0, \mathbf{i}'), \mathcal{S}(t_1, \mathbf{i}')\} = |\mathbf{i}|$. When entering α 's SCC, the input is bounded by the preceding transitions, i.e., by $\max\{\mathcal{S}(t_0, \mathbf{i}'), \mathcal{S}(t_1, \mathbf{i}'), \mathcal{S}(t_0, \mathbf{x}')\} = \max\{|\mathbf{i}|, |\mathbf{x}|\}$. By traversing α 's transition t_1 repeatedly (at most $\mathcal{R}(\alpha) = \mathcal{R}(t_1) = |\mathbf{i}|$ times), this value may be increased by adding $\mathcal{R}(\alpha) \cdot (e_\alpha + f_{\mathbf{i}}^\alpha) = |\mathbf{i}| \cdot (0 + |\mathbf{i}|) = |\mathbf{i}|^2$. Hence, we obtain $\mathcal{S}(\alpha) = \max\{|\mathbf{i}|, |\mathbf{x}|\} + |\mathbf{i}|^2$. Consequently, we also get $\mathcal{S}(t_2, \mathbf{x}') = \mathcal{S}(t_3, \mathbf{x}') = \max\{|\mathbf{i}|, |\mathbf{x}|\} + |\mathbf{i}|^2$. Thm. 10 extends the procedure `SizeBounds` from Thm. 9 to non-trivial SCCs.

Theorem 10 (SizeBounds for Non-Trivial SCCs). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation, \mathcal{S}_l a local size approximation, and $C \subseteq \text{RV}$ a non-trivial SCC of the RVG. If there is an $\alpha \in C$ with $\alpha \notin \dot{\Sigma}$ or both $\alpha \in \dot{\Sigma} \setminus \dot{+}$ and $|\mathcal{V}_\alpha| > 1$, then we set $\mathcal{S}' = \mathcal{S}$. Otherwise, for all $\alpha \notin C$ let $\mathcal{S}'(\alpha) = \mathcal{S}(\alpha)$. For all $\alpha \in C$, we set*

$$\begin{aligned} \mathcal{S}'(\alpha) = & \max(\{\mathcal{S}(\tilde{\alpha}) \mid \text{there is an } \alpha \in C \text{ with } \tilde{\alpha} \in \text{pre}(\alpha) \setminus C\} \cup \{e_\alpha \mid \alpha \in \dot{+}\}) \\ & + \sum_{\alpha \in \dot{+} \setminus \dot{+}} \mathcal{R}(\alpha) \cdot e_\alpha \\ & + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}} \mathcal{R}(\alpha) \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \mathcal{V}_\alpha} f_v^\alpha) \end{aligned}$$

Then $\text{SizeBounds}(\mathcal{R}, \mathcal{S}, C) = \mathcal{S}'$ is also a size approximation.

In our example, by the inferred size bounds we can derive a runtime bound for the last transition t_3 . When calling `TimeBounds` on $\mathcal{T}' = \{t_3\}$, it finds the PRF $\text{Pol}(\ell_2) = \mathbf{x}$, implying that \mathcal{T}' 's runtime is linear. When reaching \mathcal{T}' , the size of \mathbf{x} is bounded by $\mathcal{S}(t_2, \mathbf{x}')$. So $\mathcal{R}(t_3) = \mathcal{R}(t_2) \cdot [\text{Pol}(\ell_2)](\mathcal{S}(t_2, \mathbf{i}'), \mathcal{S}(t_2, \mathbf{x}')) = 1 \cdot \mathcal{S}(t_2, \mathbf{x}') = \max\{|\mathbf{i}|, |\mathbf{x}|\} + |\mathbf{i}|^2$. So a bound on the overall runtime is $\sum_{t \in \mathcal{T}} \mathcal{R}(t) = 2 + |\mathbf{i}| + \max\{|\mathbf{i}|, |\mathbf{x}|\} + |\mathbf{i}|^2$, i.e., it is linear in $|\mathbf{x}|$ and quadratic in $|\mathbf{i}|$.

5 Implementation and Related Work

We presented a new alternating modular approach for runtime and size complexity analysis of integer programs. Each step only considers a small part of the program, and runtime bounds help to infer size bounds and vice versa.

Our overall procedure to compute the runtime and size approximations \mathcal{R} and

\mathcal{S} is displayed on the right. After starting with the initial approximations $\mathcal{R}_0, \mathcal{S}_0$, the procedure `TimeBounds` (Thm. 6) is used to improve the runtime bounds for those transitions \mathcal{T}' for which we have no bound yet.¹⁰ After-

<pre> $(\mathcal{R}, \mathcal{S}) := (\mathcal{R}_0, \mathcal{S}_0)$ while there are t, v with $\mathcal{R}(t) = ?$ or $\mathcal{S}(t, v') = ?$ do $\mathcal{T}' := \{t \in \mathcal{T} \mid \mathcal{R}(t) = ?\}$ $\mathcal{R} := \text{TimeBounds}(\mathcal{R}, \mathcal{S}, \mathcal{T}')$ for all SCCs C of the RVG in topological order do $\mathcal{S} := \text{SizeBounds}(\mathcal{R}, \mathcal{S}, C)$ done done </pre>

wards, the procedure `SizeBounds` (Thm. 9 and 10) considers the SCCs of the result variable graph in topological order to update the size approximation.

When all bounds have been determined, \mathcal{R} and \mathcal{S} are returned. Of course, we do not always succeed in finding bounds for all transitions and variables. Thus, while the procedure keeps on improving the bounds, at any point during its run, \mathcal{R} and \mathcal{S} are over-approximations of the actual runtimes and sizes. Hence, the procedure can be interrupted at any time and it always returns correct bounds.

Several methods to determine symbolic complexity bounds for programs have been developed in recent years. The approaches of [3, 4] (implemented in `COSTA` and its backend `PUBS`) and [36] (implemented in `Loopus`) also use an iterative procedure based on termination proving techniques to find runtime bounds for isolated loops, which are then combined to an overall result. However, [3, 4] handles all loop transitions at once and [36] is restricted to termination proofs via the size-change principle [27]. The approach of [6] (implemented in `Rank`) first proves termination by a lexicographic combination of linear rank functions, similar to our Thm. 6. However, while Thm. 6 combines these rank functions with size bounds, [6] approximates the reachable state space using Ehrhart polynomials. The tool `SPEED` [23] instruments programs by counters and employs an invariant generation tool to obtain bounds on these counters. The `ABC` system [11] also determines symbolic bounds for nested loops, but does not treat sequences of loops. Finally, our technique in Sect. 4.2 to infer size bounds by estimating the effect of repeated local changes has some similarities to the approach of [10] which defines syntactic criteria for programs to have polynomial complexity.

The work on determining the *worst-case execution time* (WCET) for real-time systems [35] is largely orthogonal to symbolic loop bounds. It distinguishes processor instructions according to their complexity, but requires loop bounds to be provided by the user. Recently, recurrence solving has been used as an automatic pre-processing step for WCET analysis in the tool `r-TuBound` [26].

There is also a wealth of work on complexity for declarative paradigms. For instance, *resource aware ML* [25] analyzes amortized complexity for recursive functional programs with inductive data types, but it does not handle programs whose complexity depends on integers. There are also numerous techniques for complexity analysis of term rewriting and logic programming [7, 17, 21, 30, 31].

¹⁰ After generating a PRF $\mathcal{P}ol$ for \mathcal{T}' , it is advantageous to extend \mathcal{T}' by all remaining transitions (ℓ, τ, ℓ') from $\mathcal{T} \setminus \mathcal{T}'$ where the measure $\mathcal{P}ol$ is also (weakly) decreasing, i.e., where $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq (\mathcal{P}ol(\ell'))(v'_1, \dots, v'_n)$. Calling the procedure `TimeBounds` with this extended set \mathcal{T}' yields better results and may also improve previously found runtime bounds. We also used this strategy for the example in Sect. 3.

Our approach builds upon well-known basic concepts (like lexicographic rank functions), but uses them in a novel way to obtain a more powerful technique than previous approaches. In particular, in contrast to previous work, our approach deals with non-linear information flow between different program parts.

To evaluate our approach, we implemented a prototype KoAT and compared it with PUBS [3, 4] and Rank [6]. We also contacted the authors of SPEED [23] and Loopus [36], but were not able to obtain these tools. We did not compare KoAT to ABC [11], RAML [25], or r-TuBound [26], as their input or analysis goals differ considerably from ours. As benchmarks, we collected 682 programs from the literature on termination and complexity of integer programs. These include all 36 examples from the evaluation of Rank, all but one of the 53 examples used to evaluate PUBS,¹¹ all 27 examples from the evaluations of SPEED, and the examples from the current paper (which can be handled by KoAT, but not by PUBS or Rank). Where examples were available as C programs, we used the tool KITTeL [18] to transform them into integer programs automatically. The collection contains 48 recursive examples, which cannot be analyzed with Rank, and 20 examples with non-linear arithmetic, which can be handled by neither Rank nor PUBS. The remaining examples are compatible with all tested tools. All examples, the results of the three tools, and a binary of KoAT are available at [1].

The table illustrates how often each tool could infer a specific runtime bound for the example set. Here, 1, $\log n$, n , $n \log n$, n^2 , n^3 , and $n^{>3}$ represent their corresponding asymptotic classes and EXP is the class of exponential functions. In the column “Time”, we give the average runtime on those examples where the respective tool was successful. The average runtime on those 65 examples where *all* tools succeeded were 0.5 s for KoAT, 0.2 s for PUBS, and 0.6 s for Rank. The benchmarks were executed on a computer with 6GB of RAM and an Intel i7 CPU clocked at 3.07 GHz, using a timeout of 60 seconds for each example. A longer timeout did not yield additional results.

On this collection, our approach was more powerful than the two other tools and still efficient. In fact, KoAT is only a simple prototype whose efficiency could still be improved considerably by fine-tuning its implementation. As shown in [1], there are 77 examples where KoAT infers a bound of a lower asymptotic class than PUBS, 548 examples where the bounds are in the same class, and 57 examples where the bound of PUBS is (asymptotically) more precise than KoAT’s. Similarly, there are 259 examples where KoAT is asymptotically more precise than Rank, 410 examples where they are equal, and 13 examples where Rank is more precise. While KoAT is the only of the three tools that can also handle non-linear arithmetic, even when disregarding the 20 examples with non-linear arithmetic, KoAT can detect runtime bounds for 325 examples, whereas PUBS succeeds only for 292 programs and Rank only finds bounds for 84 examples.

A limitation of our implementation is that it only generates (possibly non-linear) PRFs to detect *polynomial* bounds. In contrast, PUBS uses PRFs to find *logarithmic* and *exponential* complexity bounds as well [3]. Such an extension

¹¹ We removed one example with undefined semantics.

could also be directly integrated into our method. Moreover, we are restricted to weakly monotonic bounds in order to allow their modular composition. Another limitation is that our size analysis only handles certain forms of local size bounds in non-trivial SCCs of the result variable graph. For that reason, it often over-approximates the sizes of variables that are both incremented and decremented in the same loop. Due to all these imprecisions, our approach sometimes infers bounds that are asymptotically larger than the actual asymptotic costs.

Our method is easily *extended*. In the appendix, we provide a modular extension to handle (possibly recursive) procedure calls. Moreover, we show how to treat other forms of bounds (e.g., on the number of sent network requests) and how to compute bounds for separate program parts in advance or in parallel.

Future work will be concerned with refining the precision of the inferred runtime and size approximations and with improving our implementation (e.g., by extending it to infer also non-polynomial complexities). Moreover, instead of abstracting heap operations to integers, we intend to investigate an extension of our approach to apply it directly to programs operating on the heap. Finally, similar to the coupling of `COSTA` with the tool `KeY` in [5], we want to automatically *certify* the complexity bounds found by our implementation `KoAT`.

Acknowledgments. We thank A. Ben-Amram, B. Cook, C. von Essen, C. Otto for valuable discussions and C. Alias and S. Genaim for help with the experiments.

References

1. <http://aprove.informatik.rwth-aachen.de/eval/IntegerComplexity/>
2. Albert, E., Arenas, P., Codish, M., Genaim, S., Puebla, G., Zanardini, D.: Termination analysis of Java Bytecode. In: FMOODS '08. pp. 2–18 (2008)
3. Albert, E., Arenas, P., Genaim, S., Puebla, G.: Closed-form upper bounds in static cost analysis. *JAR* 46(2), 161–203 (2011)
4. Albert, E., Arenas, P., Genaim, S., Puebla, G., Zanardini, D.: Cost analysis of object-oriented bytecode programs. *TCS* 413(1), 142–159 (2012)
5. Albert, E., Bubel, R., Genaim, S., Hähnle, R., Puebla, G., Román-Díez, G.: Verified resource guarantees using `COSTA` and `KeY`. In: PEPM '11. pp. 73–76 (2011)
6. Alias, C., Darté, A., Feautrier, P., Gonnord, L.: Multi-dimensional rankings, program termination, and complexity bounds of flowchart programs. In: SAS '10. pp. 117–133 (2010)
7. Avanzini, M., Moser, G.: A combination framework for complexity. In: RTA '13. pp. 55–70 (2013)
8. Bagnara, R., Mesnard, F., Pescetti, A., Zaffanella, E.: A new look at the automatic synthesis of linear ranking functions. *IC* 215, 47–67 (2012)
9. Ben-Amram, A.M., Genaim, S.: On the linear ranking problem for integer linear-constraint loops. In: POPL '13. pp. 51–62 (2013)
10. Ben-Amram, A.M., Jones, N.D., Kristiansen, L.: Linear, polynomial or exponential? Complexity inference in polynomial time. In: CiE '08. pp. 67–76 (2008)
11. Blanc, R., Henzinger, T.A., Hottelier, T., Kovács, L.: `ABC`: Algebraic bound computation for loops. In: LPAR-16. pp. 103–118 (2010)
12. Bradley, A.R., Manna, Z., Sipma, H.B.: Linear ranking with reachability. In: CAV '05. pp. 491–504 (2005)
13. Brockschmidt, M., Cook, B., Fuhs, C.: Better termination proving through cooperation. In: CAV '13. pp. 413–429 (2013)

14. Brockschmidt, M., Musiol, R., Otto, C., Giesl, J.: Automated termination proofs for Java programs with cyclic data. In: CAV '12. pp. 105–122 (2012)
15. Cook, B., Podelski, A., Rybalchenko, A.: Termination proofs for systems code. In: PLDI '06. pp. 415–426 (2006)
16. Cook, B., See, A., Zuleger, F.: Ramsey vs. lexicographic termination proving. In: TACAS '13. pp. 47–61 (2013)
17. Debray, S., Lin, N.: Cost analysis of logic programs. *TOPLAS* 15, 826–875 (1993)
18. Falke, S., Kapur, D., Sinz, C.: Termination analysis of C programs using compiler intermediate languages. In: RTA '11. pp. 41–50 (2011)
19. Fuhs, C., Giesl, J., Middeldorp, A., Schneider-Kamp, P., Thiemann, R., Zankl, H.: SAT solving for termination analysis with polynomial interpretations. In: SAT '07. pp. 340–354 (2007)
20. Fuhs, C., Giesl, J., Plücker, M., Schneider-Kamp, P., Falke, S.: Proving termination of integer term rewriting. In: RTA '09. pp. 32–47 (2009)
21. Giesl, J., Ströder, T., Schneider-Kamp, P., Emmes, F., Fuhs, C.: Symbolic evaluation graphs and term rewriting: A general methodology for analyzing logic programs. In: PPDP '12. pp. 1–12 (2012)
22. Giesl, J., Thiemann, R., Schneider-Kamp, P., Falke, S.: Mechanizing and improving dependency pairs. *JAR* 37(3), 155–203 (2006)
23. Gulwani, S., Mehra, K.K., Chilimbi, T.M.: *SPEED*: Precise and efficient static estimation of program computational complexity. In: POPL '09. pp. 127–139 (2009)
24. Harris, W.R., Lal, A., Nori, A.V., Rajamani, S.K.: Alternation for termination. In: SAS '10. pp. 304–319 (2010)
25. Hoffmann, J., Aehlig, K., Hofmann, M.: Multivariate amortized resource analysis. *TOPLAS* 34(3) (2012)
26. Knoop, J., Kovács, L., Zwirchmayr, J.: *r-TuBound*: Loop bounds for WCET analysis. In: LPAR-18. pp. 435–444 (2012)
27. Lee, C.S., Jones, N.D., Ben-Amram, A.M.: The size-change principle for program termination. In: POPL '01. pp. 81–92 (2001)
28. Magill, S., Tsai, M.H., Lee, P., Tsay, Y.K.: Automatic numeric abstractions for heap-manipulating programs. In: POPL '10. pp. 211–222 (2010)
29. Miné, A.: The Octagon abstract domain. *HOSC* 19(1), 31–100 (2006)
30. Navas, J.A., Mera, E., López-García, P., Hermenegildo, M.V.: User-definable resource bounds analysis for logic programs. In: ICLP '07. pp. 348–363 (2007)
31. Noschinski, L., Emmes, F., Giesl, J.: Analyzing innermost runtime complexity of term rewriting by dependency pairs. *JAR* 51(1), 27–56 (2013)
32. Podelski, A., Rybalchenko, A.: A complete method for the synthesis of linear ranking functions. In: VMCAI '04. pp. 239–251 (2004)
33. Spoto, F., Mesnard, F., Payet, É.: A termination analyser for Java Bytecode based on path-length. *TOPLAS* 32(3) (2010)
34. Tsitovich, A., Sharygina, N., Wintersteiger, C.M., Kroening, D.: Loop summarization and termination analysis. In: TACAS '11. pp. 81–95 (2011)
35. Wilhelm, R., Engblom, J., Ermedahl, A., Holsti, N., Thesing, S., Whalley, D.B., Bernat, G., Ferdinand, C., Heckmann, R., Mitra, T., Mueller, F., Puaut, I., Puschner, P.P., Staschulat, J., Stenström, P.: The worst-case execution-time problem: overview of methods and survey of tools. *TECS* 7(3), 36:1–36:53 (2008)
36. Zuleger, F., Gulwani, S., Sinn, M., Veith, H.: Bound analysis of imperative programs with the size-change abstraction. In: SAS '11. pp. 280–297 (2011)

A Extensions

In the following, we describe extensions of our approach. Sect. A.1 shows how to handle programs with possibly recursive procedure calls. Afterwards, in Sect. A.2 we explain how our analysis can be adapted to use a more fine-grained cost model. Finally, in Sect. A.3 we use such a cost model for a completely separate analysis of sub-procedures and sub-loops, allowing to re-use precomputed results.

A.1 Recursion

Our representation of programs as sets of simple transitions is restricted to programs without procedure calls. Of course, as long as there is no recursion (or only tail recursion), procedure calls can easily be “inlined”. However, we now present an extension of our approach to handle arbitrary (possibly non-tail recursive) procedure calls. As an example, regard the following program where the recursive procedure `fac(x)` computes $x!$ and `facSum(x)` computes $x! + (x - 1)! + \dots + 0!$.

<pre> int facSum(int x) ℓ₀: r = 0 ℓ₁: while x ≥ 0 do ℓ₂: r = r + <u>fac(x)</u> ℓ₃ x = x - 1 done ℓ₄: return r </pre>	<pre> int fac(int x) ℓ₅: r = 1 ℓ₆: if x > 0 do ℓ₇: r = x · <u>fac(x - 1)</u> ℓ₈ done ℓ₉: return r </pre>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

We extend the notion of *transitions* to the form (ℓ, τ, L) , where L is a list of locations. If L is a singleton set $\{\ell'\}$, we write (ℓ, τ, ℓ') instead of $(\ell, \tau, \{\ell'\})$. Our example program can be represented by the following transitions. Note that our transitions are an over-approximation of the original program since we do not take the results of procedure calls into account (i.e., the value of the variable \mathbf{r}' is arbitrary in the transitions from ℓ_2 to ℓ_1 and from ℓ_7 to ℓ_9).

$$\begin{aligned}
t_0 &= (\ell_0, \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = 0, \ell_1) \\
t_1 &= (\ell_1, \mathbf{x} \geq 0 \wedge \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = \mathbf{r}, \{\ell_2, \ell_3\}) \\
t_2 &= (\ell_1, \mathbf{x} < 0 \wedge \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = \mathbf{r}, \ell_4) \\
t_3 &= (\ell_2, \mathbf{x} \geq 0 \wedge \mathbf{x}' = \mathbf{x} - 1, \ell_1) \\
t_4 &= (\ell_3, \mathbf{x}' = \mathbf{x}, \ell_5) \\
t_5 &= (\ell_5, \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = 1, \ell_6) \\
t_6 &= (\ell_6, \mathbf{x} > 0 \wedge \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = \mathbf{r}, \{\ell_7, \ell_8\}) \\
t_7 &= (\ell_6, \mathbf{x} \leq 0 \wedge \mathbf{x}' = \mathbf{x} \wedge \mathbf{r}' = \mathbf{r}, \ell_9) \\
t_8 &= (\ell_7, \mathbf{x}' = \mathbf{x}, \ell_9) \\
t_9 &= (\ell_8, \mathbf{x} > 0 \wedge \mathbf{x}' = \mathbf{x} - 1, \ell_5)
\end{aligned}$$

A *configuration* is now a *list* of pairs (ℓ, \mathbf{v}) of a location ℓ and a valuation $\mathbf{v} : \mathcal{V} \rightarrow \mathbb{Z}$. An *evaluation step* takes a pair (ℓ, \mathbf{v}) in the current configuration and

applies a transition to it. In principle, the list of pairs (ℓ, \mathbf{v}) corresponds to the *call stack* and the topmost pair in the stack has to be evaluated first. To simplify the formalization, we now regard configurations as *multisets* of pairs and allow the evaluation of an arbitrary pair in the set. So for a configuration F , we write $F \rightarrow_t F'$ for an *evaluation step* with a transition $t = (\ell, \tau, \{\ell_1, \dots, \ell_k\}) \in \mathcal{T}$ iff there is a pair $(\ell, \mathbf{v}) \in F$, $F' = (F \setminus \{(\ell, \mathbf{v})\}) \cup \{(\ell_1, \mathbf{v}'), \dots, (\ell_k, \mathbf{v}')\}$, and the valuations \mathbf{v}, \mathbf{v}' satisfy the formula τ . Note that in each evaluation step we only evaluate *one* pair in the configuration (i.e., this does not model concurrency where several pairs are evaluated in parallel). So in our example, we have

$$\begin{aligned} \{(\ell_0, \mathbf{v}_0)\} & \xrightarrow{t_0} \{(\ell_1, \mathbf{v}_1)\} & \xrightarrow{t_1} \\ \{(\ell_2, \mathbf{v}_1), (\ell_3, \mathbf{v}_1)\} & \xrightarrow{t_3} \{(\ell_1, \mathbf{v}_2), (\ell_3, \mathbf{v}_1)\} & \xrightarrow{t_4} \\ \{(\ell_1, \mathbf{v}_2), (\ell_5, \mathbf{v}_1)\} & \xrightarrow{t_5} \dots \end{aligned}$$

for $\mathbf{v}_0(\mathbf{x}) = \mathbf{v}_1(\mathbf{x}) = 2$, $\mathbf{v}_2(\mathbf{x}) = 1$, $\mathbf{v}_0(\mathbf{r}) = 3$, $\mathbf{v}_1(\mathbf{r}) = 0$, and $\mathbf{v}_2(\mathbf{r}) = 5$.

For any transition t of the form $(\ell, \tau, \{\ell_1, \dots, \ell_k\})$, its *separation* is the set $\text{sep}(t) = \{(\ell, \tau, \ell_1), \dots, (\ell, \tau, \ell_k)\}$. Similarly, for a program \mathcal{T} we define $\text{sep}(\mathcal{T}) = \bigcup_{t \in \mathcal{T}} \text{sep}(t)$. For termination and for size complexity analysis, there is no difference between \mathcal{T} and $\text{sep}(\mathcal{T})$. But for runtime complexity analysis, one may not replace \mathcal{T} by $\text{sep}(\mathcal{T})$. The reason is that a transition of the form $(\ell_1, \tau, \{\ell_2, \ell_3\})$ means that evaluation continues both at location ℓ_2 *and* at location ℓ_3 . Hence, the runtime complexities resulting from these two locations have to be *added* to obtain a bound for the runtime complexity resulting from location ℓ_1 . In contrast, the two transitions (ℓ_1, τ, ℓ_2) and (ℓ_1, τ, ℓ_3) would mean that evaluation continues at location ℓ_2 *or* at location ℓ_3 . Hence, here it suffices to take the *maximum* of the runtime complexities resulting from ℓ_1, ℓ_2 to obtain a bound for the runtime complexity resulting from ℓ_1 . For example, the program $\{t_0, \dots, t_9\}$ above has quadratic runtime complexity. But if one replaced the transition t_1 by two separate transitions from ℓ_1 to ℓ_2 and from ℓ_1 to ℓ_3 , then the resulting program would only have linear runtime complexity.

Our method can easily be adapted to the extended notion of programs with procedure calls. The definitions of rc and \mathcal{R} do not have to be changed and for size analysis, we consider $\text{sep}(\mathcal{T})$ instead of \mathcal{T} . Thus, the computation of size bounds in Sect. 4 does not have to be adapted to the new program formalism.

The only notion that has to be modified is the notion of PRFs. We now measure composed configurations $\{(\ell_1, \mathbf{v}_1), \dots, (\ell_k, \mathbf{v}_k)\}$ by *summing* up the measures of the component configurations (ℓ_i, \mathbf{v}_i) . Again, we call Pol a PRF for a program iff no transition increases the measure and at least one decreases it. As before, our goal is to use the PRF to deduce a bound on the runtime complexity. To this end, we have to ensure that the measure of a configuration is at least as large as the number of decreasing transition steps that can be used when starting the program evaluation in this configuration. However, this would not be guaranteed anymore for composed configurations, since the measures of component configurations can also be negative. Therefore, when measuring a composed configuration of $k > 1$ components, we only sum up those components with non-negative measure. Thus, we say that $\text{Pol} : \mathcal{L} \rightarrow \mathbb{Z}[v_1, \dots, v_n]$ is a PRF for \mathcal{T} iff there is a non-empty $\mathcal{T}_\succ \subseteq \mathcal{T}$ such that the following conditions hold:

- for all $(\ell, \tau, \{\ell_1, \dots, \ell_k\}) \in \mathcal{T}$, we have
 - $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq (\mathcal{P}ol(\ell_1))(v'_1, \dots, v'_n)$, if $k = 1$
 - $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq \sum_{j \in \{1, \dots, k\}} \max\{0, (\mathcal{P}ol(\ell_j))(v'_1, \dots, v'_n)\}$, if $k > 1$
- for all $(\ell, \tau, \{\ell_1, \dots, \ell_k\}) \in \mathcal{T}_>$, we have
 - $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) > (\mathcal{P}ol(\ell_1))(v'_1, \dots, v'_n)$, if $k = 1$
 - $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) > \sum_{j \in \{1, \dots, k\}} \max\{0, (\mathcal{P}ol(\ell_j))(v'_1, \dots, v'_n)\}$, if $k > 1$
 - $\tau \Rightarrow (\mathcal{P}ol(\ell))(v_1, \dots, v_n) \geq 1$

With this definition of PRFs, the procedure `TimeBounds` from Thm. 6 can also be used for the new extended notion of programs $\tilde{\mathcal{T}}$. For this, we define $\mathcal{L}' = \{\ell \mid (\ell, \tau, L) \in \mathcal{T}'\}$ and let $\tilde{\mathcal{T}}_\ell$ contain all transitions $(\tilde{\ell}, \tilde{\tau}, \tilde{L}) \in \tilde{\mathcal{T}} \setminus \mathcal{T}'$ with $\ell \in \tilde{L}$. With this extension of our method, for our example (with the initial location ℓ_0) we obtain the runtime approximations $\mathcal{R}(t_3) = |\mathbf{x}|$ (for the loop of `facSum`) and $\mathcal{R}(t_9) = |\mathbf{x}| + \mathbf{x}^2$ (for the linear recursion of `fac` that is called linearly often from `facSum`). The overall runtime bound is $\sum_{t \in \mathcal{T}} \mathcal{R}(t) = 8 + 12 \cdot |\mathbf{x}| + 5 \cdot |\mathbf{x}|^2$, i.e., the program's runtime is quadratic in the size of \mathbf{x} .

A.2 Cost Annotations for Transitions

While our analysis is focused on finding bounds for the program's runtime and for the sizes of variables, our approach can easily be extended to handle different cost measures. To this end, we simply have to annotate the program by a cost measure function $\mathcal{M} : \mathcal{T} \rightarrow \mathfrak{C}$, allowing to assign different costs to each transition. The cost $\mathcal{M}(t)$ for a transition t may even depend on the values of the variables before the transition is applied. For example, \mathcal{M} can be used to approximate the number of actual arithmetic operations performed by each transition, or the number of file system or network accesses performed by each transition. For our example from Sect. 2 we could set

$$\begin{aligned} \mathcal{M}(t_0) &= 1 & \mathcal{M}(t_1) &= \mathcal{M}(t_4) = 3 \\ \mathcal{M}(t_2) &= \mathcal{M}(t_3) = \mathcal{M}(t_5) = 2 \end{aligned}$$

to reflect the actual number of program statements represented by each transition (recall that $\mathbf{z} > 0$ was only introduced by invariant generation). Here, the higher cost for t_4 also reflects the statement `z.val += u.val` of the original program, which has no counterpart in the integer abstraction of the program. To obtain a bound on the overall cost incurred by each transition, we first perform our complexity analysis as before and obtain the runtime approximation \mathcal{R} and the size approximation \mathcal{S} . Then, the overall cost for a transition t is just $\mathcal{R}(t) \cdot \max\{(\mathcal{M}(t))(\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n)) \mid \tilde{t} \in \text{pre}(t)\}$. The reason is that $(\mathcal{M}(t))(\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n))$ is the maximal cost for the transition t , if t is applied after the transition \tilde{t} .

So for the transition t_1 from our example, we obtain the bound $\mathcal{R}(t_1) \cdot \max\{\mathcal{M}(t_1)(\dots) \mid \dots\} = |\mathbf{x}| \cdot 3$, which reflects that the number of evaluated statements in the first loop is bounded by $3 \cdot |\mathbf{x}|$.


A.3 Separated Analysis of Sub-Procedures

Advanced cost measures can also be used for a compositional analysis method in which single sub-procedures are analyzed on their own in advance (and even in parallel). For example, consider the procedure `len` below, which computes the length of a list. In the integer abstraction of this procedure, we use the special variable `res` to model the return value of `len`. Our approach infers $\mathcal{R}(t_0^{1\text{en}}) = 1$, $\mathcal{R}(t_1^{1\text{en}}) = |x|$, $\mathcal{R}(t_2^{1\text{en}}) = 1$, and $\mathcal{S}(t_2^{1\text{en}}, \text{res}') = |x|$, similar to the analysis of the first loop in the program of Sect. 2.

```

int len(List x)
ℓ0: int r = 0
ℓ1: while x ≠ null do
    r = r + 1
    x = x.next
done
ℓ2: return r

```



Now, whenever a *procedure call* statement $\mathbf{k} = \text{len}(\mathbf{y})$ occurs in a program, we can use the previously computed runtime and size approximations for the procedure `len`. Instead of *inlining* the call (and hence requiring a repeated analysis of the procedure), we can represent the effect of calling `len` by introducing a new transition t that approximates its effects, i.e., it bounds the size of the return value. So in our example, we label t with the formula $|\mathbf{k}'| \leq \mathcal{S}(t_2^{1\text{en}}, \text{res}')(\mathbf{y})$. To reflect the *cost* of calling `len`, we use our cost measure function and set $\mathcal{M}(t) = (\mathcal{R}(t_0^{1\text{en}}) + \mathcal{R}(t_1^{1\text{en}}) + \mathcal{R}(t_2^{1\text{en}}))$.

Compared to the extension of Sect. A.1, this does not only avoid the repeated analysis of called procedures, but also allows to use the previously computed size bound for their return value instead of ignoring return values as in Sect. A.1. On the other hand, for recursive procedures one still has to use the approach of Sect. A.1.

A similar technique can be used as an alternative to our function `TimeBounds` from Thm. 6. There, we use a “top-down” approach (i.e., typically outer loops are handled before inner loops). A “bottom-up” approach (i.e., handling inner loops before outer loops) is possible by analyzing sub-loops on their own. For this, we treat sub-loops as if they were extracted into separate procedures, and generate suitable additional constraints to simulate their effects on local variables.

In general, the top-down method is slightly more precise when inferring runtime bounds, because when analyzing outer loops, it can also make use of detailed information about the value changes in inner loops which may influence outer loops. On the other hand, the bottom-up approach results in smaller synthesis problems and hence (slightly) improved performance. Furthermore, it can sometimes find more precise size bounds. As an example, consider the program on the next page. Here, two nested loops are used to compute $\sum_{j=1}^x (\sum_{i=0}^{j-1} i)$. Our approach infers the runtime bound $\mathcal{R}(t_2^{\text{sum}}) = |x|^2$ for the transition t_2^{sum} that represents the inner loop at location ℓ_2 . However, when computing the size bound

$\mathcal{S}(t_2^{\text{sum}}, i')$, this leads to a surprising effect. Using the local size bound $|i| + 1$ for $|t_2^{\text{sum}}, i'|$, `SizeBounds` infers that $\mathcal{S}(t_2^{\text{sum}}, i') = \mathcal{R}(t_2^{\text{sum}}) \cdot 1 = |x|^2$. Here, the information that t_2^{sum} is executed at most $|x|^2$ times in a full program run is combined with the fact that each application of t_2^{sum} increases i by 1. This is imprecise, because our approximation does not take into account that i is reset to 0 after each inner loop and that t_2^{sum} is used at most $|x|$ times in each iteration of the outer loop. For that reason, in reality $|i|$ never gets larger than $|x|$. Similarly, our method computes $\mathcal{S}(t_2^{\text{sum}}, s') = \mathcal{R}(t_2^{\text{sum}}) \cdot \mathcal{S}(t_2^{\text{sum}}, i') = |x|^2 \cdot |x|^2 = |x|^4$ instead of the more precise correct bound $|x|^2$ and $\mathcal{S}(t_3^{\text{sum}}, r') = |x|^5$ instead of $|x|^3$ for the transition t_3^{sum} from the end of the inner loop back to ℓ_1 . Such imprecisions can be avoided using a bottom-up approach which correctly determines that each time after i is set to 0, the transition t_2^{sum} is only executed $|x|$ times.

We first describe how to “separate out” a sub-loop \mathcal{T}' of a program \mathcal{T} . First, we determine the set of its *entry locations* $\mathcal{L}_{\rightarrow \mathcal{T}'}$ and *exit locations* $\mathcal{L}_{\mathcal{T}' \rightarrow}$. Here, $\mathcal{L}_{\rightarrow \mathcal{T}'}$ are those locations in which a transition from \mathcal{T}' starts and one from $\mathcal{T} \setminus \mathcal{T}'$ ends, and $\mathcal{L}_{\mathcal{T}' \rightarrow}$ are those locations where a transition from \mathcal{T}' ends and one from $\mathcal{T} \setminus \mathcal{T}'$ starts. So for our program above and its inner loop $\mathcal{T}' = \{t_2^{\text{sum}}\}$, we have $\mathcal{L}_{\mathcal{T}' \rightarrow} = \mathcal{L}_{\rightarrow \mathcal{T}'} = \{\ell_2\}$.


Then, we analyze \mathcal{T}' on its own (i.e., we consider the program restricted to \mathcal{T}' with a fresh start location ℓ'_0 connected to all entry locations $\mathcal{L}_{\rightarrow \mathcal{T}'}$), but with the full set of variables \mathcal{V} of the complete program \mathcal{T} . In this way, we can obtain a runtime approximation $\mathcal{R}_{\mathcal{T}'}$ and a size approximation $\mathcal{S}_{\mathcal{T}'}$ that describes how the sizes of variables *after* leaving the loop \mathcal{T}' depend on the values *before* entering \mathcal{T}' . To make these changes visible outside the loop, we define the size bound of a variable v when \mathcal{T}' is left:

$$\mathcal{S}_{\mathcal{T}' \rightarrow}(v) = \max\{\mathcal{S}_{\mathcal{T}'}(t, v') \mid t = (\ell, v, \ell') \in \mathcal{T}', \ell' \in \mathcal{L}_{\mathcal{T}' \rightarrow}\}$$

To use the complexity results obtained for \mathcal{T}' , we can remove \mathcal{T}' 's transitions from the full program \mathcal{T} and replace them by new transitions. Changes to variable values and the runtime of \mathcal{T}' are represented using the approximations $\mathcal{R}_{\mathcal{T}'}$ and $\mathcal{S}_{\mathcal{T}'}$. To this end, we add a new location $\ell_{\mathcal{T}'}$ and “meta-transitions” $t_{\mathcal{T}'}$ from all entry locations $\mathcal{L}_{\rightarrow \mathcal{T}'}$ to this new location $\ell_{\mathcal{T}'}$, approximating all executions of \mathcal{T}' . These new transitions all have the same formula that describes \mathcal{T}' 's effect on variable sizes, i.e., $\bigwedge_{i=1}^n (|v'_i| \leq \mathcal{S}_{\mathcal{T}' \rightarrow}(v_i))$.¹² To take the runtime of \mathcal{T}' into account, we assign the cost $\mathcal{M}(t_{\mathcal{T}'}) = \sum_{t \in \mathcal{T}'} \mathcal{R}_{\mathcal{T}'}(t)$ to all new transitions $t_{\mathcal{T}'}$. Finally, for each transition $t \in \mathcal{T} \setminus \mathcal{T}'$ from an exit location $\mathcal{L}_{\mathcal{T}' \rightarrow}$ to some location ℓ , we add a new transition from $\ell_{\mathcal{T}'}$ to ℓ with the same formula as t . So the new transitions $t_{\mathcal{T}'}$ to $\ell_{\mathcal{T}'}$ represent the use of the sub-program \mathcal{T}' , and the new transitions originating in $\ell_{\mathcal{T}'}$ allow us to “leave” the sub-program \mathcal{T}' again.

¹² Of course, in most cases simple static abstract interpretation allows to remove many of the applications of $|\cdot|$ and considerably simplify the formula.

For the example from the previous page with $\mathcal{T}' = \{t_2^{\text{sum}}\}$, our method obtains $\mathcal{R}_{\mathcal{T}'}(t_2^{\text{sum}}) = |\mathbf{i}| + |\mathbf{x}|$, $\mathcal{S}_{\mathcal{T}'}(t_2^{\text{sum}}, \mathbf{x}') = |\mathbf{x}|$, $\mathcal{S}_{\mathcal{T}'}(t_2^{\text{sum}}, \mathbf{r}') = |\mathbf{r}|$, $\mathcal{S}_{\mathcal{T}'}(t_2^{\text{sum}}, \mathbf{i}') = 2 \cdot |\mathbf{i}| + |\mathbf{x}|$, and $\mathcal{S}_{\mathcal{T}'}(t_2^{\text{sum}}, \mathbf{s}') = |\mathbf{s}| + 2 \cdot |\mathbf{i}| \cdot |\mathbf{x}| + |\mathbf{x}|^2$. When replacing \mathcal{T}' by a meta-transition $t_{\mathcal{T}'}$ to a new location $\ell_{\mathcal{T}'}$ and a transition t_3^{sum} back to ℓ_1 , we obtain the following modified part of the program. Here, the transition $t_{\mathcal{T}'}$ has the formula $|\mathbf{x}'| \leq |\mathbf{x}| \wedge |\mathbf{r}'| \leq |\mathbf{r}| \wedge |\mathbf{i}'| \leq 2 \cdot |\mathbf{i}| + |\mathbf{x}| \wedge |\mathbf{s}'| \leq |\mathbf{s}| + 2 \cdot |\mathbf{i}| \cdot |\mathbf{x}| + |\mathbf{x}|^2$. The transition $t_{\mathcal{T}'}$ has the costs $\mathcal{M}(t_{\mathcal{T}'}) = \mathcal{R}_{\mathcal{T}'}(t_2^{\text{sum}}) = |\mathbf{i}| + |\mathbf{x}|$.



By analyzing the modified full program, we now obtain the precise bounds $\mathcal{S}(t_{\mathcal{T}'}, \mathbf{i}') = |\mathbf{x}|$, $\mathcal{S}(t_{\mathcal{T}'}, \mathbf{s}') = \mathbf{x}^2$, and $\mathcal{S}(t_3^{\text{sum}}, \mathbf{r}') = |\mathbf{x}|^3$.

B Proofs

In this section, we provide the proofs for all theorems from our paper. First we prove the following remark from the end of Sect. 2.

Remark (Program Runtime from Transition Runtime). If \mathcal{R} is a runtime complexity approximation, then $(\sum_{t \in \mathcal{T}} \mathcal{R}(t)) \geq \text{rc}$.

Proof. We have to show that $(\sum_{t \in \mathcal{T}} (\mathcal{R}(t))(\mathbf{m})) \geq \text{rc}(\mathbf{m})$ holds for all $\mathbf{m} \in \mathbb{N}^n$. We first regard the case where there is a variable valuation \mathbf{v}_0 with $\mathbf{v}_0 \leq \mathbf{m}$ such that (ℓ_0, \mathbf{v}_0) starts an infinite evaluation (thus, $\text{rc}(\mathbf{m}) = \omega$). Hence, there is some transition $t \in \mathcal{T}$ which is used infinitely often in this evaluation. Thus, we have $(\mathcal{R}(t))(\mathbf{m}) = \omega$ and therefore $(\sum_{t \in \mathcal{T}} (\mathcal{R}(t))(\mathbf{m})) = \omega$.

Otherwise, it suffices to prove that for any \mathbf{v}_0 with $\mathbf{v}_0 \leq \mathbf{m}$ and $(\ell_0, \mathbf{v}_0) \rightarrow^k (\ell, \mathbf{v})$ for some configuration (ℓ, \mathbf{v}) , we have $(\sum_{t \in \mathcal{T}} (\mathcal{R}(t))(\mathbf{m})) \geq k$. Let $\mathcal{T} = \{t_1, \dots, t_d\}$. Moreover, for each $i \in \{1, \dots, d\}$, let k_i be the number of times that the transition t_i was used in the evaluation $(\ell_0, \mathbf{v}_0) \rightarrow^k (\ell, \mathbf{v})$. Then we obviously have $k = k_1 + \dots + k_d$ and for each $i \in \{1, \dots, d\}$, there is an evaluation w.r.t. $(\rightarrow^* \circ \rightarrow_{t_i})$ of length k_i that starts in the configuration (ℓ_0, \mathbf{v}_0) . Hence, $(\mathcal{R}(t_i))(\mathbf{m}) \geq k_i$. This implies $(\sum_{t \in \mathcal{T}} (\mathcal{R}(t))(\mathbf{m})) \geq k_1 + \dots + k_d = k$, as desired. \square

Theorem 5 (Complexities from PRFs). Let \mathcal{R} be a runtime approximation and Pol be a PRF for \mathcal{T} . Let $\mathcal{R}'(t) = [\text{Pol}(\ell_0)]$ for all $t \in \mathcal{T}_>$ and $\mathcal{R}'(t) = \mathcal{R}(t)$ for all other $t \in \mathcal{T}$. Then, \mathcal{R}' is also a runtime approximation.

Proof. To prove

$$(\mathcal{R}'(t))(\mathbf{m}) \geq \sup\{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t)^k (\ell, \mathbf{v})\}$$

for all $t \in \mathcal{T}$ and $\mathbf{m} \in \mathbb{N}^n$, it obviously suffices to show that

$$[\mathcal{P}ol(\ell_0)](\mathbf{m}) \geq \{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t)^k (\ell, \mathbf{v})\}$$

holds for all $t \in \mathcal{T}_>$ and $\mathbf{m} \in \mathbb{N}^n$. To this end, let \mathbf{v}_0 be a valuation with $\mathbf{v}_0 \leq \mathbf{m}$ and consider a (finite or infinite) evaluation of the form

$$(\ell_0, \mathbf{v}_0) \rightarrow_{t_0} (\ell_1, \mathbf{v}_1) \rightarrow_{t_1} (\ell_2, \mathbf{v}_2) \rightarrow_{t_2} \dots$$

where $k \in \mathbb{N} \cup \{\omega\}$ steps are performed with the transition t . Of course, in the above evaluation, we may have $\ell_i = \ell_j$ or $t_i = t_j$ for $i \neq j$.

Our goal is to show that $[\mathcal{P}ol(\ell_0)](\mathbf{m}) \geq k$ holds. This is trivial for the case $k = 0$, as $[\mathcal{P}ol(\ell_0)]$ only has non-negative coefficients. Thus, we now consider the case where $k > 0$.

Since $\mathcal{P}ol$ is a PRF for \mathcal{T} , we have

$$\mathcal{P}ol(\ell_i)(\mathbf{v}_i(v_1), \dots, \mathbf{v}_i(v_n)) \geq \mathcal{P}ol(\ell_{i+1})(\mathbf{v}_{i+1}(v_1), \dots, \mathbf{v}_{i+1}(v_n))$$

for all i . Let $i_1 < i_2 < \dots$ be the k indices where $t_i = t$. Then for all $i \in \{i_1, i_2, \dots\}$, $t \in \mathcal{T}_>$ implies

$$\begin{aligned} \mathcal{P}ol(\ell_i)(\mathbf{v}_i(v_1), \dots, \mathbf{v}_i(v_n)) &> \mathcal{P}ol(\ell_{i+1})(\mathbf{v}_{i+1}(v_1), \dots, \mathbf{v}_{i+1}(v_n)) \text{ and} \\ \mathcal{P}ol(\ell_i)(\mathbf{v}_i(v_1), \dots, \mathbf{v}_i(v_n)) &\geq 1. \end{aligned}$$

Thus, we obtain

$$\begin{aligned} \mathcal{P}ol(\ell_0)(\mathbf{v}_0(v_1), \dots, \mathbf{v}_0(v_n)) &\geq \\ \mathcal{P}ol(\ell_{i_1})(\mathbf{v}_{i_1}(v_1), \dots, \mathbf{v}_{i_1}(v_n)) &> \\ \mathcal{P}ol(\ell_{i_2})(\mathbf{v}_{i_2}(v_1), \dots, \mathbf{v}_{i_2}(v_n)) &> \\ &\vdots \\ \mathcal{P}ol(\ell_{i_{k-1}})(\mathbf{v}_{i_{k-1}}(v_1), \dots, \mathbf{v}_{i_{k-1}}(v_{k-1})) &> \\ \mathcal{P}ol(\ell_{i_k})(\mathbf{v}_{i_k}(v_1), \dots, \mathbf{v}_{i_k}(v_k)) &\geq 1. \end{aligned}$$

So we have $k \neq \omega$ and $\mathcal{P}ol(\ell_0)(\mathbf{v}_0(v_1), \dots, \mathbf{v}_0(v_n)) \geq k$, i.e., $\mathcal{P}ol(\ell_0)(\mathbf{v}_0(v_1), \dots, \mathbf{v}_0(v_n))$ is an upper bound on the number of evaluation steps with the transition t . This implies

$$\begin{aligned} [\mathcal{P}ol(\ell_0)](\mathbf{m}) &\geq \\ [\mathcal{P}ol(\ell_0)](|\mathbf{v}_0(v_1)|, \dots, |\mathbf{v}_0(v_n)|) &\geq \\ \mathcal{P}ol(\ell_0)(\mathbf{v}_0(v_1), \dots, \mathbf{v}_0(v_n)) &\geq k. \end{aligned}$$

□

Theorem 6 (TimeBounds). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation and $\mathcal{T}' \subseteq \mathcal{T}$ such that \mathcal{T}' contains no initial transitions. Let $\mathcal{L}' = \{\ell \mid (\ell, \tau, \ell') \in \mathcal{T}'\}$ contain all entry locations of \mathcal{T}' and let $\mathcal{P}ol$ be a PRF for \mathcal{T}' . For any $\ell \in \mathcal{L}'$, let \mathcal{T}_ℓ contain all transitions $(\tilde{\ell}, \tilde{\tau}, \ell) \in \mathcal{T} \setminus \mathcal{T}'$ leading to ℓ . Let $\mathcal{R}'(t) = \sum_{\ell \in \mathcal{L}'; \tilde{t} \in \mathcal{T}_\ell} \mathcal{R}(\tilde{t}) \cdot [\mathcal{P}ol(\ell)](\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n))$ for $t \in \mathcal{T}'_>$ and $\mathcal{R}'(t) = \mathcal{R}(t)$ for all $t \in \mathcal{T} \setminus \mathcal{T}'_>$. Then, $\text{TimeBounds}(\mathcal{R}, \mathcal{S}, \mathcal{T}') = \mathcal{R}'$ is also a runtime approximation.*

Proof. To prove

$$(\mathcal{R}'(t))(\mathbf{m}) \geq \sup\{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t)^k (\ell, \mathbf{v})\}$$

for all $t \in \mathcal{T}$ and $\mathbf{m} \in \mathbb{N}^n$, similar to the proof of Thm. 5, it suffices to show that for all $t \in \mathcal{T}'$ and $\mathbf{m} \in \mathbb{N}^n$, we have

$$\sum_{\ell \in \mathcal{L}', \tilde{t} \in \mathcal{T}_\ell} (\mathcal{R}(\tilde{t}))(\mathbf{m}) \cdot [\mathcal{P}ol(\ell)]((\mathcal{S}(\tilde{t}, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}, v'_n))(\mathbf{m})) \geq \sup\{k \in \mathbb{N} \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t)^k (\ell, \mathbf{v})\}$$

To this end, let \mathbf{v}_0 again be a valuation with $\mathbf{v}_0 \leq \mathbf{m}$ and consider a (finite or infinite) evaluation starting with the configuration (ℓ_0, \mathbf{v}_0) where $k \in \mathbb{N} \cup \{\omega\}$ steps are performed with the transition t . The goal now is to show

$$\sum_{\ell \in \mathcal{L}', \tilde{t} \in \mathcal{T}_\ell} (\mathcal{R}(\tilde{t}))(\mathbf{m}) \cdot [\mathcal{P}ol(\ell)]((\mathcal{S}(\tilde{t}, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}, v'_n))(\mathbf{m})) \geq k.$$

As in the proof of Thm. 5, this is trivial for $k = 0$. Thus, we now consider the case where $k > 0$.

For any set of transitions \mathcal{T} , let $\rightarrow_{\mathcal{T}} = \bigcup_{t \in \mathcal{T}} \rightarrow_t$ and let $\rightarrow_{\mathcal{T}}^+$ denote the transitive closure of $\rightarrow_{\mathcal{T}}$. Then we can represent the considered evaluation as

$$\begin{aligned} (\ell_0, \mathbf{v}_0) &\rightarrow_{\mathcal{T} \setminus \mathcal{T}'}^+ (\hat{\ell}_1, \hat{\mathbf{v}}_1) \rightarrow_{\mathcal{T}'}^+ \\ (\ell_1, \mathbf{v}_1) &\rightarrow_{\mathcal{T} \setminus \mathcal{T}'}^+ (\hat{\ell}_2, \hat{\mathbf{v}}_2) \rightarrow_{\mathcal{T}'}^+ \\ (\ell_2, \mathbf{v}_2) &\rightarrow_{\mathcal{T} \setminus \mathcal{T}'}^+ \dots \end{aligned} \tag{1}$$

Now we have to investigate how often the transition t is used in the evaluation (1). Since $t \in \mathcal{T}'$, it can only be used in sequences of the form

$$(\hat{\ell}_i, \hat{\mathbf{v}}_i) \rightarrow_{\mathcal{T}'}^+ (\ell_i, \mathbf{v}_i). \tag{2}$$

As in the proof of Thm. 5 one can show that

$$[\mathcal{P}ol(\hat{\ell}_i)](|\hat{\mathbf{v}}_i(v_1)|, \dots, |\hat{\mathbf{v}}_i(v_n)|)$$

is an upper bound on the number of times the transition t is used in the sequence (2). Let $\tilde{t}_i \in \mathcal{T} \setminus \mathcal{T}'$ be the last transition that is used in the sequence $(\ell_{i-1}, \mathbf{v}_{i-1}) \rightarrow_{\mathcal{T} \setminus \mathcal{T}'}^+ (\hat{\ell}_i, \hat{\mathbf{v}}_i)$ which precedes (2). Thus, we have $\hat{\ell}_i \in \mathcal{L}'$ and $\tilde{t}_i \in \mathcal{T}_{\hat{\ell}_i}$. As $(\ell_0, \mathbf{v}_0) \rightarrow^* (\ell_{i-1}, \mathbf{v}_{i-1}) \rightarrow_{\mathcal{T} \setminus \mathcal{T}'}^+ (\hat{\ell}_i, \hat{\mathbf{v}}_i)$ and $\mathbf{v}_0 \leq \mathbf{m}$, by the definition of size approximations we have $(\mathcal{S}(\tilde{t}_i, v'))(\mathbf{m}) \geq |\hat{\mathbf{v}}_i(v)|$. By the weak monotonicity of $[\mathcal{P}ol(\hat{\ell}_i)]$, we have

$$\begin{aligned} [\mathcal{P}ol(\hat{\ell}_i)]((\mathcal{S}(\tilde{t}_i, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}_i, v'_n))(\mathbf{m})) &\geq \\ [\mathcal{P}ol(\hat{\ell}_i)](|\hat{\mathbf{v}}_i(v_1)|, \dots, |\hat{\mathbf{v}}_i(v_n)|). \end{aligned}$$

Thus, $[\mathcal{P}ol(\hat{\ell}_i)]((\mathcal{S}(\tilde{t}_i, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}_i, v'_n))(\mathbf{m}))$ is an upper bound on the number of times the transition t is used in the sequence (2).

It remains to examine how often a sequence like (2) can occur in the full evaluation (1). As observed above, the last transition from $\mathcal{T} \setminus \mathcal{T}'$ which precedes a sequence like (2) is always of the form $\tilde{t}_i \in \mathcal{T}_{\hat{\ell}_i}$ for some $\hat{\ell}_i \in \mathcal{L}'$. Thus, a sequence like (2) cannot occur more often than the transition \tilde{t}_i . In other words, it can occur at most $\mathcal{R}(\tilde{t}_i)(\mathbf{m})$ times. As discussed above, in every \mathcal{T}' -sequence following \tilde{t}_i , the transition t can be applied at most $[\text{Pol}(\hat{\ell}_i)]((\mathcal{S}(\tilde{t}_i, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}_i, v'_n))(\mathbf{m}))$ times. Thus, an upper bound for the number k of applications of t in the overall sequence (1) is

$$\sum_{\ell \in \mathcal{L}', \tilde{t} \in \mathcal{T}_{\ell}} \mathcal{R}(\tilde{t})(\mathbf{m}) \cdot [\text{Pol}(\ell)]((\mathcal{S}(\tilde{t}, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}, v'_n))(\mathbf{m})).$$

□

Theorem 9 (SizeBounds for Trivial SCCs). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation, let \mathcal{S}_l be a local size approximation, and let $\{\alpha\} \subseteq \text{RV}$ be a trivial SCC of the RVG. We define $\mathcal{S}'(\alpha') = \mathcal{S}(\alpha')$ for $\alpha' \neq \alpha$ and*

- $\mathcal{S}'(\alpha) = \mathcal{S}_l(\alpha)$, if $\alpha = |t, v'|$ for some initial transition t
- $\mathcal{S}'(\alpha) = \max\{\mathcal{S}_l(\alpha)(\mathcal{S}(\tilde{t}, v'_1), \dots, \mathcal{S}(\tilde{t}, v'_n)) \mid \tilde{t} \in \text{pre}(t)\}$, otherwise

Then $\text{SizeBounds}(\mathcal{R}, \mathcal{S}, \{\alpha\}) = \mathcal{S}'$ is also a size approximation.

Proof. Let $\alpha = |t, v'| \in \text{RV}$ be the trivial SCC for which the processor was applied. We have to show that

$$(\mathcal{S}'(t, v'))(\mathbf{m}) \geq \sup\{|\mathbf{v}(v)| \mid \exists \mathbf{v}_0, \ell, \mathbf{v}. \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t) (\ell, \mathbf{v})\}$$

holds for all $\mathbf{m} \in \mathbb{N}^n$. To this end, we consider a valuation $\mathbf{v}_0 \leq \mathbf{m}$ and an evaluation

$$(\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t) (\ell, \mathbf{v}). \quad (3)$$

Now the goal is to show that $(\mathcal{S}'(t, v'))(\mathbf{m}) \geq |\mathbf{v}(v)|$ holds.

If t is an initial transition, then the evaluation (3) has the form $(\ell_0, \mathbf{v}_0) \rightarrow_t (\ell, \mathbf{v})$, since by definition there are no transitions leading back to the initial location ℓ_0 . Thus, $(\mathcal{S}_l(t, v'))(\mathbf{m}) \geq |\mathbf{v}(v)|$. Since $\mathcal{S}(t, v')$ is defined as $\mathcal{S}_l(t, v')$ for initial transitions t , we obtain

$$(\mathcal{S}'(t, v'))(\mathbf{m}) = (\mathcal{S}_l(t, v'))(\mathbf{m}) \geq |\mathbf{v}(v)|.$$

In the case where t is not an initial transition, the evaluation (3) has the form

$$(\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_{\tilde{t}}) (\tilde{\ell}, \tilde{\mathbf{v}}) \rightarrow_t (\ell, \mathbf{v})$$

for some transition $\tilde{t} \in \text{pre}(t)$. As $\mathbf{v}_0 \leq \mathbf{m}$, we have $(\mathcal{S}(\tilde{t}, v'_i))(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|$ for all $i \in \{1, \dots, n\}$, i.e., $\mathcal{S}(\tilde{t}, v'_i)$ is a bound for the size of the variable v_i before the transition \tilde{t} is applied.

The local size change resulting from the transition t is approximated by the function $\mathcal{S}_l(t, v')$. Thus, we have

$$(\mathcal{S}_l(t, v'))((\mathcal{S}(\tilde{t}, v'_1))(\mathbf{m}), \dots, (\mathcal{S}(\tilde{t}, v'_n))(\mathbf{m})) \geq |\mathbf{v}(v)|,$$

and hence $(\mathcal{S}(t, v'))(\mathbf{m}) \geq |\mathbf{v}(v)|$, as desired. □

Theorem 10 (SizeBounds for Non-Trivial SCCs). *Let $(\mathcal{R}, \mathcal{S})$ be a complexity approximation, \mathcal{S}_l a local size approximation, and $C \subseteq \text{RV}$ a non-trivial SCC of the RVG. If there is an $\alpha \in C$ with $\alpha \notin \dot{\Sigma}$ or both $\alpha \in \dot{\Sigma} \setminus \dot{+}$ and $|\mathcal{V}_\alpha| > 1$, then we set $\mathcal{S}' = \mathcal{S}$. Otherwise, for all $\alpha \notin C$ let $\mathcal{S}'(\alpha) = \mathcal{S}(\alpha)$. For all $\alpha \in C$, we set*

$$\begin{aligned} \mathcal{S}'(\alpha) = & \max(\{\mathcal{S}(\tilde{\alpha}) \mid \text{there is an } \alpha \in C \text{ with } \tilde{\alpha} \in \text{pre}(\alpha) \setminus C\} \cup \{e_\alpha \mid \alpha \in \dot{+}\}) \\ & + \sum_{\alpha \in \dot{+} \setminus \dot{+}} \mathcal{R}(\alpha) \cdot e_\alpha \\ & + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}} \mathcal{R}(\alpha) \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \mathcal{V}_\alpha} f_v^\alpha) \end{aligned}$$

Then $\text{SizeBounds}(\mathcal{R}, \mathcal{S}, C) = \mathcal{S}'$ is also a size approximation.

Proof. We only regard the case where $\alpha \in \dot{\Sigma}$ holds for all $\alpha \in C$ and where for all $\alpha \in \dot{\Sigma} \setminus \dot{+}$, there is a variable v_α such that $\mathcal{V}_\alpha = \{v_\alpha\}$. Let $|t, w'| \in C$ for some $t \in \mathcal{T}$ and some $w \in \mathcal{V}$. Then we have to show that

$$(\mathcal{S}'(t, w'))(\mathbf{m}) \geq \sup\{|\mathbf{v}(w)| \mid \exists \mathbf{v}_0, \ell, \mathbf{v} \cdot \mathbf{v}_0 \leq \mathbf{m} \wedge (\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t) (\ell, \mathbf{v})\}$$

holds for all $\mathbf{m} \in \mathbb{N}^n$. To this end, we consider a valuation $\mathbf{v}_0 \leq \mathbf{m}$ and an evaluation

$$(\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_t) (\ell, \mathbf{v}). \quad (4)$$

For any $|\hat{t}, \hat{v}'| \in C$, let $k_{|\hat{t}, \hat{v}'|}$ be the number of times that the transition \hat{t} was used in the evaluation (4). Moreover, let $e = \max(\{\mathcal{S}(\tilde{\alpha})(\mathbf{m}) \mid \text{there is an } \alpha \in C \text{ with } \tilde{\alpha} \in \text{pre}(\alpha) \setminus C\} \cup \{e_\alpha \mid \alpha \in \dot{+}\})$ and let

$$d = e + \sum_{\alpha \in \dot{+} \setminus \dot{+}} k_\alpha \cdot e_\alpha + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}} k_\alpha \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \{v_\alpha\}} f_v^\alpha(\mathbf{m})).$$

Then we prove the following claim:

$$d \geq |\mathbf{v}(w)| \quad (5)$$

Note that Thm. 10 follows from the claim (5). The reason is that by $\mathbf{v}_0 \leq \mathbf{m}$, any transition \hat{t} occurs at most $(\mathcal{R}(\hat{t}))(\mathbf{m})$ times in the evaluation (4). Hence, for any $\alpha = |\hat{t}, \hat{v}'|$, we have $(\mathcal{R}(\alpha))(\mathbf{m}) = (\mathcal{R}(\hat{t}))(\mathbf{m}) \geq k_\alpha$. Thus,

$$\begin{aligned} (\mathcal{S}'(\alpha))(\mathbf{m}) &= e + \sum_{\alpha \in \dot{+} \setminus \dot{+}} (\mathcal{R}(\alpha))(\mathbf{m}) \cdot e_\alpha \\ &\quad + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}} (\mathcal{R}(\alpha))(\mathbf{m}) \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \{v_\alpha\}} f_v^\alpha(\mathbf{m})) \\ &\geq d \\ &\geq |\mathbf{v}(w)| \quad \text{by (5)} \end{aligned}$$

We now prove the claim (5) by induction on the length of the evaluation (4). Note that t cannot be an initial transition, since there are no transitions leading back to the initial location ℓ_0 (i.e., then $|t, w'|$ would not be contained in a non-trivial SCC C of the result variable graph). Thus, the reduction (4) has the form

$$(\ell_0, \mathbf{v}_0) (\rightarrow^* \circ \rightarrow_{\tilde{t}}) (\tilde{\ell}, \tilde{\mathbf{v}}) \rightarrow_t (\ell, \mathbf{v})$$

for some transition $\tilde{t} \in \text{pre}(t)$. We perform a case analysis depending on the class of the local size bound $\mathcal{S}_l(t, w')$.

Case 1: $\mathcal{S}_l(t, w') \in \dot{=}$

Then for all $u_1, \dots, u_n \in \mathbb{N}$, we have

$$\max\{e_{|t, w'|}, u_1, \dots, u_n\} \geq (\mathcal{S}_l(t, w'))(u_1, \dots, u_n). \quad (6)$$

While (6) describes the local effect of the transition t (i.e., of the last step in the evaluation (4)), we now have to estimate the sizes of the input variables u_1, \dots, u_n of t . So for each $v_i \in \mathcal{V}$, we have to find a bound on its size after the application of the transition \tilde{t} that precedes t .

If $|\tilde{t}, v'_i|$ is also a result variable of the SCC C (i.e., $|\tilde{t}, v'_i| \in C$), then the induction hypothesis implies that the claim (5) also holds for the shorter reduction from (ℓ_0, \mathbf{v}_0) to $(\tilde{\ell}, \tilde{\mathbf{v}})$. In other words, we have $d \geq |\tilde{\mathbf{v}}(v_i)|$.¹³

If $|\tilde{t}, v'_i| \notin C$, then $\mathbf{v}_0 \leq \mathbf{m}$ implies $(\mathcal{S}(\tilde{t}, v'_i))(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|$. As $|\tilde{t}, v'_i| \in \text{pre}(t, w') \setminus C$, we have $e \geq (\mathcal{S}(\tilde{t}, v'_i))(\mathbf{m})$, which implies $d \geq e \geq (\mathcal{S}(\tilde{t}, v'_i))(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|$. So irrespective of whether $|\tilde{t}, v'_i|$ is in the same SCC C or not, we always obtain $d \geq |\tilde{\mathbf{v}}(v_i)|$.

As $d \geq e_\alpha$ for all $\alpha \in \dot{=}$, we also have $d \geq e_{|t, w'|}$. Hence,

$$\begin{aligned} d &\geq \max\{e_{|t, w'|}, |\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|\} \\ &\geq (\mathcal{S}_l(t, w'))(|\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|) \quad \text{by (6)} \\ &\geq |\mathbf{v}(w)| \quad \text{by definition of local size approximations} \end{aligned}$$

Case 2: $\mathcal{S}_l(t, w') \in \dot{+} \setminus \dot{=}$

Now for all $u_1, \dots, u_n \in \mathbb{N}$, we have

$$e_{|t, w'|} + \max\{u_1, \dots, u_n\} \geq (\mathcal{S}_l(t, w'))(u_1, \dots, u_n). \quad (7)$$

Again, we have to estimate the sizes of the input variables u_1, \dots, u_n of t . Thus, for each $v_i \in \mathcal{V}$, we have to find a bound on its size after the application of the transition \tilde{t} that precedes t .

If $|\tilde{t}, v'_i| \in C$, then the induction hypothesis implies that (5) also holds for the reduction from (ℓ_0, \mathbf{v}_0) to $(\tilde{\ell}, \tilde{\mathbf{v}})$. Let

$$\begin{aligned} d' &= e + \sum_{\alpha \in \dot{+} \setminus \dot{=}, \alpha \neq |t, w'|} k_\alpha \cdot e_\alpha + (k_{|t, w'|} - 1) \cdot e_{|t, w'|} \\ &\quad + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}} k_\alpha \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \{v_\alpha\}} f_v^\alpha(\mathbf{m})). \end{aligned}$$

Then the induction hypothesis implies $d' \geq |\tilde{\mathbf{v}}(v_i)|$. The reason for using “ $(k_{|t, w'|} - 1) \cdot e_{|t, w'|}$ ” in d' is that the last application of the transition t in the evaluation (4) is missing in the evaluation from (ℓ_0, \mathbf{v}_0) to $(\tilde{\ell}, \tilde{\mathbf{v}})$.

¹³ Of course, one might even obtain a more precise bound than d , because the numbers k_α in d might be reduced if there also exists a result variable $|t, v'| \in C \setminus \dot{=}$. However, the bound $d \geq |\tilde{\mathbf{v}}(v_i)|$ is already sufficient for our purpose.

If $|\tilde{t}, v'_i| \notin C$, then as in Case 1 we obtain $d' \geq e \geq (\mathcal{S}(\tilde{t}, v'_i))(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|$. So irrespective of whether $|\tilde{t}, v'_i|$ is in the same SCC C or not, we always get $d' \geq |\tilde{\mathbf{v}}(v_i)|$. Thus, we also have $d' \geq \max\{|\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|\}$. Hence,

$$\begin{aligned} d &= e_{|t, w'|} + d' \\ &\geq e_{|t, w'|} + \max\{|\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|\} \\ &\geq \mathcal{S}_l(t, w')(|\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|) \quad \text{by (7)} \\ &\geq |\mathbf{v}(w)| \end{aligned}$$

Case 3: $\mathcal{S}_l(t, w') \in \dot{\Sigma} \setminus \dot{+}$

Now for all $u_1, \dots, u_n \in \mathbb{N}$, we have

$$e_{|t, w'|} + u_1 + \dots + u_n \geq \mathcal{S}_l(t, w')(u_1, \dots, u_n).$$

Since $\mathcal{S}_l(t, w')$ only depends on the active variables in $\text{actV}(\mathcal{S}_l(t, w'))$, let $\hat{u}_i = u_i$ if $v_i \in \text{actV}(\mathcal{S}_l(t, w'))$ and $\hat{u}_i = 0$ otherwise. Then

$$\begin{aligned} e_{|t, w'|} + \sum_{v_i \in \text{actV}(\mathcal{S}_l(t, w'))} u_i &= e_{|t, w'|} + \hat{u}_1 + \dots + \hat{u}_n \\ &\geq \mathcal{S}_l(t, w')(\hat{u}_1, \dots, \hat{u}_n) \\ &= \mathcal{S}_l(t, w')(u_1, \dots, u_n). \end{aligned} \quad (8)$$

As in the previous cases, for each $v_i \in \mathcal{V}$, we have to find a bound on its size after the application of the transition \tilde{t} that precedes t .

If $|\tilde{t}, v'_i| \in C$, then the induction hypothesis again implies that (5) also holds for the reduction from (ℓ_0, \mathbf{v}_0) to $(\tilde{\ell}, \tilde{\mathbf{v}})$. Let

$$\begin{aligned} d'' &= e + \sum_{\alpha \in \dot{+} \setminus \dot{=}} k_\alpha \cdot e_\alpha \\ &\quad + \sum_{\alpha \in \dot{\Sigma} \setminus \dot{+}, \alpha \neq |t, w'|} k_\alpha \cdot (e_\alpha + \sum_{v \in \text{actV}(\mathcal{S}_l(\alpha)) \setminus \{v_\alpha\}} f_v^\alpha(\mathbf{m})) \\ &\quad + (k_{|t, w'|} - 1) \cdot (e_{|t, w'|} + \sum_{v \in \text{actV}(\mathcal{S}_l(t, w')) \setminus \{v_{|t, w'}\}} f_v^{|t, w'|}(\mathbf{m})). \end{aligned}$$

Then the induction hypothesis implies $d'' \geq |\tilde{\mathbf{v}}(v_i)|$. As in Case 2, the reason for using “ $(k_{|t, w'|} - 1)$ ” in d'' is that the last application of the transition t in the evaluation (4) is missing in the evaluation from (ℓ_0, \mathbf{v}_0) to $(\tilde{\ell}, \tilde{\mathbf{v}})$.

If $|\tilde{t}, v'_i| \notin C$, then as in the previous cases we obtain

$$\mathcal{S}(\tilde{t}, v'_i)(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|, \quad (9)$$

and thus $d'' \geq e \geq \mathcal{S}(\tilde{t}, v'_i)(\mathbf{m}) \geq |\tilde{\mathbf{v}}(v_i)|$. So irrespective of whether (\tilde{t}, v_i) is in the same SCC C or not, we always obtain $d'' \geq |\tilde{\mathbf{v}}(v_i)|$.

Note that for $v \in \text{actV}(\mathcal{S}_l(t, w'))$ with $v \neq v_{|t, w'}$, we must have $|\tilde{t}, v'_i| \notin C$, since otherwise $\mathcal{V}_{|t, w'}$ would contain both v and $v_{|t, w'}$, which contradicts the requirement $|\mathcal{V}_{|t, w'}| = 1$. Hence, then

$$f_v^{|t, w'|}(\mathbf{m}) \geq \mathcal{S}(\tilde{t}, v'_i)(\mathbf{m}). \quad (10)$$

Thus, we obtain

$$\begin{aligned}
d &= d'' + e_{|t,w'|} + \sum_{v \in \text{actV}(\mathcal{S}_l(t,w')) \setminus \{v_{|t,w'}\}} f_v^{|t,w'|}(\mathbf{m}) \\
&\geq d'' + e_{|t,w'|} + \sum_{v \in \text{actV}(\mathcal{S}_l(t,w')) \setminus \{v_{|t,w'}\}} \mathcal{S}(\tilde{t}, v'_i)(\mathbf{m}) \quad \text{by (10)} \\
&\geq d'' + e_{|t,w'|} + \sum_{v \in \text{actV}(\mathcal{S}_l(t,w')) \setminus \{v_{|t,w'}\}} |\tilde{\mathbf{v}}(v_i)| \quad \text{by (9)} \\
&\geq |\tilde{\mathbf{v}}(v_{|t,w'})| + e_{|t,w'|} \\
&\quad + \sum_{v \in \text{actV}(\mathcal{S}_l(t,w')) \setminus \{v_{|t,w'}\}} |\tilde{\mathbf{v}}(v_i)| \quad \text{as } d'' \geq |\tilde{\mathbf{v}}(v_i)| \\
&= e_{|t,w'|} + \sum_{v \in \text{actV}(\mathcal{S}_l(t,w'))} |\tilde{\mathbf{v}}(v_i)| \\
&\geq \mathcal{S}_l(t,w')(|\tilde{\mathbf{v}}(v_1)|, \dots, |\tilde{\mathbf{v}}(v_n)|) \quad \text{by (8)} \\
&\geq |\mathbf{v}(w)|
\end{aligned}$$

□

Aachener Informatik-Berichte

This list contains all technical reports published during the past three years. A complete list of reports dating back to 1987 is available from:

<http://aib.informatik.rwth-aachen.de/>

To obtain copies please consult the above URL or send your request to:

Informatik-Bibliothek, RWTH Aachen, Ahornstr. 55, 52056 Aachen,
Email: biblio@informatik.rwth-aachen.de

- 2010-01 * Fachgruppe Informatik: Jahresbericht 2010
- 2010-02 Daniel Neider, Christof Löding: Learning Visibly One-Counter Automata in Polynomial Time
- 2010-03 Holger Krahn: MontiCore: Agile Entwicklung von domänenspezifischen Sprachen im Software-Engineering
- 2010-04 René Würzberger: Management dynamischer Geschäftsprozesse auf Basis statischer Prozessmanagementsysteme
- 2010-05 Daniel Retkowitz: Softwareunterstützung für adaptive eHome-Systeme
- 2010-06 Taolue Chen, Tingting Han, Joost-Pieter Katoen, Alexandru Mereacre: Computing maximum reachability probabilities in Markovian timed automata
- 2010-07 George B. Mertzios: A New Intersection Model for Multitolerance Graphs, Hierarchy, and Efficient Algorithms
- 2010-08 Carsten Otto, Marc Brockschmidt, Christian von Essen, Jürgen Giesl: Automated Termination Analysis of Java Bytecode by Term Rewriting
- 2010-09 George B. Mertzios, Shmuel Zaks: The Structure of the Intersection of Tolerance and Cocomparability Graphs
- 2010-10 Peter Schneider-Kamp, Jürgen Giesl, Thomas Ströder, Alexander Serebrenik, René Thiemann: Automated Termination Analysis for Logic Programs with Cut
- 2010-11 Martin Zimmermann: Parametric LTL Games
- 2010-12 Thomas Ströder, Peter Schneider-Kamp, Jürgen Giesl: Dependency Triples for Improving Termination Analysis of Logic Programs with Cut
- 2010-13 Ashraf Armoush: Design Patterns for Safety-Critical Embedded Systems
- 2010-14 Michael Codish, Carsten Fuhs, Jürgen Giesl, Peter Schneider-Kamp: Lazy Abstraction for Size-Change Termination
- 2010-15 Marc Brockschmidt, Carsten Otto, Christian von Essen, Jürgen Giesl: Termination Graphs for Java Bytecode
- 2010-16 Christian Berger: Automating Acceptance Tests for Sensor- and Actuator-based Systems on the Example of Autonomous Vehicles
- 2010-17 Hans Grönniger: Systemmodell-basierte Definition objektbasierter Modellierungssprachen mit semantischen Variationspunkten

- 2010-18 Ibrahim Armaç: Personalisierte eHomes: Mobilität, Privatsphäre und Sicherheit
- 2010-19 Felix Reidl: Experimental Evaluation of an Independent Set Algorithm
- 2010-20 Wladimir Fridman, Christof Löding, Martin Zimmermann: Degrees of Lookahead in Context-free Infinite Games
- 2011-01 * Fachgruppe Informatik: Jahresbericht 2011
- 2011-02 Marc Brockschmidt, Carsten Otto, Jürgen Giesl: Modular Termination Proofs of Recursive Java Bytecode Programs by Term Rewriting
- 2011-03 Lars Noschinski, Fabian Emmes, Jürgen Giesl: A Dependency Pair Framework for Innermost Complexity Analysis of Term Rewrite Systems
- 2011-04 Christina Jansen, Jonathan Heinen, Joost-Pieter Katoen, Thomas Noll: A Local Greibach Normal Form for Hyperedge Replacement Grammars
- 2011-06 Johannes Lotz, Klaus Leppkes, and Uwe Naumann: dco/c++ - Derivative Code by Overloading in C++
- 2011-07 Shahar Maoz, Jan Oliver Ringert, Bernhard Rumpe: An Operational Semantics for Activity Diagrams using SMV
- 2011-08 Thomas Ströder, Fabian Emmes, Peter Schneider-Kamp, Jürgen Giesl, Carsten Fuhs: A Linear Operational Semantics for Termination and Complexity Analysis of ISO Prolog
- 2011-09 Markus Beckers, Johannes Lotz, Viktor Mosenkis, Uwe Naumann (Editors): Fifth SIAM Workshop on Combinatorial Scientific Computing
- 2011-10 Markus Beckers, Viktor Mosenkis, Michael Maier, Uwe Naumann: Adjoint Subgradient Calculation for McCormick Relaxations
- 2011-11 Nils Jansen, Erika Ábrahám, Jens Katelaan, Ralf Wimmer, Joost-Pieter Katoen, Bernd Becker: Hierarchical Counterexamples for Discrete-Time Markov Chains
- 2011-12 Ingo Felscher, Wolfgang Thomas: On Compositional Failure Detection in Structured Transition Systems
- 2011-13 Michael Förster, Uwe Naumann, Jean Utke: Toward Adjoint OpenMP
- 2011-14 Daniel Neider, Roman Rabinovich, Martin Zimmermann: Solving Muller Games via Safety Games
- 2011-16 Niloofar Safiran, Uwe Naumann: Toward Adjoint OpenFOAM
- 2011-17 Carsten Fuhs: SAT Encodings: From Constraint-Based Termination Analysis to Circuit Synthesis
- 2011-18 Kamal Barakat: Introducing Timers to pi-Calculus
- 2011-19 Marc Brockschmidt, Thomas Ströder, Carsten Otto, Jürgen Giesl: Automated Detection of Non-Termination and NullPointerExceptions for Java Bytecode
- 2011-24 Callum Corbett, Uwe Naumann, Alexander Mitsos: Demonstration of a Branch-and-Bound Algorithm for Global Optimization using McCormick Relaxations
- 2011-25 Callum Corbett, Michael Maier, Markus Beckers, Uwe Naumann, Amin Ghobeity, Alexander Mitsos: Compiler-Generated Subgradient Code for McCormick Relaxations

- 2011-26 Hongfei Fu: The Complexity of Deciding a Behavioural Pseudometric on Probabilistic Automata
- 2012-01 Fachgruppe Informatik: Annual Report 2012
- 2012-02 Thomas Heer: Controlling Development Processes
- 2012-03 Arne Haber, Jan Oliver Ringert, Bernhard Rumpe: MontiArc - Architectural Modeling of Interactive Distributed and Cyber-Physical Systems
- 2012-04 Marcus Gelderie: Strategy Machines and their Complexity
- 2012-05 Thomas Ströder, Fabian Emmes, Jürgen Giesl, Peter Schneider-Kamp, and Carsten Fuhs: Automated Complexity Analysis for Prolog by Term Rewriting
- 2012-06 Marc Brockschmidt, Richard Musiol, Carsten Otto, Jürgen Giesl: Automated Termination Proofs for Java Programs with Cyclic Data
- 2012-07 André Egners, Björn Marschollek, and Ulrike Meyer: Hackers in Your Pocket: A Survey of Smartphone Security Across Platforms
- 2012-08 Hongfei Fu: Computing Game Metrics on Markov Decision Processes
- 2012-09 Dennis Guck, Tingting Han, Joost-Pieter Katoen, and Martin R. Neuhäuser: Quantitative Timed Analysis of Interactive Markov Chains
- 2012-10 Uwe Naumann and Johannes Lotz: Algorithmic Differentiation of Numerical Methods: Tangent-Linear and Adjoint Direct Solvers for Systems of Linear Equations
- 2012-12 Jürgen Giesl, Thomas Ströder, Peter Schneider-Kamp, Fabian Emmes, and Carsten Fuhs: Symbolic Evaluation Graphs and Term Rewriting — A General Methodology for Analyzing Logic Programs
- 2012-15 Uwe Naumann, Johannes Lotz, Klaus Leppkes, and Markus Towara: Algorithmic Differentiation of Numerical Methods: Tangent-Linear and Adjoint Solvers for Systems of Nonlinear Equations
- 2012-16 Georg Neugebauer and Ulrike Meyer: SMC-MuSe: A Framework for Secure Multi-Party Computation on MultiSets
- 2013-01 * Fachgruppe Informatik: Annual Report 2013
- 2013-02 Michael Reke: Modellbasierte Entwicklung automobiler Steuerungssysteme in Klein- und mittelständischen Unternehmen
- 2013-03 Markus Towara and Uwe Naumann: A Discrete Adjoint Model for OpenFOAM
- 2013-04 Max Sagebaum, Nicolas R. Gauger, Uwe Naumann, Johannes Lotz, and Klaus Leppkes: Algorithmic Differentiation of a Complex C++ Code with Underlying Libraries
- 2013-05 Andreas Rausch and Marc Sihling: Software & Systems Engineering Essentials 2013
- 2013-06 Marc Brockschmidt, Byron Cook, and Carsten Fuhs: Better termination proving through cooperation
- 2013-07 André Stollenwerk: Ein modellbasiertes Sicherheitskonzept für die extrakorporale Lungenunterstützung
- 2013-08 Sebastian Junges, Ulrich Loup, Florian Corzilius and Erika Ábrahám: On Gröbner Bases in the Context of Satisfiability-Modulo-Theories Solving over the Real Numbers

2013-10 Joost-Pieter Katoen, Thomas Noll, Thomas Santen, Dirk Seifert, and
Hao Wu: Performance Analysis of Computing Servers using Stochastic
Petri Nets and Markov Automata

* These reports are only available as a printed version.

Please contact biblio@informatik.rwth-aachen.de to obtain copies.