

Using Data Warehouse Resources for Assessment of E-Learning Influence on University Processes¹

Darja Solodovņikova and Laila Niedrīte

Department of Computer Science,
University of Latvia, Raina bulv. 19, Riga, Latvia.
{sd00028, Laila.Niedrite}@lu.lv

Abstract. The introduction of course management systems such as WebCT at a university influences a variety of processes, both in terms of learning and of administration. That is why it is important to understand the way in which this influence can be assessed. This paper offers a solution: combine WebCT log files with the university management information system and the WebCT data. A data warehouse model is proposed for the storage of these integrated data. The model supports various levels of e-learning views. These are for senior management, faculty management, instructors who are course designers, and the departments responsible for the quality and planning of the learning process. Measurements typical for business functions are proposed for view definition, and analysis of the measurement results is offered in terms of the WebCT usage at the university during one term of study.

1 Introduction

E-learning is the network-enabled transfer of skills and knowledge [23]. There are many Course Management Systems (CMS) which support e-learning [3,10,12,21].

One group of CMS uses a standardised approach to development and usage. A second uses artificial intelligence methods to support the individualised learning process. Their architecture does not satisfy the needs of learning and administration at the same time [2].

The standardised approach is typified by WebCT [22], one of the most popular e-learning environments in the world. The number of parties potentially concerned with the described problems and solutions can, therefore, be very large.

The introduction of an e-learning environment such as WebCT at a university influences a variety of processes— management processes such as registration of students for courses and the workload of instructors, as well as learning processes, e.g., how e-learning is conducted, whether it replaces the teaching of some course at all or is combined with traditional learning methods, how knowledge acquired during such a course is assessed, etc. It is usually difficult to select suitable indices and methods for the assessment of e-learning and its influence. Quantitative indices or

¹ This work was supported by the European Social Fund (ESF).

qualitative aspects can be analysed [1,18]. The attitude of students toward their experience with courses is the most important factor when it comes to the quality of courses [4,14].

In the traditional learning process, students are evaluated through formal evaluations— tests, assignments, exams, and by informal evaluations based on teacher's observations of participation, interest, body language. In distance learning, instead of observations, e-learning systems allow to evaluate student's interaction with the e-learning environment. For instance, the interest and participation can be expressed by the number of times the student accesses the course and the number of messages he sends [16]. E-learning environments allow logging, that is, gathering information and analyzing user's actions [13].

Course management environments usually have a built-in student tracking tool that enable the instructor to view statistical data such as a student's first and last login, the number of accesses, etc. [17].

The assessment opportunities supported by these tools are often inadequate, because the visualisation of data is insufficient or absent. These data are usually oriented toward the instructor's view, because statistics are represented for one particular course. There is no management view of the overall use of CMS.

In this paper, we offer a solution in which WebCT log files are combined with the university management information system and the WebCT internal data.

In Section 2, we present related work. In Section 3, we introduce our own approach and characterise the research environment. Section 4 discusses a data warehouse model which supports the data analysis objectives described in Section 3. WebCT as a data warehouse data source of multiple formats, including Web log files and XML files, is described in Section 5. In Section 6, we define the objectives of data analysis, identify business processes influenced by the introduction of WebCT at a university, and define four views with analysed indices. We conclude with directions for future work in Section 7.

2 Related Work

Various studies have focused on the evaluation of e-learning. In [11], two objectives were discussed for e-learning assessment— the recognition of problems among students in e-learning (e.g., they are not reading the materials, they are spending too much time in discussions), as well as the evaluation of e-learning to improve the quality of courses (recognising those course materials that are not being used). WebCT was used in this research as the CMS. To facilitate the analysis of results, a new, extra tool was proposed, which enables the visualisation of analysis results.

Another study [13] performed evaluation of e-learning to assess and control the study process. Log file analysis (time and number of accesses) was used. Log files used in the study were not Web server log files, although the authors spoke to the possibility of using Web server log files in research about student activity.

Web log analysis was used in [15] with the purpose of assessing the effectiveness of course usage, defined as course usage intensiveness, manner and usefulness. The author of the study asserts that three sources can be combined to obtain an overall

insight into a students' online learning process– Web logs, student demographics, and survey results. Statistical methods were used for the data analysis.

Many researchers are devoted to the idea of using data mining for the evaluation of e-learning. Log files are also used as data sources in [9,19].

A data warehouse is usually used for management information analysis of various kinds [5,6,8], as well as for Web data analysis [7].

There is only one study of e-learning which proposes the use of data warehouse facilities. The developed e-learning evaluation model described in [16,17], among others, supports three levels of evaluation – user communication tracking, evaluation of foreseen activities, and application of data mining. The data warehouse model is proposed for storage of data, which satisfies the needs of the aforementioned three-level evaluation. It has not, however, been specified which CMS are compatible with this model.

3 Research Profile

The primary goal in this research has been to present an environment which supports analysis of the influence of e-learning on various university processes. Four factors characterise the proposed method:

1. The objectives of the analysis:

- Estimating the usage of the system to determine whether further course development is necessary and to recognise the problems which users of the course experience;
- Estimating the activities of instructors to know how their workload increases;
- Estimating the usage of tools– which resources are used more, whether CMS-specific resources or just 'content delivery' features are used;
- Usage of courses by students– how this influences grades. Students can be divided into groups in accordance with their grades. Analysis can be conducted to determine which group's students are using the courses and tools to a greater extent.

2. An orientation toward a broadly used and standard CMS such as WebCT.

3. A data warehouse as the environment– the choice was based on the need to integrate many WebCT data sources with MIS data to achieve the goals of the analysis. There is also the need to analyse data at the scale of the entire university.

4. The approach to data analysis– the definition of views with indices that have different granularity of dimension hierarchies, which illustrate the different needs for information in accordance with the business functions of the data users.

The data for the research were collected with reference to all course instructors and students for fall of 2004 (22 weeks). During this time, 274 of the 402 courses developed in the WebCT environment were taught in various subject areas. The courses were developed and taught by 213 course designers. A total of 4,171 students took the courses. There are 29,090 students in all at the university.

Data for the data warehouse were obtained from the two source systems– WebCT and the university MIS, from which data about courses, persons, study programmes

and student grades were extracted. WebCT as a data source is discussed in detail in Section 5.

The data warehouse was implemented in the Oracle RDBMS. Oracle Discoverer is used for data access. Data are loaded into the data warehouse on a weekly basis.

4 The Data Warehouse Model

The data warehouse star schemas represent information about the structure and usage of the courses. These consist of three fact tables: *Structure Fact*, *Usage Fact*, *Activity Fact*, which contain measurements, and of dimensions, composed of descriptive data.

4.1 The Structure Star Schema

This description will make reference to the concept of *tools*, which are separate WebCT resources, e.g. mail, discussions, etc. A *static* tool is produced once and rarely or never updated; a *dynamic* tool is modified or developed over the teaching period [15]. Fig. 1 illustrates the structure star schema– a fact table with the corresponding dimensions.




Fig. 1. The Structure star schema

The fact table *Structure Fact* incorporates data about the course structure, i.e., the *Number* and *File size* of tools in a course. This fact table has the following dimensions:

- *Time* is a standard dimension in a data warehouse;
- *Tool* contains information about WebCT resources. The attribute *Requirement* states whether the tool is or is not required for the course structure (the tool requirement is defined by the course development rules of our project). *Type* has two values: static or dynamic.
- Data about the courses are stored in the dimension table *Course*. *Level* refers to the study year when the course is taught. *Credits* stores the number of credit points earned. *Teaching* determines whether the course is taught during the current term. *Activity* and *Structure level* are course classification attributes. Two activity levels were identified– active and passive. A course is active when more than 5% of

registered students are active (see Section 4.2). The attribute *Structure level* can also have two values. The value ‘content delivery’ is assigned to courses which involve only study materials, use CMS as an ordinary Web page. The value ‘advanced’ is set to other courses, which operate with additional WebCT resources (quizzes, assignments, etc.).

- The dimension table *Teaching* contributes one attribute, which states whether a course is taught during the term. Fact table records are also collected for courses not taught during the term.

The hierarchies were created in several dimensions to make it possible to analyse data about the course structure and usage at different levels. The *Tool* hierarchy of the *Tool* dimension, for instance, consists of three levels– the type of tool (static/dynamic), the category, and the sub-category. Tools were classified by category and sub-category in accordance with the WebCT resource classification [22].

4.2 The Usage Star Schema

The data warehouse usage star schema is shown in Fig. 2. The following concepts are used in this description: *Registered students* are users registered in WebCT as students. *Active students* are registered students who have accessed a course at least once.




Fig. 2. The Usage star schema

The fact table *Usage Fact* contains two measurements– *Number of registered students*, *Number of active students*. This star schema uses the dimensions *Course*, *Time* described above.

4.3 The Activity Star Schema

The activity star schema (Fig. 3) includes information about student activities in WebCT during course acquisition.




Fig. 3. The Activity star schema

The fact table *Activity Fact* incorporates usage information: *Hit number* (see Section 5.1), *Data amount* and *Time*, which records the duration of a student's usage of a course tool. The dimensions *Time*, *Course*, *Tool*, *Teaching* are described above, but the schema also involves new dimensions:

- Data about all course users are stored in the *Person* dimension.
- The *Grade* table contains the grades students received taking WebCT courses, and the average grade for all courses. *Satisfaction* describes whether a grade is satisfactory or unsatisfactory. *Part* characterises the course for which the grade was earned. It has the values *compulsory*, *partly elective*, *free choice*. The *Weighted average grade* is included for the purpose of student classification.
- The *Role* dimension stores user roles in courses— student, designer, teaching assistant, guest. Instructors in this case take on the role of designer or teaching assistant.
- The *Study Program* dimension was introduced for university study programmes.
- Records in the *Session* dimension correspond to a single connection to WebCT. *Access place* is identified by an IP address. The following classifications were used in the *Length category*: Short (0-1 min.), Average (1-10 min.), Long (10-60 min.), Very long (more than 60 minutes).

5 Data Sources

The data sources of the data warehouse implemented include the university management information system (MIS), the WebCT Web server log files, and the WebCT's internal database. MIS is a relational database, and data are extracted by methods well known in data warehousing [8]. This process, therefore, is not analysed in detail. The structure and usage of other data sources are considered to a further extent.

5.1 WebCT Web Server Log Files

WebCT log files are consistent with the Common Log Format (CLF) [20]. Data from a log file are first partially processed and loaded into a database table. An excerpt from the table is shown in Table 1.

Table 1. Processed data from log file (excerpt)

| Date/time | URI | Username | IP address | Bytes transferred |
|------------------------|--|----------|---------------|-------------------|
| 11/05/2004 12:22:38 | GET/SCRIPT/2DAT5080/ scripts/student/serve_home | sd00028 | 213.175.115.2 | 7134 |
| 11/05/2004 12:22:43 | GET/SCRIPT/2DAT5080/ scripts/student/serve_marks.pl | sd00028 | 213.175.115.2 | 15795 |
| 11/05/2004 12:22:46 | GET/SCRIPT/2DAT5080/ scripts/student/serve_home | sd00028 | 213.175.115.2 | 7134 |

After partial processing, URI does not contain parameters, because these are unnecessary in identifying course tools. Records corresponding to WebCT standard icons and pictures are eliminated. This is possible because they include no usernames. The table with the processed data from the whole analysed period contains a total of 5,107,197 records.

Tool Identification. The WebCT log file URI consists of a course code, activity or accessed file name. All potential WebCT activities with courses (scripts) which can appear in a log file were analysed, and each activity was matched with a record from the *Tool* dimension. The activity-to-tool matching example for the log file records from Table 1 is shown in Fig. 4.




Fig. 4. Activity-to-tool matching

Session Identification. *Session* is defined as a sequence of user activities from login to logout or moving to other Web site and not returning [15].

The maximum time during which a user remains logged in without performing any activity with WebCT is set at 60 minutes. If the period of time between a user's consecutive records in a log file is less than 60 minutes, all such records are considered to be a single session. The following information is obtained about sessions:

- User— because WebCT authorisation is required for all users, and all usernames are stored in the university MIS, it is possible to extract user information by integrating data from these sources.
- Session length in seconds from the first activity to the last.

- The IP address which allows for identification of the place where the system was accessed (faculty, computer lab, etc.).
- The session category, determined by session length.

Activity Identification. *Activity* here is defined as a single hit by a user on a WebCT tool. Many log file records can occur for a single hit. A hit on an html file with multiple images, for instance, generates a log file record containing an accessed file name and additional records for each image. Counting log file records, therefore, does not result in the true number of activities. Due to this problem, all records with the same session, tool and time are considered to be a single activity. The number of activities is stored in the fact *Hit number*.

The transferred data amount and time, defined in our case as the difference between the current and the next record, are calculated for each activity. When there are several log file records for an activity, their data amount is summarised.

5.2 Data Export to XML Format

To enable separate analysis of the activities of students and instructors, user roles are extracted from the WebCT internal database, which is not a relational database. WebCT API is used for this purpose. It transfers all course users, their roles, and other data into an XML file.

Fig. 5 illustrates the structure of the XML file created in this way. Ovals denote elements, rectangles represent attributes. Elements and attributes used for the data warehouse are outlined with thick lines. The file contains a tree with a root *group* for each course. That is where course information is stored. It includes a unique course code (the element *id*), a WebCT category (the element *orgunit*) which identifies the faculty, etc. There is also a tree with a root *membership* for each course. It stores data about registered course users. The *id* element represents the course code. A sub-tree with the root *member* is created for each course user. It includes a username (the element *userid*), a role (the attribute *roletype*), etc.




Fig. 5. XML file structure

Identifying the User Role and WebCT Course Category. Initially, the necessary data are extracted from the XML file and loaded into two tables. The first table is comprised of course codes and the corresponding WebCT categories. It is used to update the *Course* dimension. The second table stores data about users and their roles in courses. Course designers, teaching assistants and students are all identified from this table.

Finally, the amount of transferred data, the number of hits, and the time are aggregated for each course, user, session and tool. Corresponding identifiers from other dimensions are attached, and fact table records are obtained. Table 2 shows several columns of processed data from Table 1. The total number of records in the *Activity Fact* table which refer to data about courses taught during the analysed term was 511,261.

Table 2. Summarized records of Table 1

| Session start | Course code | Tool | Person | Role | Session ID | Time | Hit number | Data amount |
|------------------------|-------------|---------------------|---------------------|---------|------------|------|------------|-------------|
| 11/05/2004 12:22:36 | 2DAT5080 | Course opening page | Darja Solodovnikova | Student | 327878 | 8 | 3 | 57 |
| 11/05/2004 12:22:43 | 2DAT5080 | Student grades | Darja Solodovnikova | Student | 327878 | 3 | 1 | 15 |

5.3 Data Extraction for Structure and Usage Facts

Data about the course structure (the number and file size of tools) and the number of registered and active students are extracted from the WebCT internal database. The data are summarised and loaded into a table via the specially developed script. The resulting table contains the following columns: timestamp, course code, indices.

Indices related to each course are merged into data strings composed of records separated by a semicolon. Each record contains a value and a special index code assigned to every tool, and to the number of registered and active students. Each record in the table is processed, and a set of fact records is obtained. It is loaded into the data warehouse tables *Structure Fact* and *Usage Fact*. The total number of records in these fact tables which refer to data about courses taught during the analysed term was 110,624 and 4,774 respectively.

5.4 The Summarized WebCT Data Source Usage Process

Fig. 6 summarises the whole data extraction, transformation and loading process from the WebCT sources described in Section 5.1-5.3. The full data warehouse loading process also uses data from MIS.




Fig. 6. The summarized loading process from WebCT data sources

6 Analysis Views

6.1 Definition of Processes and Data Analysis Views

The goal of this study and the data warehouse development was to examine the influence of e-learning on university processes. So the subset of functions interesting for management was distinguished. Interaction among these functions is shown in Fig. 7.

Four data analysis views were defined in accordance with the performers of the relevant processes: university management, faculty dean, department management, instructor. The definition of each view includes:

- Analysed indices;
- The granularity of the dimension hierarchies, at which the particular index remains interesting.




Fig. 7. E-learning interaction with university processes

In this paper, the designation *Time(month)* means that the granularity of the *Time* dimension is intended until the level ‘month’. The notation *Role(role=student)*

implies that only those records with the corresponding attribute value (in this case–‘student’) are selected. The notation *Course(course=Value)* means that the index is calculated separately for each possible value of the attribute.

6.2 The University Management View

University management are interested in an assessment of e-learning from the viewpoint of course usage. Indices shown in Table 3 characterise course usage for the management view.

These indices can be compared to the financing for WebCT purchase and maintenance and the amount of money invested in course development. The analysis covers the entire university; the granularity is until the faculty level; the time dimension covers the entire reporting period or offers monthly data.

Table 3. Management view definition

| Code | Indices | Star schema | Analyzed dimensions and hierarchy granularity |
|------|--|-------------------|--|
| MV1 | Average activity (hits, time in minutes) of registered and active students | Usage Activity | Course(faculty);Time(month); Role(role=Student) |
| MV2 | Number of sessions | Activity | Time(month);Session(category) |
| MV3 | Average session length | Activity | Time(month) |
| MV4 | Number of courses in the term | Usage | Teaching(teaching=Yes) |
| MV5 | Number of registered students in the term | Usage | Teaching(teaching=Yes) |
| MV6 | Number of active students in the term | Usage | Teaching (teaching=Yes) |
| MV7 | Number of active instructors in the term | Activity | Role(role=designer or role=teaching assistant) |

For language comprehensibility, samples of analysis results are represented as tables. Two original screenshots of reports are included in this paper as examples of the department management and instructor view. Data analysis results from the management view indices are shown in Table 4. The definitions of registered and active students are given in Section 4.2.

Table 4. Results of the management view indices

| WebCT category | Registered students | Active students | Student activity ratio | Courses | Active courses | Course activity ratio |
|----------------|---------------------|-----------------|------------------------|---------|----------------|-----------------------|
| LU-PPF | 1,057 | 337 | 31.88% | 21 | 19 | 90.48% |
| LU-TF | 101 | 72 | 71.29% | 13 | 5 | 38.46% |

6.3 The Faculty Dean View

The goal of the faculty dean data analysis view is to evaluate course usage indices within the framework of the faculty: ‘How much’ students are taught. Also of

importance is the assessment of those indices which describe the learning process—‘How are students taught’, for instance, which course tools (static or dynamic) are used. It is also interesting to see which instructors are most active in terms of usage time and number of accesses, the aim there being to know how the WebCT usage affects the workload of instructors.

The faculty dean view is defined by the indices shown in Table 5.

Table 5. Faculty dean view definition

| Code | Index | Star schema | Analyzed dimensions and hierarchy granularity |
|------|--|-------------|--|
| FV1 | Total activity of particular designers in a course (hits, time in minutes) | Activity | Course(Course);Role(role=Designer) Course(faculty=value);Person(name) |
| FV2 | Activity of particular designers in course tools (hits, time in minutes) | Activity | Course(Course);Role(role=Designer) Course(faculty=value);Tool(Tool) Person(name) |
| FV3 | Activity of the most active faculty designers in tools by total hits, time | Activity | Course(Course);Role(role=Designer) Course(faculty=Value);Tool(Tool) Person(name) |

When top-management view indices are used, the analysed dimension hierarchy level is changed, e.g., index MV2 from the management view (number of sessions) uses the following level of detail of the hierarchy: Time(month), Course(course), Session(category). Besides, the data are analysed within a particular faculty (Course(faculty=value)).

The analysis in Table 6 contains data from index FV3, for the period from September 1, 2004, until January 30, 2005.

Table 6. Results of the faculty dean view indices

| Designer | | Hit number | | |
|-----------|------|--------------|-------------|--------|
| Last name | Name | Dynamic tool | Static tool | Total |
| L1 | N1 | 54,633 | 5,525 | 60,158 |
| L10 | N10 | 2,925 | 2,668 | 5,593 |

6.4 The Department Management View


This view refers to department managers who organise the learning process and ensure its’ quality. Here, again, the activities of instructors are of interest, except that this time, as opposed to the faculty view, the entire university is analysed. Department management are also interested in the way in which WebCT is used— the tools used more often, the final grades students achieve through the use of dynamic and/or static tools, etc.

The department management view is defined by new indices shown in Table 7.

Table 7. Department management view definition

| Code | Index | Star schema | Analyzed dimensions and hierarchy granularity |
|------|--|-------------|---|
| DV1 | Total designers' activity (time in minutes, hits) drill-down by tools | Activity | Role(role=Designer);Tool(tool) |
| DV2 | Total designers' activity (time in minutes, hits) drill-down by tool types | Activity | Role(role=Designer);Tool(type) |
| DV3 | Students' grade level and tool usage | Activity | Role(role=Student);Course(Course) |

The results of the department management view index DV3 are shown in Figure 8, which is the original screenshot from the report. The report demonstrates the average time, in minutes, during which a student was working with different course tools, broken down on the basis of student grade satisfaction (i.e., students with satisfactory and unsatisfactory final grades).

**Fig. 8.** Results of the department management view indices


6.5 The Instructor View

The instructor view related to course assessment is associated with analysis of the usage of taught courses, i.e., the activity of particular students (hits, time) with tools, the activity among all students with course tools (time, hits), the number of sessions in one month, as well as analysis of session length. The instructor view is defined by the indices shown in Table 8.

Table 8. Instructor view definition

| Code | Index | Star schema | Analyzed dimensions and hierarchy granularity |
|------|---|-------------|--|
| TV1 | Particular student activity (time in minutes, hits) | Activity | Role(role=Student);Tool(tool) Course(course=Value);Person(name) |
| TV2 | Course structure– tools, file size | Structure | Tool(tool);Course(course=Value) |
| TV3 | Number of sessions per hour of the day | Activity | Time(hour);Course(course=Value) |

Fig. 9 shows the results of the TV3 index- the number of students' sessions per hour of the day.

**Fig. 9.** Results of the instructor view indices

7 Conclusions and Future Work

This paper discusses the use of the data warehouse in analysing the WebCT usage at a university. The potential data warehouse data sources and methods usable for the extraction and integration of interesting data were identified.

Four views were defined to identify the indices necessary to evaluate course usage at different management levels, as well as at the level of course instructors. The results were demonstrated through one index from each view. All index results were obtained, but these were not displayed in the paper, because analysis and interpretation of results have not yet been finished. The demonstrated results were not commented upon, although they were included to illustrate certain views.

Integrated WebCT usage analysis at the university level would not be possible without the data warehouse. At this stage, not all data stored in the data warehouse and interesting for the evaluation of e-learning are actually used for the discussed definition of views– e.g., the analysis of quantitative indices by IP address, etc. A survey on e-learning quality assessment is also necessary. The survey results can be

analysed together with the indices which characterise course usage. These topics should be the subject of further research.

References

1. Berk, J.: Learning Measurement: It's Not How Much You Train, But How Well. In: *The Elearning Developers Journal*, Vol. 3 (2003) 1-8
2. Brusilovsky, P.: KnowledgeTree: A Distributed Architecture for Adaptive E-Learning. In: *Proc. of the 13th Intl. World Wide Web Conference (WWW 2004)*, New York: ACM Press (2004) 104-113
3. Brusilovsky, P., Miller, P.: Course Delivery Systems for the Virtual University. In: Tschang, T., Della Senta, T. (eds.): *Access to Knowledge: New Information Technologies and the Emergence of the Virtual University*. Elsevier Science, Amsterdam (2001) 167-206
4. Cheung, D.: Developing a student evaluation instrument for distance teaching. In: *The American Journal of Distance Education*, Vol. 19(1) (1998) 23-42
5. Imhoff, C., Galembo, N., Geiger, J.G.: *Mastering Data Warehouse Design. Relational and Dimensional techniques*. Wiley Publishing (2003)
6. Inmon, W. H.: *Building the Data Warehouse*. QED Press/John Wiley (1992) (Last Edition: 3rd edn., Wiley & Sons (2002))
7. Kimball, R., Merz, R.: *The Data Warehouse Toolkit: Building the Web-Enabled Data Warehouse*, John Wiley and Sons, Inc. (2000)
8. Kimball, R., Reeves, L., Ross, M., Thornthwaite, W.: *The Data Warehouse Lifecycle Toolkit*, Wiley Computer Publishing (1998)
9. Lei, X., Pahl, C., Donnellan, D.: An Evaluation Technique for Content Interaction in Web-based Teaching and Learning Environments. In: *Proc. of the 3rd IEEE Intl. Conf. on Advanced Learning Technologies (ICALT'03)* (2003) 294-295
10. Mamoukaris, K., Economides, A., Delchanidou, N.: Evaluation of web-based educational systems. Internet: *JABE Proceedings(2002)* <http://www.abe.villanova.edu/proceeding.html>
11. Mazza, R., Dimitrova, V.: Visualising Student Tracking Data to Support Instructors in Web-Based Distance Education. In: *Proc. of the 13th Intl. World Wide Web conference on Alternate track papers & posters*, ACM, USA (2004) 154-161
12. Plugge, L.A., Schoenmakers, S., Kirschner, P.A.: Electronic environment for management of learning systems. In: *The International Journal of Technologies for the Advancement Knowledge and Learning*, 3(1) (2001)
13. Rahkila, M., Karjalainen, M.: Evaluation of learning in computer based education using log systems, *Proc. of 29th ASEE/IEEE Frontiers in Education Conf.*, San Juan, Puerto Rico (1999) 16-21
14. Roberts T.G., Irani T., Lundy L.K., Telg, R.: Practices in Student Evaluation of Distance Education Courses Among Land Grant Institutions. In: *Journal of Agricultural Education*, Vol. 45(3) (2004) 1-10 <http://pubs.aged.tamu.edu/jae/toc45.html>
15. Sheard, J., Ceddia, J., Hurst, J., Tuovinen, J.: Inferring Student Learning Behaviour From Website Interactions: A Usage Analysis. In: *Education and Information Technologies*, Vol. 8(3), Kluwer Academic Publishers (2003) 245-266
16. Silva, D.R., Vieira, M.T.P.: An ongoing assessment model for distance learning. In: *Proc. of the Intl. Conf. on Internet and Multimedia Systems and Applications (IMSA2001)*, Hawaii, USA (2001) 17-21
17. Silva, D.R., Vieira, M.T.P.: Using Data Warehouse And Data Mining Resources For Ongoing Assessment Of Distance Learning. In: *Proceedings of IEEE Intl. Conf. on Advanced Learning Technologies (ICALT 2002)* (2002) 40-45

18. Smith-Gratto, K.: Best Practices and Problems North Carolina A & T State University. Report to the Distance Education Evaluation Task Force Distance Education (1999) <http://qed.ncat.edu/ir&p/report.htm>
19. Zaiane, O.R., Luo, J.: Towards Evaluating Learners' Behaviour in a Web-Based Distance Learning Environment. In: Proc. of Intl. Conf. on Advanced Learning Technologies ICALT'01, IEEE (2001).
20. Appache Http Serwer Log Files <http://httpd.apache.org/docs/logs.html>
21. EDUTOOLS: Course Management Systems <http://www.edutools.info/course/compare>
22. WebCT <http://www.webct.com>
23. Webopedia: On-line encyclopedia dedicated to computer technology http://www.webopedia.com/TERM/e/e_learning.html